



JVCKENWOOD Corporation follows a policy of continuous advancement in technical development. For this reason, information contained in this catalogue and specifications may be changed without notice.

All screen pictures in the catalogue are simulated.
iPods, iPhones, SD cards, USB memory devices, CDs or any other accessories shown in this catalogue are not supplied, and must be purchased separately.

iPhone and iPod are trademarks of Apple Inc., registered in the U.S. and other countries.
"Made for iPod" and "Made for iPhone" mean that an electronic accessory has been designed to connect specifically to iPod or iPhone, respectively, and has been certified by the developer to meet Apple performance standards. Apple is not responsible for the operation of this device or its compliance with safety and regulatory standards.

The Garmin logo is a trademark of Garmin Ltd. or its subsidiaries and is registered in one or more countries.

DivX®, DivX® Certified, and associated logos are trademarks of Rovi Corporation or its subsidiaries and are used under license.

The Bluetooth word mark and logos are owned by the Bluetooth SIG, Inc.

Android™ is a trademark of Google Inc.

MirrorLink™ and the MirrorLink Logo are certification marks of the Car Connectivity Consortium LLC.
The Wi-Fi Logo is a certification mark of the Wi-Fi Alliance.

All other brands, product names, logos, or trademarks are the property of their respective holders.

JVCKENWOOD ASIA HEADQUARTERS

1 ANG MO KIO STREET 63 SINGAPORE 569110

Products introduced in this catalogue may not be available in some regions.
Contact your local Kenwood Electronics dealer for availability and/or details.

Asia Headquarters: <http://asia.kenwood.com>
Singapore: <http://sg.kenwood.com>
Malaysia: <http://my.kenwood.com>
Thailand: <http://th.kenwood.com>
UAE: <http://ae.kenwood.com>
Australia: <http://au.kenwood.com>
China: <http://cn.kenwood.com/>
Hong Kong: <http://kenwoodhk.com.hk>
India: <http://india.kenwood.com>

The cutting-edge

MOBILE ENTERTAINMENT SYSTEMS 2014

Multimedia Lineup

Network AV Receiver Lineup

Built-in Wi-Fi & Bluetooth, Network AV Navigation System
DNN9350BT



The Flagship.

Built-in Garmin, The Perfect Entertainment Package.

DNN9350BT Main Feature Sets

The Most Advanced Feature Package with Beautiful Screen, Hi-Fi Sound.

Built-in Wi-Fi Wi-Fi	Built-in Apps	Wi-Fi Hotspot Wi-Fi Tethering	Kenwood Cloud Route Collector	Set your trip plan before your ride	Cloud Music Streaming	GARMIN	Capacitive Type 7.0 inch LED Wide VGA Screen	Front & Rear Camera Input 1AV in / 1AV out	Direct OEM Steering Remote
Android True Mirroring	iPhone True Mirroring	1A High Current Rear USB	Built-in Music Streaming	Easy Pairing no Pin code	Auto Pairing via USB	Siri Eyes Free	2 Phones Full Time Connection	13 Band EQ Advanced DSP Time Alignment	High Voltage 5.0v 3 Preouts

Non Built-in Garmin Navigation Version. "DNR" Series. (Dual-Din Network Receiver)

Built-in Wi-Fi & Bluetooth, Network AV Receiver
DNR8035BT



Toyota 200mm, Built-in Wi-Fi & Bluetooth, AV Receiver
DNR935WBT



DNR8035BT and DNR935WBT, Main Feature Sets

Built-in Wi-Fi Wi-Fi	Built-in Apps	Wi-Fi Hotspot Wi-Fi Tethering	Kenwood Cloud Route Collector	Cloud Music Streaming	GARMIN	Capacitive Type 7.0 inch LED Wide VGA Screen	Front & Rear Camera Input 1AV in / 1AV out	Direct OEM Steering Remote
Android True Mirroring	iPhone True Mirroring	1A High Current Rear USB	Built-in Music Streaming	Easy Pairing no Pin code	Auto Pairing via USB	Siri Eyes Free	2 Phones Full Time Connection	13 Band EQ Advanced DSP Time Alignment

The Common Highlights 1

Revolutionary In-Car Experience.

Built-in Apps

Built-in App Concept.
Built-in Maximum Fun.



Wi-Fi Hotspot
Wi-Fi Tethering

Easy to connect to the Internet
You can utilize your Smartphone or Wireless Wi-Fi router.



The Common Highlights 2

Kenwood Cloud Service "Route Collector" <http://www.route-collector.com>

Route Collector,

is powered by Google Maps and Dropbox. You can always access the latest POI and set a destination before your ride. You can enjoy "Cloud music streaming" while driving.

iOS app "Route Collector" is also available, free.



The Common Highlights 3

Android, iPhone "True Mirroring". A New Degree of Smartphone Connectivity.


True Mirroring,

lets you see exactly what's on your Galaxy or iPhone with great sound quality. It's time to enhance your "in-car" entertainment.




Android True Mirroring

The required accessories for Android Smartphone.
*In case of Samsung Galaxy S4 and S3.



iPhone True Mirroring

The required accessories for Apple iPhone5S, 5C and 5.



Multimedia Lineup

"True Mirroring" DDX Premium Line

Toyota 200mm, Built-in Bluetooth, True Mirroring AV Receiver
DDX635WBT



Toyota
200mm
Version

7.0 inch
LED
Wide VGA Screen

Built-in Bluetooth, True Mirroring AV Receiver
DDX7035BT



7.0 inch
LED
Wide VGA Screen

Built-in Bluetooth, True Mirroring AV Receiver
DDX5035BT



6.1 inch
LED
Wide VGA Screen

DDX Standard Line

Built-in Bluetooth, AV Receiver
DDX3035BT




6.1 inch
LED
Wide VGA Screen

The Common Highlights 1

Android, iPhone "True Mirroring". A New Degree of Smartphone Connectivity.

True Mirroring,

lets you see exactly what's on your Galaxy or iPhone with great sound quality. It's time to enhance "in-car" entertainment.




The required accessories for Android Smartphone.

*In case of Samsung Galaxy S4 and S3.



The required accessories for Apple iPhone5S, 5C and 5.



The Common Highlights 2


Kenwood Premium AV Receiver DDX is a Cutting Edge for an Advanced Feature Package.

Advanced Bluetooth, Useful Features.

- Built-in Music Streaming
- Easy Pairing no Pincode
- Auto Pairing via USB
- Siri Eyes Free
- 2 Phones Full Time Connection
- 1A High Current Rear USB
- Rear Camera Input 1AV in / 1AV out
- Direct OEM Steering Remote
- GARMIN KNA-G630 Ready

Perfectly Controlled EQ,

Kenwood Drive EQ automatically adjusts 7band EQ parameters and creates an ideal listening environment while driving.



Ready for Upgrade,

Premium DDX works perfectly with "Performance Series" amplifiers and speakers.

High Voltage
4.0v
3 Preouts



The Common Highlights 3

Beautiful, Useful Graphic User Interface.

Customizable GUI Background,


You can choose from 8 GUI background color options, and also make your favorite photo an original background.



Easy Control Mode,

You can switch music/radio control mode between normal control mode and easy control mode.

Normal Control Mode.



Easy Control Mode.



DDX for limited market

AV Receiver
DDX3035

Non-Bluetooth Version of DDX3035BT

Advanced Bluetooth, Sporty Design.

DDX3035BT is a new benchmark among entry-class AV receivers.

- Built-in Music Streaming
- Easy Pairing no Pincode
- Auto Pairing via USB
- Siri Eyes Free
- 1A High Current Front USB
- Rear Camera Input 1AV in / 1AV out
- Direct OEM Steering Remote
- GARMIN KNA-G630 Ready
- High Voltage **4.0v** **3** Preouts



AV Receiver
DDX1035

Made for iPhone, iPod. (Music Playback)



6.2 inch
LED
Wide VGA Screen

2.0v
3 Preouts

1A High Current Front USB

Rear Camera Input 1AV in / 1Video out

Multimedia Lineup

Built-in Garmin, AV Navigation Receiver Lineup

Built-in Bluetooth, AV Navigation Receiver DNX535VBT



The Perfect Fit for Volkswagen.



Beetle

Passat

- Built-in Music Streaming
- Easy Pairing no Pin code
- Auto Pairing via USB
- Siri Eyes Free
- 2Phones Full Time Connection
- 7.0 inch Wide VGA Screen
- LED
- Rear Camera Input 1AV in / 1AV out

- Android True Mirroring
- iPhone True Mirroring
- 1A High Current Rear USB
- Drive EQ+ Perfectly Controlled Auto EQ
- 7 Band EQ DSP Time Alignment
- 2.0v 3 Preouts

Built-in Bluetooth, AV Navigation Receiver DNX5350BT



Built-in Garmin. The Most Reliable Nav-Solution.



* The availability of 3D Building Map depends on the map in each country

- Built-in Music Streaming
- Easy Pairing no Pin code
- Auto Pairing via USB
- Siri Eyes Free
- 2Phones Full Time Connection
- 6.1 inch Wide VGA Screen
- LED
- Rear Camera Input 1AV in / 1AV out
- Direct OEM Steering Remote

- Android True Mirroring
- iPhone True Mirroring
- 1A High Current Rear USB
- Drive EQ+ Perfectly Controlled Auto EQ
- 13 Band EQ Advanced DSP Time Alignment
- High Voltage 5.0v 3 Preouts

Single Din Receiver Lineup

DVD Receiver KDV-MP5343U



- Front USB
- MPEG1/2 DivX, JPEG
- Front AV Input Rear Video Out
- 8-Digit FL Display White Key Illumination
- KCA-BT300 Ready
- 2.5v 2 Preouts
- 3 Band EQ Bass Boost High / Low Pass Filter
- MOS-FET 50Wx4

DVD Receiver KDV-U4349



- Front USB
- MPEG1/2 DivX, JPEG
- Front AV Input Rear Video Out
- 8-Digit FL Display Red Key Illumination
- KCA-BT300 Ready
- 2.5v 1 Preout
- 3 Band EQ Bass Boost High / Low Pass Filter
- MOS-FET 50Wx4

Direct OEM Steering Remote Function


No need to purchase an OEM steering remote adaptor for most Japanese and Korean cars.

Direct OEM Steering Remote	TOYOTA (20P)	TOYOTA (28P)	TOYOTA (26P)	TOYOTA (10P+6P)	HONDA (20P-B)
	Input 1 : Green Input 2 : Purple ST REMOTE GND : Gray	Input 1 : Green Input 2 : Purple ST REMOTE GND : Gray	Input 1 : Green Input 2 : Purple ST REMOTE GND : Gray	Input 1 : Green Input 2 : Purple ST REMOTE GND : Gray	Input 1 : Green Input 2 : NC ST REMOTE GND : Gray
	HONDA (20P-A)	HONDA (24P)	NISSAN (16P-A)	NISSAN (20P)	NISSAN (16P-B)
	Input 1 : Green Input 2 : NC ST REMOTE GND : Gray	Input 1 : Green Input 2 : NC ST REMOTE GND : Gray	Input 1 : Green Input 2 : Purple ST REMOTE GND : Gray	Input 1 : Green Input 2 : Purple ST REMOTE GND : Gray	Input 1 : Green Input 2 : Purple ST REMOTE GND : Gray
	MITSUBISHI (20P)	MAZDA (24P)	SUBARU (20P)	SUBARU (8P)	SUZUKI (20P)
	Input 1 : Green Input 2 : NC ST REMOTE GND : Gray	Input 1 : Green Input 2 : NC ST REMOTE GND : Gray	Input 1 : Green Input 2 : NC ST REMOTE GND : Gray	Input 1 : Green Input 2 : NC ST REMOTE GND : Gray	Input 1 : Green Input 2 : NC ST REMOTE GND : Gray
	ISUZU (16P)	HYUNDAI / KIA (24P-A)	HYUNDAI / KIA (24P-B)		
	Input 1 : Green Input 2 : NC ST REMOTE GND : Gray	Input 1 : Green Input 2 : NC ST REMOTE GND : Gray	Input 1 : Green Input 2 : NC ST REMOTE GND : Gray		


The information for each vehicle above was investigated by JVC/KENWOOD Asia Headquarters, and may not cover all of the connector types. Please contact your local Kenwood Electronics dealers for details.

*Location of Steering Remote Connector

If the vehicle is equipped with an OEM steering remote controller, the steering remote connector is commonly located in the console.




*How to view Steering Remote Connector



All steering wheel remote controls above are vehicle side connectors and drawn from the side. (view indicated by arrow)

*Steering Remote Cable (included in the unit)



- 1) Look for a steering remote connector that is the same shape as in the image above in the console.
- 2) Connect "Input 1", "Input 2" and "ST REMOTE GND" to the pins shown in matching colors on the above list of connectors.

How to open the steering remote control screen

ex) DNN9350BT




- 1) Press this icon.
- 2) Press "SETUP"
- 3) Select "System"
- 4) Select "User Interface"
- 5) Select "Steering Remote Controller"

How to synchronize the commands



- 1) Press and hold the "Volume Up" button
- 2) This icon appears.
- 3) Press "Volume Up Icon"
- 4) The functions will be synchronized.
- 5) Repeat the same procedure.



Multimedia Lineup Summary

Step-up Feature Comparison and Connectivity Chart

Network Receivers Feature Comparison		Remote Control	Built-in Wi-Fi	Built-in Garmin	Kenwood Cloud	Screen	Android Smartphone ¹	iPhone 5S, 5C and 5	iPhone 4S and Earlier	Built-in Bluetooth	Bluetooth Microphone	iPhone Automatic Bluetooth Pairing	Voice Control by using "Siri"	USB Port	USB Video Format	Tuner	Direct OEM Steering Remote	AV In / Out Camera Input	Audio Preout	Audio Features	
DNR9350BT		RC-DV331	WiFi	GARMIN	Set your trip plan before your drive Dropbox Cloud Music Storage	7.0inch Wide VGA LED Capacitive Type Reverse Tilt	KCA-MH100 (see the below chart)	KCA-HD100 KCA-IP103 (see the below chart)	KCA-IP202 (AV) KCA-IP102 (supports only music)	Music Streaming	External Microphone	Yes via USB	Siri Eyes Free	X2 Rear Dual USB (1A & 500mA)	MPEG1, 2 / MPEG4 / H.264 / WMV / JPEG	FM / RDS / AM		1 / 1 Front & Rear Camera In	5.0V / 3 Preouts		13 Band EQ Digital Time Alignment
DNR8035BT		RC-DV340	WiFi	-	-	7.0inch Wide VGA LED Capacitive Type Reverse Tilt	KCA-MH100 (see the below chart)	KCA-HD100 KCA-IP103 (see the below chart)	KCA-IP202 (AV) KCA-IP102 (supports only music)	Music Streaming	External Microphone	Yes via USB	Siri Eyes Free	Rear USB (1A)	MPEG1, 2 / MPEG4 / H.264 / WMV / JPEG	FM / RDS / AM		1 / 1 Front & Rear Camera In	5.0V / 3 Preouts		13 Band EQ Digital Time Alignment
DNR935WBT		RC-DV340	WiFi	-	-	7.0inch Wide VGA LED Capacitive Type Reverse Tilt	KCA-MH100 (see the below chart)	KCA-HD100 KCA-IP103 (see the below chart)	KCA-IP202 (AV) KCA-IP102 (supports only music)	Music Streaming	External Microphone	Yes via USB	Siri Eyes Free	Rear USB (1A)	MPEG1, 2 / MPEG4 / H.264 / WMV / JPEG	FM / RDS / AM		1 / 1 Front & Rear Camera In	5.0V / 3 Preouts		13 Band EQ Digital Time Alignment

AV Receivers Feature Comparison		Remote Control	Built-in Wi-Fi	Built-in Garmin	Kenwood Cloud	Screen	Android Smartphone ¹	iPhone 5S, 5C and 5	iPhone 4S and Earlier	Built-in Bluetooth	Bluetooth Microphone	iPhone Automatic Bluetooth Pairing	Voice Control by using "Siri"	USB Port	USB Video Format	Tuner	Direct OEM Steering Remote	AV In / Out Camera Input	Audio Preout	Audio Features	
DDX635WBT		RC-DV340	-	KNA-G630 Ready	-	7.0inch Wide VGA LED	KCA-MH100 (see the below chart)	KCA-HD100 KCA-IP103 (see the below chart)	KCA-IP202 (AV) KCA-IP102 (supports only music)	Music Streaming	External Microphone	Yes via USB	Siri Eyes Free	Rear USB (1A)	MPEG1, 2 / MPEG4 / H.264 / WMV / JPEG	FM / RDS / AM		1 / 1 Rear Camera In	4.0V / 3 Preouts		7 Band EQ Digital Time Alignment
DDX7035BT		RC-DV340	-	KNA-G630 Ready	-	7.0inch Wide VGA LED	KCA-MH100 (see the below chart)	KCA-HD100 KCA-IP103 (see the below chart)	KCA-IP202 (AV) KCA-IP102 (supports only music)	Music Streaming	External Microphone	Yes via USB	Siri Eyes Free	Rear USB (1A)	MPEG1, 2 / MPEG4 / H.264 / WMV / JPEG	FM / RDS / AM		1 / 1 Rear Camera In	4.0V / 3 Preouts		7 Band EQ Digital Time Alignment
DDX5035BT		RC-DV340	-	KNA-G630 Ready	-	6.1inch Wide VGA LED	KCA-MH100 (see the below chart)	KCA-HD100 KCA-IP103 (see the below chart)	KCA-IP202 (AV) KCA-IP102 (supports only music)	Music Streaming	External Microphone	Yes via USB	Siri Eyes Free	Rear USB (1A)	MPEG1, 2 / MPEG4 / H.264 / WMV / JPEG	FM / RDS / AM		1 / 1 Rear Camera In	4.0V / 3 Preouts		7 Band EQ Digital Time Alignment
DDX3035BT		RC-DV340	-	KNA-G630 Ready	-	6.1inch Wide VGA LED	-	KCA-IP103 (supports only music)	KCA-IP22F (AV) KCA-IP102 (supports only music)	Music Streaming	External Microphone	Yes via USB	Siri Eyes Free	Front USB (1A)	MPEG1, 2 / JPEG	FM / RDS / AM		1 / 1 Rear Camera In	4.0V / 3 Preouts	-	3 Band EQ
DDX3035		RC-DV340	-	KNA-G630 Ready	-	6.1inch Wide VGA LED	-	KCA-IP103 (supports only music)	KCA-IP22F (AV) KCA-IP102 (supports only music)	-	-	-	-	Front USB (1A)	MPEG1, 2 / JPEG	FM / RDS / AM		1 / 1 Rear Camera In	4.0V / 3 Preouts	-	3 Band EQ
DDX1035		RC-DV700	-	-	-	6.2inch Wide VGA LED	-	KCA-IP103 (supports only music)	KCA-IP22F (AV) KCA-IP102 (supports only music)	-	-	-	-	Front USB (1A)	MPEG1, 2 / MPEG4 / JPEG	FM / RDS / AM	-	1 / 1 Video Out Rear Camera In	2.0V / 3 Preouts	-	3 Band EQ

Navigation Receivers Feature Comparison		Remote Control	Built-in Wi-Fi	Built-in Garmin	Kenwood Cloud	Screen	Android Smartphone ¹	iPhone 5S, 5C and 5	iPhone 4S and Earlier	Built-in Bluetooth	Bluetooth Microphone	iPhone Automatic Bluetooth Pairing	Voice Control by using "Siri"	USB Port	USB Video Format	Tuner	Direct OEM Steering Remote	AV In / Out Camera Input	Audio Preout	Audio Features	
DNX535VBT		RC-DV331	-	GARMIN	-	7.0inch Wide VGA LED	KCA-MH100 (see the below chart)	KCA-HD100 KCA-IP103 (see the below chart)	KCA-IP202 (AV) KCA-IP102 (supports only music)	Music Streaming	External Microphone	Yes via USB	Siri Eyes Free	Rear USB (1A)	MPEG1, 2 / MPEG4 / H.264 / WMV / JPEG	FM / RDS / AM	-	1 / 1 Rear Camera In	2.0V / 3 Preouts		7 Band EQ Digital Time Alignment
DNX5350BT		RC-DV331	-	GARMIN	-	6.1inch Wide VGA LED	KCA-MH100 (see the below chart)	KCA-HD100 KCA-IP103 (see the below chart)	KCA-IP202 (AV) KCA-IP102 (supports only music)	Music Streaming	External Microphone	Yes via USB	Siri Eyes Free	Rear USB (1A)	MPEG1, 2 / MPEG4 / H.264 / WMV / JPEG	FM / RDS / AM		1 / 1 Rear Camera In	5.0V / 3 Preouts		13 Band EQ Digital Time Alignment

*1 Works with the Android Smartphone which supports MHL spec.

Accessories for Multimedia Products

True Mirroring

The required accessories for Android Smartphone.
*In case of Samsung Galaxy S4 and S3.

- 1 Samsung MHL 11pin to 5pin Adapter. *Only Galaxy requires this adapter.
- 2 Kenwood MHL - HDMI Cable KCA-MH100 Transfer Audio / Video & Charging

The required accessories for Apple iPhone5S, 5C and 5.

- 1 Apple Lightning Digital AV Adapter.
- 2 Kenwood Lightning to USB Cable KCA-IP103 Charging
- 3 Kenwood HDMI Cable KCA-HD100 Transfer Audio / Video

iPhone 4S and Earlier

KCA-IP202
iPhone / iPod, Audio / Video Cable

KCA-IP22F
iPhone / iPod Audio / Video Cable

KCA-IP102
iPhone / iPod Audio Cable

Rear Camera

CMOS-320
Multi View Rear Camera

CMOS-220
Rear Camera

Navigation unit, TV Tuner and other

KNA-G630
Hide-away Navigation System for DDX

KTC-V300P/N
PAL / NTSC Analogue TV Tuner

KCA-BT300
Bluetooth Unit(HFP / A2DP / SMS)

CA-C3AV
AV RCA Mini-jack Cable for Front AV-Input

Audio Lineup


Dual USB CD Receiver "Premium Line"

Built-in Bluetooth, Dual USB & CD Receiver

KDC-X700BT




The Most Advanced Kenwood CD Receiver, Ever.



Pure Sound

Dual USB & CD Receiver

KDC-X400




Anti-Dust CD Slot Cover



Dedicated Audio Key
Folder Up & Down Key

KDC-X700BT and KDC-X400, Common Features

Dual USB, Maximum Connectivity.



High Quality Sound.




Digital Media Receiver (Non-CD Transport) "Premium Line"

Built-in Bluetooth, Dual USB Receiver



KMM-X50BT



Designed for Smartphone Users



Maximum Connectivity



Quick Music Browser
Dedicated Folder Up &
Down Key

Dedicated Bluetooth Key
Dedicated Phonebook Key



Dual USB, Digital Media Receiver

KMM-X30



USB Receiver with Red Key Illumination

KMM-X10



Audio Lineup

USB & CD Receiver "Standard Line"

Mass Storage USB & CD Receiver
KDC-U259B Blue Key Illumination



Dedicated Audio Control key and Folder Up & Down Key

Designed for Ease of Use.

Bigger Font 13-Digit White Display



KDC-U259A Amber Key Illumination



KDC-U259R Red Key Illumination




KDC-U259G Green Key Illumination



iPod USB & CD Receiver
KDC-U359W White Key Illumination



Built-in Bluetooth, iPod USB & CD Receiver
KDC-U559BT Variable Color Illumination



KDC-U359B Blue Key Illumination



KDC-U259 Series, U359 Series and KDC-U559BT, The Common Features.

Bigger Font 13-Digit LCD Display	Front AUX input	Radio Data Text RDS Tuner	Ready for OEM Steering Remote
--	-----------------------	---------------------------------	-------------------------------------

Automatic EQ.

Perfectly Controlled Auto EQ	3 Band EQ 8 Preset EQ Bass Boost	2.5V 2 Preouts
---------------------------------	--	-------------------

Dual Din Audio "DPX" Series

Built-in Bluetooth, Dual Din USB & CD Receiver
DPX-U5130BT



Non Bluetooth Version is also available
DPX-U5130



Beautiful Design, Advanced Technologies Inside.

Built-in Music Streaming	Easy Pairing no Pin Code	2 Phones Full Time Connection	Auto Pairing via USB
Siri Eyes Free	Dedicated Bluetooth Keys		

The Common Features.











Sophisticated 200 mm Panel Included	Bigger Font 13-Digit + Clock LCD Display	Color Coded Variable Illumination	1A High Current Front USB	Made for iPod/iPhone
Front AUX input	Ready for OEM Steering Remote	3 Band EQ 7 Preset EQ Bass Boost	DPX-U5130BT 2.5V 3 Preouts	DPX-U5130 2.5V 2 Preouts

Built-in Bluetooth, Dual USB & CD Receiver with HI-Fi Sound Quality

Built-in Bluetooth, Dual USB & CD Receiver
KDC-U7056BT






Anti-Dust CD Slot Cover






CD Receivers with Front AUX




MP3 / WMA CD Receiver
KDC-MP249A Amber Key Illumination



MP3 / WMA CD Receiver
KDC-MP149 Red Key Illumination



CD Receiver
KDC-153S Red Key Illumination



Audio Lineup Summary

Step-up Feature Comparison and Connectivity Chart

Audio Receivers Feature Comparison	Remote Control	Display	Variable Color Key Illumination	Built-in Bluetooth	Bluetooth Microphone	iPhone Automatic Bluetooth Pairing	Voice Control by using "Siri"	USB Port	iPhone5S, 5C and 5	iPhone 4S / 4 and Previous	USB Audio Format	Tuner	OEM Steering Remote	AUX Input	Audio Preout	Audio Features
USB & CD Receiver																
KDC-U7056BT	RC-406	3 Lines of Text LCD Display	MULTI COLOR	Music Streaming	External Microphone	Yes via USB	Siri Eyes Free	x2 Front & Rear USB (1A)	KCA-iP103	KCA-iP102	WMA / MP3 / AAC / WAV	FM / AM	Ready	Front	4.0V / 3 Preouts	13 Band EQ Digital X'over Digital Time Alignment
KDC-X700BT	RC-406	13-Digit + 8-Digit LCD Display	MULTI COLOR	Music Streaming	External Microphone	Yes via USB	Siri Eyes Free	x2 Front & Rear USB (1A)	KCA-iP103	KCA-iP102	WMA / MP3 / WAV	FM / RDS / AM and Short Wave	Ready	Front	4.0V / 3 Preouts	Digital EQ 5 Band EQ
KDC-X400	RC-406	13-Digit + 8-Digit LCD Display	MULTI COLOR	-	-	-	-	x2 Front & Rear USB (1A)	KCA-iP103	KCA-iP102	WMA / MP3 / WAV	FM / RDS / AM and Short Wave	Ready	Front	4.0V / 3 Preouts	Digital EQ 5 Band EQ
KDC-U559BT	RC-406	13-Digit LCD Display	MULTI COLOR	Music Streaming	External Microphone	Yes via USB	Siri Eyes Free	Front USB (1A)	KCA-iP103	KCA-iP102	WMA / MP3 / WAV	FM / RDS / AM and Short Wave	Ready	Front	2.5V / 2 Preouts	Digital EQ 3 Band EQ
KDC-U359W KDC-U359B	RC-406	13-Digit LCD Display	-	-	-	-	-	Front USB (1A)	KCA-iP103	KCA-iP102	WMA / MP3 / WAV	FM / RDS / AM and Short Wave	Ready	Front	2.5V / 2 Preouts	Digital EQ 3 Band EQ
KDC-U259B *1 KDC-U259A KDC-U259R KDC-U259G	RC-406	13-Digit LCD Display	-	-	-	-	-	Front USB (1A)	-	-	WMA / MP3 / WAV	FM / RDS / AM and Short Wave	Ready	Front	2.5V / 2 Preouts	Digital EQ 3 Band EQ

*1 Remote Control is optional in China.

Audio Receivers Feature Comparison	Remote Control	Display	Variable Color Key Illumination	Built-in Bluetooth	Bluetooth Mic	iPhone Automatic Bluetooth Pairing	Voice Control by using "Siri"	USB Port	iPhone5S, 5C and 5	iPhone 4S / 4 and Previous	USB Audio Format	Tuner	OEM Steering Remote	AUX Input	Audio Preout	Audio Features
Digital Media Receiver (Non CD Transport)																
KMM-X50BT	RC-406	13-Digit LCD Display	MULTI COLOR	Music Streaming	External Microphone	Yes via USB	Siri Eyes Free	x2 Front & Rear USB (1A)	KCA-iP103	KCA-iP102	WMA / MP3 / WAV / FLAC	FM / RDS / AM and Short Wave	Ready	Front	2.5V / 2 Preouts	Digital EQ 3 Band EQ
KMM-X30	RC-406	13-Digit LCD Display	MULTI COLOR	-	-	-	-	x2 Front & Rear USB (1A)	KCA-iP103	KCA-iP102	WMA / MP3 / WAV / FLAC	FM / RDS / AM and Short Wave	Ready	Front	2.5V / 1 Preout	Digital EQ 3 Band EQ
KMM-X10	RC-406	13-Digit LCD Display	-	-	-	-	-	Front USB (1A)	-	-	WMA / MP3 / WAV / FLAC	FM / RDS / AM and Short Wave	Ready	Front	2.5V / 1 Preout	Digital EQ 3 Band EQ

Audio Receivers Feature Comparison	Remote Control	Display	Variable Color Key Illumination	Built-in Bluetooth	Bluetooth Mic	iPhone Automatic Bluetooth Pairing	Voice Control by using "Siri"	USB Port	iPhone5S, 5C and 5	iPhone 4S / 4 and Previous	USB Audio Format	Tuner	OEM Steering Remote	AUX Input	Audio Preout	Audio Features
Dual Din, USB & CD Receiver																
DPX-U5130BT	RC-406	13-Digit + Clock LCD Display	MULTI COLOR	Music Streaming	External Microphone	Yes via USB	Siri Eyes Free	Front USB (1A)	KCA-iP103	KCA-iP102	WMA / MP3 / AAC / WAV	FM / AM and Short Wave	Ready	Front	2.5V / 3 Preouts	3 Band EQ
DPX-U5130	RC-406	13-Digit + Clock LCD Display	MULTI COLOR	-	-	-	-	Front USB (1A)	KCA-iP103	KCA-iP102	WMA / MP3 / AAC / WAV	FM / AM and Short Wave	Ready	Front	2.5V / 2 Preouts	3 Band EQ

Accessories for Audio Products.



For iPhone 5S, 5C and 5

KCA-iP103



iPhone 4S and earlier

KCA-iP102



Remote Controller
KCA-RC406



Amplifier, Subwoofer and Full Range Speaker Lineup



The Flagship, Innovative Products



Compact D-Class 5ch Amplifier XR900-5

5ch

Ultra Small and Thin Chassis for Flexible Installation. Innovative D-Class 5ch Amplifier.

MAX Power	1800W	RMS at 4ohms	60W x4 + 400W	Compact Chassis	Wide 260mm Depth 169mm Height 51mm
------------------	--------------	---------------------	----------------------	------------------------	---



Oversized Component Speaker XR-1800P



180mm Bigger Woofer Cone + 30mm Tweeter. High Performance Component Speaker.

Peak Power	330W	Includes Multi Brackets for Easier Installation
-------------------	-------------	---

12inch Shallow Subwoofer KFC-WPS1200F



For Challenging Installation Cases, a Thinner, Smaller Sub-Box Solution.

Peak Power	1400W	RMS at 4ohms	350W
-------------------	--------------	---------------------	-------------



Performance Oriented Higher Grade Products



X Series Lineup and Specifications.

	XR900-5 D Class, 5ch	XR400-4 D Class, 4ch	XR600-1 D Class, Mono
MAX Power	1800W	1000W	1200W
RMS Power at 2ohms	75W x 4 + 600W	100W x 4	600W x 1
RMS Power at 4ohms	60W x 4 + 400W	75W x 4	400W x 1
Bridged	-	Bi-Amp Connection	-
High/Low Pass Filter	50 - 200 Hz (-12 dB / oct.) / (-24 dB / oct.)	50 - 200 Hz or 2.5k - 10k Hz (-12 dB / oct.)	- / 50 - 200 Hz (-24 dB / oct.)
Speaker (high) Level Input	-	-	-
Dimensions	(W)260x(H)51x(D)169	(W)220x(H)35x(D)169	(W)220x(H)35x(D)169

	XR-1800P 18cm Component Speaker	KFC-WPS1200F 30cm / 12inch Subwoofer	KFC-WPS1000F 25cm / 10inch Subwoofer	KFC-XW800F 20cm / 8inch Subwoofer
Peak Power	330W	1400W	1000W	600W
RMS Power at 4 ohms	110W	350W	250W	150W
Frequency Response	57 Hz - 20k Hz	30 Hz - 700 Hz	35Hz - 800 Hz	40 Hz - 500 Hz
Mounting Depth	62mm	100mm	85mm	70mm



The Perfect 1st Step for High Performance Audio Systems



5ch Amplifier KAC-HQR9500

5ch

Powerful, Durable 5ch Amplifier.

MAX Power	1200W	RMS at 4ohms	40W x4 + 300W	Wide 324mm Depth 187mm Height 55mm
------------------	--------------	---------------------	----------------------	--



7x10inch, 3Way Speaker KFC-HQR7100



Legendary 7x10inch, Feel the Power of Kenwood Sound.

Peak Power	600W	Ultra High Performance Sound
-------------------	-------------	------------------------------

7x10inch, 3Way Speaker KFC-HQ718



Peak Power	320W	Ultra High Performance Sound
-------------------	-------------	------------------------------

12inch, Super Subwoofer KFC-HQR3000



Ground Shaking Super-Sub.

Peak Power	1500W	RMS at 4ohms	500W	Dual Ventilation Efficient Voice Coil Cooling Structure
-------------------	--------------	---------------------	-------------	---



A Good Choice for Upgrading Factory Speakers



HQR Series Lineup and Specifications.

	KAC-HQR9500 D Class, 5ch	KAC-HQR9400 AB Class, 4ch	KAC-HQR8400 AB Class, 4ch
MAX Power	1200W	900W	720W
RMS Power at 2ohms	50W x 4 + 500W	75W x 2 + 150W x 2	90W x 4
RMS Power at 4ohms	40W x 4 + 300W	60W x 2 + 100W x 2	60W x 4
Bridged	100W x 2 + 300W	60W x 2 + 300W	180W x 2
High/Low Pass Filter	50 - 200 Hz (-12 dB / oct.) / (-24 dB / oct.)	50 - 200 Hz (-12 dB / oct.) / (-24 dB / oct.)	50 - 200 Hz (-12 dB / oct.)
Speaker (high) Level Input	-	-	○
Dimensions	(W)324x(H)55x(D)187	(W)324x(H)55x(D)187	(W)330x(H)55x(D)215

	KFC-HQR7100 7x10inch 3Way Speaker	KFC-HQ718EX 7x10inch 3Way Speaker	KFC-HQ718 7x10inch 3Way Speaker	KFC-HQR1600 16cm 3Way Speaker	KFC-HQR3000 30cm / 12inch Subwoofer
Peak Power	600W	400W	320W	400W	1500W
RMS Power	150W at 3 ohms	80W at 3 ohms	80W at 4 ohms	100W at 4 ohms	500W at 4 ohms
Frequency Response	63 Hz - 20k Hz	28 Hz - 30k Hz	22 Hz - 33k Hz	65 Hz - 20k Hz	32 Hz - 300 Hz
Mounting Depth	91.5mm	82mm	82mm	61mm	153mm

Amplifier, Subwoofer and Full Range Speaker Lineup

Performance Series

The Perfect 1st Step for High Performance Audio Systems.

High Performance 4ch Amplifier
KAC-PS947

4ch Amplifier with Cooling Fan
KAC-PS847F

6x9inch, 5Way Speaker
KFC-PS6995EX

6x9inch, 3Way Speaker
KFC-PS6975

12inch, Subwoofer
KFC-PS3015W

4ch



4ch



Powerful, Durable 4ch Amplifier.

Durable 4ch Amplifier with Cooling Fan.

Ultra High Performance.
The New Benchmark For 6x9inch.

Great Performance Subwoofer.

MAX Power 900W	RMS at 4ohms 70W x4	Speaker Line Input Signal Sensing Turn On	Cooling Fan
MAX Power 800W	RMS at 4ohms 60W x4	Speaker Line Input Signal Sensing Turn On	Cooling Fan

Peak Power 700W	4Layer Voice Coil Radial Rib Patterned Stiff Woofer Cone	Acoustic Sound Harmonizer
Peak Power 550W	Acoustic Sound Harmonizer	Peak Power 2000W
		RMS at 4ohms 400W
		Dual Ventilation Efficient Voice Coil Cooling Structure

Performance Series Lineup and Specifications.

	KAC-PS917D D Class, Mono	KAC-8106D D Class, Mono	KAC-PS947 4ch	KAC-PS847F 4ch	KAC-PS847 4ch	KAC-PS647 4ch	KAC-PS527 2ch
MAX Power	2000W	1000W	900W	800W	800W	500W	400W
RMS Power at 2ohms	1000W x 1	500W x 1	100W x 4	90W x 4	90W x 4	60W x 4	75W x 2
RMS Power at 4ohms	500W x 1	300W x 1	70W x 4	60W x 4	60W x 4	40W x 4	60W x 2
Bridged	-	-	200W x 2	180W x 2	180W x 2	130W x 2	150W x 1
High/Low Pass Filter	- / 50 - 200 Hz (-24 dB / oct.)	- / 50 - 200 Hz (-24 dB / oct.)	50 - 200 Hz (-12 dB / oct.)	80 Hz (-12 dB/oct.) / 50-200Hz (24 dB/oct.)	80 Hz (-12 dB/oct.) / 50-200Hz (24 dB/oct.)	80 Hz (-12 dB/oct.) / 50-200Hz (24 dB/oct.)	- / 80 Hz (-18 dB / oct.)
Speaker (high) Level Input	○	-	○	○	○	○	○
Dimensions	(W)335 x (H)56 x (D)192	(W)240x(H)56x(D)192	(W)335 x (H)56 x (D)192	(W)315 x (H)56 x (D)200	(W)315 x (H)56 x (D)200	(W)315 x (H)56 x (D)200	(W)225 x (H)55 x (D)180

	KFC-PS6995EX 6x9inch 5Way Speaker	KFC-PS6995 6x9inch 5Way Speaker	KFC-PS6985 6x9inch 4Way Speaker	KFC-PS6975 6x9inch 3Way Speaker	KFC-PS1795 / PS1695 / PS1395 / PS1095 17cm / 16cm / 13cm / 10cm, 3Way Speaker			KFC-PS3015W 30cm/12inch Subwoofer	
Peak Power	700W	650W	600W	550W	330W / 320W / 320W / 220W			2000W	
RMS Power at 4 ohms	130W	125W	115W	105W	80W / 75W / 40W / 40W			400W	
Frequency Response	58 Hz - 20k Hz	60 Hz - 20k Hz	63 Hz - 20k Hz	63 Hz - 20k Hz	70 Hz / 75 Hz / 110 Hz / 110 Hz - 20k Hz			34 Hz - 300 Hz	
Mounting Depth	83.5mm	78mm	78mm	78mm	60.5mm / 46.5mm / 46mm / 43mm			153mm	

E Series

A Good Choice for Upgrading Factory Speakers.

17cm Component Speaker
KFC-E715P

6x9inch 3Way Speaker
KFC-E6965

16cm 2Way Speaker
KFC-E1665



Peak Power 300W	Neodymium Magnet Powerful Tweeter
---------------------------	---

Peak Power 400W	Lower Height Tweeter Shallow Design
---------------------------	---

Peak Power 300W	Lower Height Tweeter Shallow Design
---------------------------	---

"Boom" Solutions

Pre-loaded Subwoofer Solutions.

12inch Tube Subwoofer
KSC-W1201T

Pre-loaded 12inch Subwoofer Box
KSC-W1200B

Ultra Compact Active Subwoofer
KSC-SW11



Peak Power 1200W	Easy Wiring Push Terminal	Tube length 660mm Volume 46 Liters Includes Mounting Strap.
RMS 300W		

Peak Power 1200W	Easy Wiring Push Terminal	Box Dimensions 486mm W x 342mm H x 200mm D (Top), 272mm D (Bottom) Volume 29.7 Liters. Includes Solid Mounting Bracket.
RMS 300W		

Compact Chassis 280mm Wide	Includes Volume and Cut-off Frequency Controller.
70mm Height	
190mm Depth	Maximum Power 150W.

E Series Lineup and Specifications.

	KFC-E715P 17cm Component	KFC-E705P 17cm Component	KFC-E6965 6x9inch 3Way Speaker	KFC-E1665 / E1365 / E1055 16cm / 13cm / 10cm, 2Way Speaker	KFC-E1655 / E1055 16cm / 10cm, Dual Cone Speaker	
Peak Power	300W	300W	400W	300W / 250W / 210W	300W / 210W	
RMS Power at 4 ohms	30W	30W	45W	30W / 30W / 21W	30W / 21W	
Frequency Response	30 Hz - 22k Hz	30 Hz - 22k Hz	30 Hz - 22k Hz	35 Hz / 40Hz / 45 Hz - 22k Hz	30 Hz - 20k Hz / 45 Hz - 20k Hz	
Mounting Depth	44mm	44mm	76mm	43mm / 43.5mm / 43mm	43mm	

Other Speakers, Tune-up Tweeters and Specifications.

	KFC-M614P 17cm Component	KFC-M604P 17cm Component	KFC-M6944A/M6934A 6x9inch 4Way / 3Way	KFC-M1634A 16cm 3Way Speaker	KFC-MW3000 30cm / 12inch Subwoofer	KFC-ST01 25mm Tweeter	KFC-T40A 40mm Wide Range Tweeter
Peak Power	300W	270W	450W / 360W	270W	1200W	160W	280W
RMS Power at 4 ohms	65W	60W	110W / 80W	60W	300W	40W	65W
Frequency Response	75 Hz - 21k Hz	90 Hz - 21k Hz	63 Hz - 20k Hz	90 Hz - 21k Hz	36 Hz - 300 Hz	5k Hz - 25k Hz	3k Hz - 20k Hz
Mounting Depth	45.5mm	45.5mm	78mm	45.5mm	147mm	-	-