



Clear Resistive Touch Panel

A clear screen designed to reduce glare that includes a resistive touch sensor for accurate control during operation.



Lane Assist

Lane Assist guides you to the correct lane for an approaching turn or exit, making unfamiliar intersections and exits easy to navigate.



Dual Phone Connection

While you are connected through Bluetooth, with a touch of a button you can switch between two phones.



Siri Eyes Free

The KENWOOD receiver will allow the voice dialing feature found on Apple™ smartphones to work through Bluetooth.



Wireless Music Browsing (AVRCP 1.5)

Search and select songs from your music collection through a Bluetooth connection.



Detachable USB

The USB cable can be disconnected from the back of the receiver for easier installation and service.



Android Music Playback (AOA2)

Supporting AOA2, install the Kenwood Music Play app and connect your smartphone to the receiver via USB, and control your music directly from the car monitor receiver.



Android Rapid Charge

Rapidly charge your compatible Android smartphone with the USB port, up to a maximum of 1.5A.



Drive EQ

Boosts specific frequencies in the audio signal to overcome the negative impact of road noise.



Car Portal for iDataLink

When the receiver is installed using the iDataLink Maestro RR (sold separately), it provides a seamless interface with the vehicle, retaining factory features.



Parking Guide Lines

Parking guide lines (requires installation of compatible backup camera) that enhance the effectiveness of a backup camera.



Dual Camera Input

Two camera inputs for front and rear cameras. A rear view camera can be used for the front as it has the ability to reverse the image.



CD Door

The CD slot cover prevents dust from entering the transport.



Variable Color Illumination

Bright variable color LEDs can be adjusted to match any color dash lighting.



Conformal Coating

Improved moisture resistance of the circuit boards to prevent corrosion.

Live connected. Drive connected.

JVC/KENWOOD Corporation follows a policy of continuous advancement in technical development. For this reason information contained in this catalog and specifications may be changed without notice.

All screen pictures in the catalog are simulated.
 • iPods, iPhones, Android smartphones or any other accessories shown in this catalog are not supplied, and must be purchased separately. • Use of the Apple CarPlay logo means that a vehicle user interface meets Apple performance standards. Apple is not responsible for the operation of this vehicle or its compliance with safety and regulatory standards. Please note that the use of this product with iPhone, iPod, or iPad may affect wireless performance. • Android Auto, Android, Google Play, Google and other marks are trademarks of Google Inc. The Android robot is reproduced or modified from work created and shared by Google and used according to terms described in the Creative Commons 3.0 Attribution License. • iDataLink and Maestro are trademarks or registered trademarks of Automotive Data Solutions Inc. • The Garmin logo is a trademark of Garmin Ltd. or its subsidiaries and is registered in one or more countries, including the U.S. eCoroute™, trafficTrends™ and myTrends™ are trademarks of Garmin Ltd. or its subsidiaries. • INRIX® and the INRIX logo are registered trademarks and the INRIX TRAFFIC logo is a trademark of INRIX, Inc. • © HERE. All rights reserved. • The terms HDMI and HDMI High-Definition Multimedia Interface, and the HDMI Logo are trademarks or registered trademarks of HDMI Licensing LLC in the United States and other countries. • MHL, Mobile High-Definition Link and the MHL Logo are trademarks or registered trademarks of the MHL, LLC. • "Made for iPod," and "Made for iPhone" mean that an electronic accessory has been designed to connect specifically to iPod, or iPhone, respectively, and has been certified by the developer to meet Apple performance standards. Apple is not responsible for the operation of this device or its compliance with safety and regulatory standards. Please note that the use of this accessory with iPod, or iPhone may affect wireless performance. • Apple, iPod, iPhone, iPod, and iPod touch are trademarks of Apple Inc., registered in the U.S. and other countries. Apple CarPlay is a trademark of Apple Inc. • Lightning is a trademark of Apple Inc. • Wi-Fi is a registered trademark of Wi-Fi Alliance. • The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by JVC KENWOOD Corporation is under license. • The aptX® software is copyright CSR plc or its group companies. All rights reserved. The aptX® mark and the aptX logo are trademarks of CSR plc or one of its group companies and may be registered in one or more jurisdictions. • The "AKC" logo is a trademark of Dolby Laboratories. • Pandora, the Pandora logo, and the Pandora trade dress are trademarks or registered trademarks of Pandora Media, Inc. used with permission. Pandora is currently available in the United States, Australia, and New Zealand. • iHeartRadio® and iHeartAuto™ are trademarks owned by iHeartMedia, Inc. All uses are authorized under license. • Sirius, XM and all related marks and logos are trademarks of Sirius XM Radio Inc. All rights reserved. • HD Radio Technology manufactured under license from iBiquity Digital Corporation, U.S. and Foreign Patents. HD Radio™ and the HD, HD Radio, and "ac" logos are proprietary trademarks of iBiquity Digital Corp. • "AUXPEO" is a trademark of AUXPEO. • Aha, Aha Radio and the Aha and Aha Radio logos are either the trademarks or the registered trademarks of Harman International Industries, Incorporated. • The N Mark is a trademark or registered trademark of NFC Forum, Inc. in the United States and in other countries. • DivX® and DivX Certified® and associated logos are trademarks of DivX, LLC and are used under license. • DTS, the DTS logo and symbol are trademarks or registered trademarks of Digital Theater Systems, Inc. • microSDHC Logo is a trademark of SD-3C, LLC. • Dolby Digital, double-D symbol are trademarks of Dolby Laboratories. • KENWOOD is a trademark or registered trademark of JVC KENWOOD Corporation in the U.S. and/or other countries. • All other brands, product names, logos, or trademarks are the property of their respective holders.

JVC/KENWOOD USA Corporation
 2201 E. Dominguez St. Long Beach, CA 90810-1009
 P.O. Box 22745 Long Beach, CA 90801-5745
www.kenwood.com/usa

- facebook.com/kenwoodusa
- @KENWOODUSA
- youtube.com/KenwoodUSA

©2016 JVC/KENWOOD. All Rights Reserved.
 For Support and Technical Information please visit www.kenwood.com/cs/cse






DNX773S



6.95" AV Navigation System with Bluetooth & HD Radio **3 PRE-OUTS 4V**



DNX573S



6.2" AV Navigation System with Bluetooth & HD Radio **3 PRE-OUTS 4V**



Advanced Navigation

Guidance by Garmin

guidance by **GARMIN**

Equipped with the industry leading Garmin navigation software, offering a variety of display options to make your driving easy such as Lane Assist.

INRIX Traffic




Includes 2 years free access to INRIX data services, offering real time traffic information as well as parking, fuel services, weather and much more.

Safety

Parking Guide Lines

Parking guide lines appear on any standard backup camera image, making parking safer and easier.



Dual Camera Input

Two camera inputs are available for front and rear cameras. A rear view camera can be used as a front camera with the mirror image setting.



DDX9703S



6.95" Monitor Receiver with Bluetooth & HD Radio **3 PRE-OUTS 4V**



* HDMI and MHL for DDX9703S only.



DDX6703S*



6.2" Monitor Receiver with Bluetooth & HD Radio **3 PRE-OUTS 4V**



Apple CarPlay™



CarPlay is the smarter and safer in-vehicle interface to operate your iPhone, and the experience is taken to another level when featured in a KENWOOD multimedia receiver. Simply talk to Siri, or touch the receiver's display and get directions from Apple Maps, make phone calls, listen to voicemail, send and receive texts, and listen to music all in a way that allows you to stay focused on the road.

Android Auto™



Android Auto was designed with safety in mind, helping you to minimize distractions and stay focused on the road. KENWOOD's multimedia receivers combine Android Auto's intuitive voice controlled interface, a Large 7" touch screen and superior sound quality. Making it the perfect complement for your in-car life.

Smartphone Connectivity

Android Music Playback (AOA2)

Simply install the Kenwood Music Play application onto your Android™ smartphone, connect it to your KENWOOD receiver via USB, and control your music directly from the car monitor receiver.

Dual Phone Connection

Allows two phones to be connected for hands-free operation at any time. Easily switch between both phones with the touch of a button. Answering, calling or searching your phonebook on your phone is made simple through an intuitive GUI.



Android Rapid Charge

Rapidly charge your compatible Android smartphone with the USB port, up to a maximum of 1.5A.

Wireless Music Browsing (AVRCP 1.5)

Search and select songs from your music collection through a Bluetooth® connection.



DDX773BH

6.95" Monitor Receiver with Bluetooth & HD Radio **3 PRE-OUTS 4V**



DDX573BH

6.2" Monitor Receiver with Bluetooth & HD Radio **3 PRE-OUTS 4V**



DDX373BT/23BT*

6.2" Monitor Receiver with Bluetooth **3 PRE-OUTS 4V**



* Sirius XM for DDX373BT only. 3 PRE-OUTS 2.5V for DDX23BT.



KVT-7012BT

6.95" Monitor Receiver with Bluetooth **3 PRE-OUTS 4V**



Dashboard Camera

Full HD video recording is available in a compact design to document any occurrence or disturbance you may come across while driving your vehicle. With HDR (High Dynamic Range) technology, it can record video at dark and bright locations, without underexposing or overexposing the image. A gyro sensor will automatically detect when there is an event and separate a portion of memory within the 8GB SD card for viewing. Additional safety and warning features will detect and alert you of a possible forward collision or as lane departure begins to occur.



DRV-410



Dashboard Camera

DASHBOARD CAMERA

- CMOS-320**
Rear View Camera
- CMOS-230**
Rear View Camera
- CMOS-130**
Rear View Camera
- KCA-WL100**
Wireless Display Adapter
- KCA-MH100**
MHL Cable
- KCA-HD100**
HDMI Cable



KDC-BT958HD / KDC-BT858U*

CD Receiver with Bluetooth & HD Radio

3 PRE-OUTS 4V

- CD Door
- VARIABLE Color ILLUMINATION
- DUAL PHONE CONNECTION
- SIRI EYES FREE
- DUAL USB
- 7Band EQ
- Drive EQ
- FRENCH SPANISH MENU

* HD Radio and 7Band EQ for KDC-BT958HD only. 3Band EQ for KDC-BT858U only.



KDC-BT765HD

CD Receiver with Bluetooth & HD Radio

3 PRE-OUTS 4V

- CD Door
- VARIABLE Color ILLUMINATION
- DUAL PHONE CONNECTION
- WIRELESS MUSIC Browsing
- SIRI EYES FREE
- FRONT USB/AUX
- Music PLAYBACK
- RAPID CHARGE
- 13Band EQ
- Drive EQ
- FLAC SUPPORT
- SPANISH MENU



KDC-BT565U

CD Receiver with Bluetooth

3 PRE-OUTS 2.5V

- CD Door
- VARIABLE Color ILLUMINATION
- DUAL PHONE CONNECTION
- WIRELESS MUSIC Browsing
- SIRI EYES FREE
- FRONT USB/AUX
- Music PLAYBACK
- RAPID CHARGE
- 13Band EQ
- Drive EQ
- FLAC SUPPORT
- SPANISH MENU



KDC-BT365U

CD Receiver with Bluetooth

3 PRE-OUTS 2.5V

- VARIABLE Color ILLUMINATION
- DUAL PHONE CONNECTION
- WIRELESS MUSIC Browsing
- SIRI EYES FREE
- FRONT USB/AUX
- Music PLAYBACK
- RAPID CHARGE
- 13Band EQ
- Drive EQ
- FLAC SUPPORT
- SPANISH MENU



KDC-BT265U

CD Receiver with Bluetooth

2 PRE-OUTS 2.5V

- WHITE Color ILLUMINATION
- DUAL PHONE CONNECTION
- WIRELESS MUSIC Browsing
- SIRI EYES FREE
- FRONT USB/AUX
- Music PLAYBACK
- RAPID CHARGE
- 13Band EQ
- Drive EQ
- FLAC SUPPORT
- FRENCH SPANISH MENU



KDC-HD262U

CD Receiver with HD Radio

3 PRE-OUTS 2.5V

- VARIABLE Color ILLUMINATION
- FRONT USB/AUX
- Music PLAYBACK
- 3Band EQ
- Drive EQ
- FLAC SUPPORT
- SPANISH MENU



KDC-165U

CD Receiver with Front USB & AUX Input

1 PRE-OUT 2.5V

- RED/WHITE Color ILLUMINATION
- FRONT USB/AUX
- Music PLAYBACK
- 3Band EQ
- Drive EQ
- FLAC SUPPORT
- SPANISH MENU



KDC-125U

CD Receiver with Front USB & AUX Input

1 PRE-OUT 2.5V

- RED/WHITE Color ILLUMINATION
- FRONT USB/AUX
- Music PLAYBACK
- 3Band EQ
- Drive EQ
- FLAC SUPPORT
- SPANISH MENU

Smartphone connectivity

Android Rapid Charge
Rapidly charge your compatible Android smartphone with the USB port, up to a maximum of 1.5A.

Wireless Music Browsing (AVRCP 1.5)
Search and select songs from your music collection through a Bluetooth connection.



KMM-BT515HD/BT315U*

Digital Media Receiver with Bluetooth & HD Radio

3 PRE-OUTS 4V

- VARIABLE Color ILLUMINATION
- DUAL PHONE CONNECTION
- WIRELESS MUSIC Browsing
- SIRI EYES FREE
- FRONT USB/AUX
- Music PLAYBACK
- RAPID CHARGE
- 13Band EQ
- Drive EQ
- FLAC SUPPORT
- SPANISH MENU



KMM-108U

Digital Media Receiver with Front USB & AUX Input

1 PRE-OUT 2.5V

- RED/WHITE Color ILLUMINATION
- FRONT USB/AUX
- 3Band EQ
- Drive EQ
- FLAC SUPPORT



DPX502BT

2-DIN CD Receiver with Bluetooth

3 PRE-OUTS 2.5V

- VARIABLE Color ILLUMINATION
- DUAL PHONE CONNECTION
- WIRELESS MUSIC Browsing
- SIRI EYES FREE
- FRONT USB/AUX
- Music PLAYBACK
- RAPID CHARGE
- 13Band EQ
- Drive EQ
- FLAC SUPPORT
- SPANISH MENU

DPX302U

2-DIN CD Receiver with Front USB & AUX Input

2 PRE-OUTS 2.5V

- VARIABLE Color ILLUMINATION
- FRONT USB/AUX
- Music PLAYBACK
- 3Band EQ
- Drive EQ
- FLAC SUPPORT
- SPANISH MENU



3 PRE-OUTS 2.5V

- WIRELESS MUSIC Browsing
- SIRI EYES FREE
- FRONT USB/AUX
- Music PLAYBACK
- RAPID CHARGE
- 13Band EQ
- Drive EQ
- FLAC SUPPORT
- SPANISH MENU

2 PRE-OUTS 2.5V

- FRONT USB/AUX
- Music PLAYBACK
- 3Band EQ
- Drive EQ
- FLAC SUPPORT
- SPANISH MENU

Multi-Application

Many of today's powersports have very limited space to work in and tend to be a harsh environment for electronics because of the exposure to outdoor environments. KENWOOD's compact performance amplifiers are small in size so they fit even the most limited installation areas. The amplifiers also use a conformal coated main PCB (printed circuit boards) which offer extra layers of protection to help prevent moisture or damp air from damaging the product.



KAC-M8005

MAX POWER 1600W

RMS POWER 50W x 4, 300W 4Ω, 75W x 4, 500W 2Ω, 120W x 2, 500W Bridged

Class D 5-Channel Marine Power Amplifier

- Conformal Coating*
- Speaker Level Input
- Variable Low & High-pass Filter
- Signal Sensing Turn-on
- Bass Boost
- (W)9" x (H)2-3/16" x (D)7-3/8"



KAC-M1804

MAX POWER 400W

RMS POWER 45W x 4 4Ω

Compact 4-Channel Digital Amplifier

- Conformal Coating*
- Speaker Level Input
- Signal Sensing Turn-on
- (W)5-1/2" x (H)1-5/16" x (D)3-9/16"



KAC-M3004

MAX POWER 600W

RMS POWER 50W x 4 4Ω, 75W x 4 2Ω, 120W x 2 Bridged

Compact 4-Channel Digital Amplifier

- Conformal Coating*
- Speaker Level Input
- Variable Low & High-pass Filter
- Signal Sensing Turn-on
- (W)6-1/2" x (H)1-3/4" x (D)3-7/8"



KAC-M3001

MAX POWER 600W

RMS POWER 200W 4Ω, 300W 2Ω

Compact Mono Digital Amplifier

- Conformal Coating*
- Speaker Level Input
- Signal Sensing Turn-on
- (W)5-11/16" x (H)1-3/4" x (D)3-7/8"

Built-in Bluetooth

With today's smartphones hosting a wide variety of listening choices such as stored music, internet radio, podcasts, etc., it is no wonder that customers want to use this as their primary listening source. KAC-M1824BT is not only your standalone Bluetooth gateway but if used with an in-dash receiver, it will double the power of a typical CD receiver with it's built-in 45Watts x 4 of amplification. A water resistant controller can be used to adjust volume and change tracks.



* Conformal Coating: Do not install the unit in a spot exposed to direct sunlight or excessive heat or humidity. Also avoid places with too much dust or the possibility of water splashing.

KAC-M1824BT

MAX POWER 400W

RMS POWER 45W x 4 4Ω, 45W x 4 2Ω, 90W x 2 Bridged

Compact Bluetooth 4-Channel Digital Amplifier

- Conformal Coating*
- Speaker Level Input
- Signal Sensing Turn-on
- (W)5-11/16" x (H)1-3/4" x (D)3-7/8"



KMR-D765BT

Marine CD Receiver with Bluetooth

3 PRE-OUTS 4V

- CD Door
- VARIABLE Color ILLUMINATION
- CONFORMAL Coating
- DUAL PHONE CONNECTION
- WIRELESS MUSIC Browsing
- SIRI EYES FREE
- DUAL USB
- Music PLAYBACK
- RAPID CHARGE
- 13Band EQ
- FLAC SUPPORT
- SPANISH MENU



KMR-D365BT

Marine CD Receiver with Bluetooth

3 PRE-OUTS 2.5V

- VARIABLE Color ILLUMINATION
- CONFORMAL Coating
- DUAL PHONE CONNECTION
- WIRELESS MUSIC Browsing
- SIRI EYES FREE
- FRONT USB/AUX
- Music PLAYBACK
- RAPID CHARGE
- 13Band EQ
- FLAC SUPPORT
- SPANISH MENU



KMR-M315BT

Marine Digital Media Receiver with Bluetooth

3 PRE-OUTS 2.5V

- VARIABLE Color ILLUMINATION
- CONFORMAL Coating
- DUAL PHONE CONNECTION
- WIRELESS MUSIC Browsing
- SIRI EYES FREE
- FRONT USB/AUX
- Music PLAYBACK
- RAPID CHARGE
- 13Band EQ
- FLAC SUPPORT
- SPANISH MENU

PEAK POWER 300W
RMS POWER 100W

KFC-2053MRW/MRB

8" 2-way 2 Speaker

KCA-RC55MR

Wired Marine Remote Control with Display

PEAK POWER 150W
RMS POWER 50W

KFC-1653MRW/MRB

6-1/2" 2-way 2 Speaker

KCA-RC35MR

Wired Marine Remote Control

PEAK POWER 100W
RMS POWER 20W

KFC-1633MRW

6-1/2" 2-way Round Speaker

CA-Y107MR

Marine Remote Controller Branch Cable

RMS POWER 100W

P-WD250MRW

10" Subwoofer with Class-D Amp Package

CA-EX7MR/3MR

Marine Remote Controller Extension Cable 7m / 3m

**KAC-5001PS**

MAX POWER **1000W**
RMS POWER **300W 4Ω**
500W 2Ω

Class D Mono Power Amplifier

- Variable Low-pass Filter
- Bass Boost
- (W)9-7/16" x (H)2-3/16" x (D)7-9/16"

KAC-8406

MAX POWER **900W**
RMS POWER **70W x 4 4Ω**
100W x 4 2Ω
200W x 2 Bridged

4/3/2-Channel Power Amplifier

- Speaker Level Input
- Variable Low & High-pass Filter
- Cooling Fan
- Bass Boost
- Signal Sensing Turn-on
- (W)13-3/16" x (H)2-3/16" x (D)7-9/16"

KAC-9106D

MAX POWER **2000W**
RMS POWER **500W 4Ω**
1000W 2Ω

Class D Mono Power Amplifier

- Speaker Level Input
- Variable Low-pass Filter
- Bass Boost
- Signal Sensing Turn-on
- Infrasonic Filter 20Hz-50Hz, -24dB/oct
- (W)13-3/16" x (H)2-3/16" x (D)7-9/16"

KAC-7005PS

MAX POWER **1200W**
RMS POWER **40W x 4 + 30W 4Ω**
50W x 4 + 50W 2Ω

5-Channel Power Amplifier

- Variable Low & High-pass Filter
- Cooling Fan
- Bass Boost
- (W)12-3/4" x (H)2-3/16" x (D)7-3/8"

**KAC-6406**

MAX POWER **500W**
RMS POWER **40W x 4 4Ω**
60W x 4 2Ω
120W x 2 Bridged

4/3/2-Channel Power Amplifier

- Speaker Level Input
- Variable Low & High-pass Filter
- Signal Sensing Turn-on
- (W)12-3/8" x (H)2-3/16" x (D)7-7/8"

KAC-5206

MAX POWER **400W**
RMS POWER **60W x 2 4Ω**
70W x 2 2Ω
150W Bridged

Stereo / Bridgeable Power Amplifier

- Speaker Level Input
- Low-pass Filter
- Signal Sensing Turn-on
- (W)8-7/8" x (H)2-3/16" x (D)1-1/16"



PEAK POWER **330W**
RMS POWER **80W**

6-3/4" Round 3-way 3 Speaker

- Acoustic Sound Harmonizer
- Frequency Response 70Hz - 20kHz
- Mounting Depth 2-3/8"

PEAK POWER **320W**
RMS POWER **40W**

5-1/4" Round 3-way 3 Speaker

- Acoustic Sound Harmonizer
- Frequency Response 110Hz - 20kHz
- Mounting Depth 1-13/16"

PEAK POWER **320W**
RMS POWER **75W**

6-1/2" Round 3-way 3 Speaker

- Acoustic Sound Harmonizer
- Frequency Response 75Hz - 20kHz
- Mounting Depth 1-13/16"

PEAK POWER **220W**
RMS POWER **40W**

4" Round 3-way 3 Speaker

- Acoustic Sound Harmonizer
- Frequency Response 110Hz - 20kHz
- Mounting Depth 1-11/16"

**KFC-6995PS**

PEAK POWER **650W**
RMS POWER **125W**

6x9" Oval 5-way 5 Speaker

- Acoustic Sound Harmonizer
- Frequency Response 60Hz - 20kHz
- Mounting Depth 3-1/16"

**KFC-C6895PS**

PEAK POWER **360W**
RMS POWER **81W**

6x8" Oval Custom Fit 3-way 3 Speaker

- Acoustic Sound Harmonizer
- Frequency Response 63Hz - 20kHz
- Mounting Depth 2-3/8"

**KFC-P709PS**

PEAK POWER **280W**
RMS POWER **80W**

6-1/2" Component Speaker Package

- Frequency Response 63Hz - 24kHz
- Mounting Depth 2-3/16"

PEAK POWER **600W**
RMS POWER **115W**

KFC-6985PS

6x9" Oval 4-way 4 Speaker

- Acoustic Sound Harmonizer
- Frequency Response 63Hz - 20kHz
- Mounting Depth 3-1/16"

PEAK POWER **320W**
RMS POWER **80W**

KFC-C5795PS

5x7" Oval Custom Fit 3-way 3 Speaker

- Acoustic Sound Harmonizer
- Frequency Response 80Hz - 20kHz
- Mounting Depth 2-1/16"

PEAK POWER **240W**
RMS POWER **45W**

KFC-P509PS

5-1/4" Component Speaker Package

- Frequency Response 63Hz - 24kHz
- Mounting Depth 2-3/8"

**CA-12G**

12" Subwoofer Grill

CA-10G

10" Subwoofer Grill

KFC-W3016PS

PEAK POWER **2000W**
RMS POWER **400W**

12" Oversized Subwoofer

- PP Cone with Square Array Pattern
- Impedance 4Ω
- Frequency Response 27Hz - 300Hz
- Mounting Depth 5-1/4"

KFC-W2516PS

PEAK POWER **1300W**
RMS POWER **300W**

10" Oversized Subwoofer

- PP Cone with Square Array Pattern
- Impedance 4Ω
- Frequency Response 32Hz - 300Hz
- Mounting Depth 4-4/7"

**KFC-W12PS**

PEAK POWER **1000W**
RMS POWER **250W**

12" Subwoofer

- PP Cone with Diamond Array Pattern
- Impedance 4Ω
- Frequency Response 36Hz - 300Hz
- Mounting Depth 6"

KFC-W12DVC

PEAK POWER **1000W**
RMS POWER **250W**

12" Subwoofer

- PP Cone with Diamond Array Pattern
- Impedance 4Ω + 4Ω
- Frequency Response 36Hz - 300Hz
- Mounting Depth 6-13/16"

Sound technology

Low frequency output has been improved by increasing the cone area without changing the cutout diameter. By adopting a "Stress-free Spider" and a "Thermal Efficient System" the mechanical and thermal durability has also been improved dramatically delivering smooth and strong bass.

**KSC-SW11**

MAX POWER **150W**

Powered Subwoofer

- Ribbed Aluminum Cone

**P-W100B**

PEAK POWER **700W**

Vented Enclosure Box Subwoofer

+ KAC-5206 Package

- Injection PP Cone

**P-W120B**

PEAK POWER **1200W**

Sealed Enclosure Box Subwoofer

+ KAC-5206 Package

- Injection PP Cone

**P-W130TB**

PEAK POWER **1200W**

12" Tube Subwoofer Party Pack
(KAC-5206 & KSC-W1200T)

- Injection PP Cone
- Frequency Response 40Hz - 800Hz

**P-W1220**

PEAK POWER **800W**

12" Bass Party Pack
(KAC-5206 & KFC-W112S x 2)

- Injection PP Cone
- Frequency Response 28Hz - 800Hz
- Mounting Depth 5-9/16"

**P-W1020**

PEAK POWER **700W**

10" Bass Party Pack
(KAC-5206 & KFC-W110S x 2)

- PP Cone
- Frequency Response 35Hz - 1kHz
- Mounting Depth 4-7/8"

**KFC-1665S**

PEAK POWER **300W**
RMS POWER **30W**

6-1/2" Round 2-way 2 Speaker

- Frequency Response 35Hz - 22kHz
- Mounting Depth 1-11/16"

**KFC-C1655S**

PEAK POWER **300W**
RMS POWER **30W**

6-1/2" Round Dual Cone Speaker

- Frequency Response 35Hz - 20kHz
- Mounting Depth 1-11/16"

**KFC-6965S**

PEAK POWER **400W**
RMS POWER **45W**

6x9" Oval 3-way 3 Speaker

- Frequency Response 30Hz - 22kHz
- Mounting Depth 3"

PEAK POWER **250W**
RMS POWER **30W**

KFC-1365S

5-1/4" Round 2-way 2 Speaker

- Frequency Response 40Hz - 22kHz
- Mounting Depth 1-11/16"

PEAK POWER **250W**
RMS POWER **30W**

KFC-C1355S

5-1/4" Round Dual Cone Speaker

- Frequency Response 40Hz - 20kHz
- Mounting Depth 1-11/16"

PEAK POWER **210W**
RMS POWER **21W**

KFC-1065S

4" Round 2-way 2 Speaker

- Frequency Response 45Hz - 22kHz
- Mounting Depth 1-11/16"

PEAK POWER **210W**
RMS POWER **21W**

KFC-C1055S

4" Round Dual Cone Speaker

- Frequency Response 45Hz - 20kHz
- Mounting Depth 1-11/16"

**KFC-835C**

PEAK POWER **40W**
RMS POWER **10W**

3-1/2" Custom Fit Speaker

- Frequency Response 96Hz - 20kHz
- Mounting Depth 1-1/2"

**KFC-4675C**

PEAK POWER **60W**
RMS POWER **15W**

4x6" Custom Fit Speaker

- Frequency Response 50Hz - 25kHz
- Mounting Depth 1-5/8"

**KFC-415C**

PEAK POWER **160W**
RMS POWER **40W**

4x10" Custom Fit Speaker

- Frequency Response 40Hz - 25kHz
- Mounting Depth 2-7/16"

**KFC-ST01**

PEAK POWER **160W**
RMS POWER **40W**

13/16" Component Tweeter

- Frequency Response 5kHz - 25kHz