JVCKENWOOD Corporation follows a policy of continuous advancement in technical development. For this reason information contained in this catalogue and specifications may be changed without notice.

All screen pictures in this catalogue are simulated. iPhones, Android smartphones or any other accessories are not supplied, and must be purchased separately.

- Use of the Apple CarPlay logo means that a vehicle user interface meets Apple performance standards. Apple is not responsible for the operation of this vehicle or its compliance with safety and regulatory standards. Please note that the use of this product with iPhone, iPod, or iPad may affect wireless performance. Apple CarPlay is a trademark of Apple Inc.
- . Google, Android, Google Play, Android Auto and other related marks and logos are trademarks of Google LLC.
- "Hi-Res Audio" logo is a registered trademark of Japan Audio Society.
- The terms HDMI and HDMI High-Definition Multimedia Interface, and the HDMI Logo are trademarks or registered trademarks of HDMI Licensing LLC in the United States and other countries.
- The Bluetooth ® word mark and logos are registered trademarks owned by the Bluetooth SIG, Inc. and any use of such marks by JVCKENWOOD Corporation is under license. Other trademarks and trade names are those of their respective owners.
- The Garmin logo is a trademark of Garmin Ltd. or its subsidiaries and is registered in one or more countries. including the U.S.
- Waze and Waze logo are registered trademarks of Google LLC.
- SPOTIFY and the Spotify logo are among the registered trademarks of Spotify AB.
- DivX*, DivX Certified * and associated logos are trademarks of DivX, LLC and are used under license.
- "Made for iPod", and "Made for iPhone" mean that an electronic accessory has been designed to connect specifically to iPod, or iPhone, respectively, and has been certified by the developer to meet Apple performance standards. Apple is not responsible for the operation of this device or its compliance with safety and regulatory standards. Please note that the use of this accessory with iPod, or iPhone may affect wireless performance. iPhone, iPod, iPod classic, iPod nano, and iPod touch are trademarks of Apple Inc., registered in the U.S. and other countries. Lightning is a trademark of Apple Inc.

HiRes The product with this logo is conformed to the High-Resolution Audio standard defined by Japan Audio Society.

This logo is used under license from Japan Audio Society.

JVCKENWOOD (Thailand) CO., LTD

AYOTHAYA TOWER 18TH FL, RATCHADAPISEK ROAD HUAYKWANG, HUAYKWANG, BANGKOK 10310 Products introduced in this catalogue may not be available in some regions. Contact your local Kenwood Electronics dealer for availability and/or details.











STUNNING HD, GO WIRELESS



Premium Mobile Entertainment Systems 2019

2019 Multimedia Lineup

Enhanced Wireless Connections with HD Display, Wireless Apple CarPlay & Wireless Mirroring for Android™



DDX 9019S

DDX 919WS 200mm Wide



The Most Advanced and Practical. True Mirroring via USB for both iPhone & Android Compatibility with iPhone will be supported in summer 2019 with firmware update







DDX 719WBT 200mm Wide

High-Grade Audio with "Beyond Bluetooth" Functionality



DDX 419BT

DDX - AV Receivers

DMX

- Smartphone Centric Receivers






Apple CarPlay & Android Auto™

DMX 8019S



Hi-Res AUDIO PRECENTATION OF THE PROPERTY OF T







DMX 719WBT 200mm Wide 🙌 🐼



MPEG4 Playback up to 1920 x 1080p



DMX 1025BT













DNX 9190S







DNX 5180S














Series

DDX9019S / 919WS DNX9190S



Breathtakingly Beautiful

HD Display

1280 x 720p

16.7 Million

Wide Colors

600cd/m² High Brightness

High Contrast

Capacitive Touch Panel

900 : 1

170°

Screen Resolution

Wide Viewing Angle

HD display delivers vivid colors with high-contrast and sharpness. Featuring an all-new electrostatic capacitive touch panel and HD LCD panel, with a high luminance white LED backlight.

Sound adjustment features for your favorite tuning

Time Alignment 🕢 13-Band EQ 🚛 3-Way X'over Mode

High Voltage 5.0 V 3 Preouts




Protective Film

Anti-finger print Anti-reflection Anti-glare

Anti-shatter

Overwhelming power of expression, 2.4 times compared to WVGA Display


WVGA Display



800 x 480p




HD Display (9 Series)



1280 x 720p

Beautiful from any seat



The 9 series adopted the AAS system in its LCD, and assures you a wider viewing angle of 170° for both horizontal and vertical direction. Together with the protective film which minimizes reflection and glare from sunlight, you can enjoy clear images even from the passenger seat or the back seats.

High-Resolution Audio

Capturing all the details, from your favorite artists' every breath, to the complex soundscape that surrounds them.



High-Resolution Audio is high-quality sound that far exceeds CD standards, and can play 192kHz / 32bit over sampling DSP. It captures and beautifully expresses details and nuances from the ultra-high to low frequencies.

| Audio Codec | Playable up t |
|-------------|----------------|
| FLAC | 192kHz / 24bit |
| WAV | 192kHz / 24bit |

Playable High-Resolution Audio Files

| Audio Codec | Playable up |
|-------------|---------------|
| FLAC | 192kHz / 24bi |
| WAV | 192kHz / 24bi |
| | |

Power your whole system with KENWOOD.

Complete your whole sound system with the X series amplifiers and speaker (KFC-XS1703), which are also designed for Hi-Res Audio. You can immerse yourself in a truly authentic listening experience of Hi-Res Audio.

See pages 18 to 19 for details.



Series

DDX9019S /919WS DNX9190S





Access Maps, Phone, Music and Messages from your phone without connecting any cables.



Wireless Apple CarPlay





Apple CarPlay gives iPhone users an intuitive way to make calls, use Maps, listen to music and access messages with just a word or a touch. Additionally, Google Maps™ and Waze™ support has been added with the latest iOS version (iOS 12.0 and higher).

Some features, applications and services are not available in every region. For details, see: www.apple.com/ios/feature-availability/#applecarplay-applecarplay



androidauto

Android Auto via USB

Android Auto is a simpler way to use your Android phone in the car. You can enjoy features of your Android phone including Google Maps, Waze and more.

Some features, applications and services are not available in every region, For details, see: www.android.com/auto





Playable Full HD Video Files

| Video Codec | Playable up to |
|-------------|----------------|
| MPEG4 | 1920 x 1080p |
| H.264 | 1920 x 1080p |
| MKV | 1920 x 1080p |
| WMV | 1920 x 1080p |

USB sources are available on rear monitor via

The powerful Dual USB provides max 1.5A quick charge for selected Android and 1.0A charge for iPhone.





Wireless Mirroring for Android

Wireless Mirroring is a groundbreaking solution for seamlessly displaying and controlling your smartphone apps on a 9 series screen without cables or a network connection on selected Android devices.



Music Mix – High Quality Audio Streaming x

Up to 5 Bluetooth [®] devices can be paired to the head unit at the same time. You can enjoy audio streaming just by switching the devices among your friends.

2-Phone Hands Free Calling Ready

Automatically switch the paired 2 phones for incoming calls. Also includes better quality reception using the Wideband Speech Hands-free Profile ver.1.7.



Spotify Full Control


Works over Bluetooth for Android and Bluetooth or USB cable for iPhone.



HD 2D/3D AVM Linkage

Touch control with the High Definition Around View Monitoring System made by Whetron, a Taiwanese manufacturer. The 7 view modes including the bird's-eye view assist drivers to park without any stress even in a narrow space.












HD AVM is made by Whetron.



All for your comfort and safety



Advanced Camera Solutions

Dash Camera Linkage with DRV-N520

The dash camera DRV-N520 can be controlled from the DNX/DDX screen.

3 megapixel video recording is available in a compact windshield mount.


Simplified ADAS, Advanced Driver Assistance System can be activated.



Compact Design

3 Camera Inputs

See page 13 for more details.










Full **HD PLU5** 2304 x1296



Customizable Multi-Widget Home Screen

You can select 4 kinds of widgets from clock, album art of currently playing song, photos, audio visualizer, compass, turn-by-turn navigation (DNX9190S only), etc., place them in the specified spaces, and make your original home screens for up to 3 widgets.








Direct OEM Steering Remote Interface



RGB Navigation Interface

DDX9019S / 919WS have a RGB interface for 3rd party navigation unit.











The Ultimate Smartphone Integration









androidauto

Android Auto via USB

DMX8019S, Exclusive Features



2D/3D Around View Monitoring Ready

Connected with the optional AVM system, various viewing modes are available on a large touchscreen of DMX8019S. The bird's-eye view assists you while parking without any stress even in narrow spaces.



Customizable Multi-Widget Home Screen

You can select 4 kinds of widgets from clock, album art of currently playing song, photos, audio visualizer, compass, etc., place them in the specified spaces, and make your original home screens up to 3 widgets.

Guidance by GARMIN.

With the industry leading Garmin navigation software, offering a variety of display options to make your driving easy such as Photo Real Junction View and Lane Assist.



DNX 5180S

6.8 inch WVGA Clear-coated Resistive Display AV Navigation

DMX8019S & DNX5180S, Common Key Features



Hi-Res High-Resolution Audio Playback

AUDIO 192kHz / 32bit over Sampling DSP.

13 - Band EQ Time Alignment (2) High Voltage 4.0 V 3 Preouts

3-Way X'over Mode

Playable Full HD Video

| Video Codec | Playable up to | Αι |
|-------------|----------------|----|
| MPEG4 | 1920 x 1080p | FL |
| H.264 | 1920 x 1080p | |
| MKV | 1920 x 1080p | DS |
| VA/N 4V/ | | |

USB sources are available on rear monitor via video output. The powerful Dual USB provides max 1.5A quick charge for selected Android and 1.0A charge for iPhone.



Spotify Full Control



Multi Camera Inputs














Lineup Comparison

| | | DDX9019S | DDX919WS | DNX9190S | DMX8019S | DNX5180S |
|---------------------------|---|------------------------------------|------------------------------------|------------------------------------|------------------------------------|---------------------------------------|
| | | 10 28 | 0.28 | | 70.28 | |
| Built-in Garmin N | avigation GARMIN. | _ | _ | Yes | _ | Yes |
| DVD / CD Player | | Yes | Yes | Yes | _ | Yes |
| Disales | Size / Number of Pixels | 6.8" / 1280 x 720 | 6.8" / 1280 x 720 | 6.8" / 1280 x 720 | 7.0" / 800 x 480 | 6.8" / 800 x 480 |
| Display | Display Type | Capacitive | Capacitive | Capacitive | Clear-coated Resistive | Clear-coated Resistive |
| | Built-in Wi-Fi | Yes | Yes | Yes | _ | _ |
| Smartphone Integration | Apple CarPlay 🕞 | via Wi-Fi & via USB | via Wi-Fi & via USB | via Wi-Fi & via USB | via USB | via USB |
| | Android Auto | via USB |
| | Smartphone Mirroring | via Wi-Fi (for Android) | via Wi-Fi (for Android) | via Wi-Fi (for Android) | _ | _ |
| | Bluetooth Hands Free | 2-Phone Hands Free | 2-Phone Hands Free | 2-Phone Hands Free | 2-Phone Hands Free | 2-Phone Hands Free |
| | Bluetooth Audio Streaming | Music Mix (x 5 devices) | Yes |
| | KENWOOD Remote App | _ | _ | - | _ | _ |
| | Spotify Control | Yes | Yes | Yes | Yes | Yes |
| | Hands Free Microphone | External Microphone | External Microphone | External Microphone | External Microphone | External Microphone |
| | USB Terminal | x 2 🕎 | x 2 🕎 | x 2 🕎 | x 2 🕎 | x 2 🙌 |
| USB Interface | Video Decoder | MPEG1, 2, 4 / H.264 / MKV / WMV | MPEG1, 2, 4 / H.264 / MKV / WMV | MPEG1, 2, 4 / H.264 / MKV / WMV | MPEG1, 2, 4 / H.264 / MKV / WMV | MPEG1, 2, 4 / H.264 / MKV / WMV |
| | Audio Decoder | FLAC / MP3 / WMA / AAC / WAV | FLAC / MP3 / WMA / AAC / WAV | FLAC / MP3 / WMA / AAC / WAV | FLAC / MP3 / WMA / AAC / WAV | FLAC / DSD / MP3 / WMA / AAC / WAV |
| | High-Resolution Audio HiRes | Yes | Yes | Yes | Yes | Yes |
| Audio | Equalizer / Time Alignment / 3-Way X'Over | 13-Band / Yes / Yes |
| | Preout | 5.0V / 3 Preouts | 5.0V / 3 Preouts | 5.0V / 3 Preouts | 4.0V / 3 Preouts | 4.0V / 3 Preouts |
| | 2D / 3D AVM Linkage | Yes (Whetron) | Yes (Whetron) | Yes (Whetron) | Yes | _ |
| | HDMI Input HDMI | Yes | Yes | Yes | _ | _ |
| Peripheral | Dashcam Linkage | Yes (DRV-N520) |
| Connectivity | Camera Input / AV Input / Video Output | x3/x1/x1 | x3/x1/x1 | x3/x1/x1 | x3/x1/x1 | x 2 / x 1 / x 1 |
| | Direct OEM Steering Remote Control | Yes | Yes | Yes | Yes | Yes |
| | Navigation RGB Input | Yes* | Yes* | - | Yes | _ |
| * Not available in Inde | nocio | | | | | |

Not available in Indonesia

Series

DDX 7019BT / 719WBT DMX 7019BT / 719WBT



True Mirroring via USB, 2-Way Touch Control for both iPhone & Android



True Mirroring allows you to display and control your smartphone on a 7 series screen via USB. You can enjoy your favorite apps on a large display with impressive sound quality. Before starting True Mirroring, just install the free app "Mirroring for KENWOOD" on your smartphone and connect it to the 7 series head unit via Bluetooth as Compatibility with iPhone will be Supported in summer 2019 with firmware update

well as a USB cable.



DDX 7019BT 7.0 inch WVGA Clear-coated Resistive Display



Smartphone Centric (Non DVD)





7.0 inch WVGA Clear-coated Resistive Display AV Receiver



DDX 719WBT

7.0 inch WVGA Capacitive Display AV Receiver



Smartphone Centric (Non DVD)

DMX 719WBT

200mm Wide

7.0 inch WVGA Capacitive Display AV Receiver



Spotify Full Control

2D/3D Around View Monitoring Ready

Connected with the optional AVM system, various viewing modes are available on a large touchscreen of the 7 series. The bird's-eye view assists you while parking without any stress even in narrow spaces.





Clear-coated Resistive Display

DDX7019BT / DMX7019BT are equipped with 7.0 inch WVGA 800 x 480 pixels Clear-coated Resistive Display.

Capacitive Display

DDX719WBT / DMX719WBT are equipped with 7.0 inch WVGA 800 x 480 pixels Capacitive Touch Panel, Full-flat clear glass display with swipe functionality.





layable Full HD Video Files

| Video Codec | Playable up to |
|-------------|----------------|
| MPEG4 | 1920 x 1080p |
| H.264 | 1920 x 1080p |
| MKV | 1920 x 1080p |
| WMV | 640 x 480p |

Playable up to 96kHz / 24bit

USB sources are available on rear monitor via video output. DMX are equipped with Dual USB, and DDX with a single USB. provides max 1.5A quick charge for selected Android and 1.0A charge for iPhone

Sound Adjustment Features

To meet your high expectations.



Music Mix – High Quality Audio Streaming x 5 devices

Up to 5 Bluetooth devices can be paired to the head unit at the same time. You can enjoy audio streaming just by switching the devices among your friends

Vorks over Bluetooth for Android and Bluetooth or USB cable for iPhone

2-Phone Hands Free Calling Ready

Automatically switch the paired 2 phones for incoming calls. Also includes better quality reception using the Wideband Speech Hands-free Profile ver.1.6. Versatile Connectivity



Dual Camera Inputs with parking guide lines



Direct OEM Steering Remote Interface



RGB Navigation Interface for 3rd party navigation unit



DDX 419BT

6.2 inch WVGA Clear-coated Resistive Display AV Receiver

Spotify Full Control

Plavable USB Files

or USB cable for iPhone.



High Contrast Display

Viewing Angle Adjustment allows you to virtually adjust the viewing angle in 5 steps to make the screen easier to see.

High-Grade Audio

with "Beyond Bleutooth" Functionality



Digital Time Alignment

Virtually adjusts your listening position to the center of the car.

13-Band Equalizer

In addition to 7 preset modes, you can adjust the level of each frequency band and creates an original equalizer curve to match the in-car environment or your specific preference.

Bass Boost

Reproduces deep bass sound. Adjustable in 5 steps.

Drive Equalizer

Reduces the driving noise by raising specific frequencies.

High Voltage 4.0V 3 Preouts

Ready to expand your audio system. Use KENWOOD's amplifiers and speakers together to experience the core value of the brand.

KENWOOD Remote App Compatible

Download the free app "KENWOOD Remote". You can change AV sources or adjust audio settings like

Time Alignment or 13-Band EQ from your smartphone.









Music Mix - High Quality Audio Streaming x 5 devices

Up to 5 Bluetooth devices can be paired to the head unit at the same time. You can enjoy audio streaming just by switching the devices among your friends.

2-Phone Hands Free Calling Ready

Video Codec Playable up to Audio Codec Playable up to 96kHz / 24bit WAV 44.1kHz / 24bit

Automatically switch the paired 2 phones for incoming calls. USB sources are available on rear monitor via video output. Also includes better quality reception using the Wideband The powerful USB provides max 1.5A quick charge for selected Speech Hands-free Profile ver.1.6. Android and 1.0A charge for iPhone.

Versatile Connectivity —





Dual Camera Inputs



Direct OEM Steering Remote Interface See page 14.



RGB Navigation

for 3rd party navigation unit

Driving Assist Dash Camera & Rear / Front Camera



Dash Camera with Simplified ADAS Function



and is capable of capturing a clear image of a license plate.

Recorded videos can be displayed and operated from a large touchscreen of compatible KENWOOD Multimedia receivers.



Playback Control

3 Megapixel Recording

It provides higher resolution than Full HD (1920 x 1080p),







Camera dimensions (W x H x D): 77mm x 56mm x 35mm

Symplified ADAS Function

Equipped with the latest accident avoidance sensor technology like Lane Departure Warning and Forward Collision Warning.

Wide-Angle Lens

It captures video from a broad viewing prospective



Scan For Test



DRV-330

Dash Camera

Number of Pixels

HDR Record Enhancement

Viewing Angle (Horizontal / Vertical)

Built-in G-Sensor / GPS Received

DRV-N520

Stand-alone Dash Camera with 2.0 inch LCD Display

WDR Technology

Easily record clear images in dark or well lit environments without underexposing or overexposing the image.







with WDR

Rear / Front

Number of Pixe

Viewing Angle

Viewing Mode

Dimensions (W



Display View Switching CMOS-320 can display 4 kinds of camera images thanks to its wide-angle lens and advanced image processor.







| Camera | CMOS- 320 | CMOS- 230 | CMOS- 130 | | |
|-------------------------|---------------------------------------|------------------------|----------------------|--|--|
| | | | • | | |
| | 1/3. 6 inch Color CMOS | 1/3. 6 inch Color CMOS | 1/4 inchColor CMOS | | |
| ls | 330,000 pixels | 330,000 pixels | 380,000 pixels | | |
| (Horizontal / Vertical) | 195 / 145 degrees | 128 / 103 degrees | 129 / 104 degrees | | |
| | Wide / Ultra Wide / Overhead / Corner | - | _ | | |
| x H x D) (Main Unit) | 23.4 x 23.4 x 26.1mm | 23.4 x 23.4 x 23.9mm | 23.4 x 23.4 x 23.9mm | | |
| cable) | 23g | 21g | 21g | | |

Full**HD PLUS**

Full**HD**



^{* 4} Types of Recording Modes: Continuous Recording / Manual Recording / Event Recording / Parked Recording

^{*} Symplified ADAS (Advanced Driver Assistance System): Lane Departure Warning / Forward Collision Warning



10:28

444

Playback of MPEG4 up to 1920 x 1080p

| Video Codec | Playable up to |
|-----------------------|-----------------|
| MPEG4 | 1920 x 1080p |
| H.264 | 1920 x 1080p |
| MKV | 1920 x 1080p |
| USB sources are avail | able on rear mo |

Playable up to FLAC 192kHz / 24bit WAV 192kHz / 24bit

onitor via video output.

13-Band Equalizer & Time Alignment

Adjust the equalizer curve and your listening position to match the in-car environment or your specific preference.

Mirroring for Android via USB

It allows you to display and control your Android smartphone on the screen of the head unit. You can enjoy your favorite apps on a large display and with impressive sound quality.

Before starting, just install the free app "Mirroring OB for KENWOOD" on your smartphone and connect it to DMX1025BT via a USB cable and Bluetooth.



Short Chassis Design

Dash Camera Linkage

2 (front / rear) cameras. Recorded videos

6.8 inch Capacitive Display

Clear glass display with swipe functionality

can be displayed and operated from the large

DMX1025BT can be connected

touchscreen of the head unit.

with the optional dashcam with

Only 75mm of depth for more flexible installation



Direct OEM Steering Remote Interface See below.



Direct OEM Steering Remote Control

Connector Information for Japanese and Korean Vehicles

| TOYOTA (20P) | TOYOTA (28P) | TOYOTA (26P) | TOYOTA (10P+6P) | HONDA (20P-A) | HONDA (20P-B) | HONDA (24P-A) | HONDA (24P-B) | NISSAN (16P-A) | NISSAN (20P) |
|---|---|---|---|---|--|---|---|---|--|
| | | | | | | | | | |
| Input 1: Green Input 2: Purple ST REMOTE GND: Gray | Input 1 : Green Input 2 : Purple ST REMOTE GND : Gray | Input 1 : Green Input 2 : Purple ST REMOTE GND : Gray | Input 1 : Green Input 2 : Purple ST REMOTE GND : Gray | Input 1 : Green Input 2 : NC ST REMOTE GND : Gray | Input 1 : Green Input 2 : NC ST REMOTE GND : Gray | Input 1 : Green Input 2 : NC ST REMOTE GND : Gray | Input 1 : Green Input 2 : Purple ST REMOTE GND : Gray | Input 1 : Green Input 2 : Purple ST REMOTE GND : Gray | Input 1 : Green Input 2 : Purple ST REMOTE GND : Gray |
| NISSAN (16P-B) | MITSUBISHI (20P) | MAZDA (24P) | SUBARU (20P) | SUBARU (8P) | SUZUKI (20P) | ISUZU (16P) | HYUNDAI / KIA (24P-A) | HYUNDAI / KIA (24P-B) | The information for each |
| | | | | | *Input 2 is for Bluetooth connection. | | | | vehicle above was investigated by JVCKENWOOD Asia Headquarters, and may not cover all of the connector types. |
| Input 1 : Green Input 2 : Purple ST REMOTE GND : Gray | Input 1 : Green Input 2 : NC ST REMOTE GND : Gray | Input 1 : Green Input 2 : NC ST REMOTE GND : Gray | Input 1 : Green Input 2 : NC ST REMOTE GND : Gray | Input 1 : Green Input 2 : NC ST REMOTE GND : Gray | Input 1 : Green Input 2* : Purple ST REMOTE GND : Gray | Input 1 : Green Input 2 : NC ST REMOTE GND : Gray | Input 1 : Green Input 2 : NC ST REMOTE GND : Gray | Input 1 : Green Input 2 : NC ST REMOTE GND : Gray | Please contact your local KENWOOD dealers for details. |
| Leastian of Steering | Remote Connector | How to vious | Steering Remote Co | unnoster Stool | ring Remote Cable (i | ncluded in the unit) | | | |

Location of Steering Remote Connector

Smartphone Centric (Non DVD)

DMX 1025BT 🐉 🧭

6.8 inch WVGA Capacitive Display AV Receiver

Newly designed panel with right-side key layout.

If the vehicle is equipped with an OEM steering remote control, the steering remote connector is commonly located in the console.




How to view Steering Remote Connector

All steering wheel remote controls above are vehicle side connectors and drawn from the side. (view indicated by arrow)



Steering Remote Cable (included in the unit)

- 1) Look for a steering remote connector that is the same shape as in the image above in the console.
- 2) Connect "Input 1", "Input 2" and "ST REMOTE GND" to the pins shown in matching colors on the above list of connectors.



Visit OEM Steering Remote Control

Lineup Comparison

| Dull-in Garmin Navigation GARMIN | | | DDX7019BT | DDX719WBT | DMX 7019BT | DMX719WBT | DDX419BT | DMX1025BT |
|--|---------------|------------------------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|----------------------------------|
| Display Size / Number of Pixels | | | 10:28 | 10.28 | 10.28 | 10:28 | 10:28 | |
| Display Size / Number of Pixels 7.0" / 800 x 480 7.0" / 800 x 480 7.0" / 800 x 480 6.2" / 800 x 480 6.2" / 800 x 480 6.8" / 800 x 480 x 480 6.8" / 800 x 480 | Built-in Garm | nin Navigation GARMIN. | _ | _ | _ | _ | _ | _ |
| Display Type Clear-coated Resistive Capacitive Clear-coated Resistive Capacitive Clear-coated Resistive Capacitive Capa | DVD / CD Pla | yer | Yes | Yes | _ | _ | Yes | _ |
| Display Type | Disalass | Size / Number of Pixels | 7.0" / 800 x 480 | 6.2" / 800 x 480 | 6.8" / 800 x 480 |
| Apple CarPlay | Display | Display Type | Clear-coated Resistive | Capacitive | Clear-coated Resistive | Capacitive | Clear-coated Resistive | Capacitive |
| Android Auto Smartphone Integration Bluetooth Audio Streaming Was USB* Via | | Built-in Wi-Fi | _ | _ | _ | _ | _ | _ |
| Smartphone Sma | | Apple CarPlay | _ | _ | _ | _ | _ | _ |
| Smartphone Integration Bluetoth Hands Free 2-Phone Hands Free 4colors 4color | | Android Auto | _ | _ | _ | _ | _ | _ |
| Bluetonh Hands Free Z-Fnone Hands Free Z-Fnon | | Smartphone Mirroring | via USB* 1 | via USB* 1 | via USB* 1 | via USB* 1 | _ | via USB (for Android) |
| Bluelooth Audio Streaming Music Mix (x 5 devices) Music Mix (x 5 devices) Music Mix (x 5 devices) Yes | | Bluetooth Hands Free | 2-Phone Hands Free | 2-Phone Hands Free | 2-Phone Hands Free | 2-Phone Hands Free | 2-Phone Hands Free | Yes |
| Spolify Control Spolify Co | 3 | Bluetooth Audio Streaming | Music Mix (x 5 devices) | Yes |
| Hands Free Microphone Built-in External Microphone FLAC / MP3 / | | KENWOOD Remote App | _ | _ | _ | _ | Yes | _ |
| USB Terminal x1 x1 x1 x2 | | Spotify Control | Yes | Yes | Yes | Yes | Yes | _ |
| Video Decoder | | Hands Free Microphone | Built-in | External Microphone | Built-in | External Microphone | Built-in | External Microphone |
| Nideo Decoder | | USB Terminal | x 1 | x 1 | x 2 | x 2 🙌 | x 1 | x 1 |
| Audio Decoder WMA / AAC / WAV A C / WAT NAC | | Video Decoder | | | | | MPEG1, 2 / DivX ® | |
| Audio Equalizer / Time Alignment / 3-Way X'Over 13-Band / Yes / Yes 2.0V / 2 Preouts & Subwoofer Out | | Audio Decoder | | . — | | | . — | |
| Adulto 3-Way X*Over 13-Band / fes / fes 13-Band / fes / fes / fes / fes 13-Band / fes / fes / fes 13-Band / fes / fes / fes 13-Band / fes / fes / fes / fes 13-Band / fes / | | High-Resolution Audio HiRes | _ | _ | _ | _ | _ | _ |
| Peripheral Connectivity Peripheral Conne | Audio | | 13-Band / Yes / Yes | 13-Band / Yes / — | 13-Band / Yes / — |
| HDMI Input HDM | | Preout | 4.0V / 3 Preouts | 2.0V / 2 Preouts & Subwoofer Out |
| Peripheral Connectivity Dashcam Linkage — — — — — Yes Camera Input / AV Input / Video Output x 2 / x 1 / x 1 x 2 / x 1 / x 1 x 2 / x 1 / x 1 x 2 / x 1 / x 1 x 2 / x 1 / x 1 x 1 / x 1 / x 1 Direct 0EM Steering Remote Control Yes Yes Yes Yes Yes Yes | | 2D / 3D AVM Linkage | Yes | Yes | Yes | Yes | _ | _ |
| Connectivity Camera Input / AV Input / Video Output Direct OEM Steering Remote Control Yes Yes Yes Yes Yes Yes Yes Yes Yes Ye | | HDMI Input HDMI | _ | _ | _ | _ | _ | _ |
| Connectivity Camera Input / AV Input / Video Output x 2 / x 1 / x 1 x 2 / x | Peripheral | Dashcam Linkage | _ | _ | _ | _ | _ | Yes |
| Direct OEM Steering Remote Control Yes Yes Yes Yes Yes Yes | • | | x2/x1/x1 | x 2 / x 1 / x 1 | x2/x1/x1 | x 2 / x 1 / x 1 | x 2 / x 1 / x 1 | x1/x1/x1 |
| | | Direct OEM | Yes | Yes | Yes | Yes | Yes | Yes |
| | | | Yes*2 | Yes* 2 | Yes* 2 | Yes*2 | Yes* ² | _ |

^{*1} Compatible to both iPhone and Android. iPhone support will be added in summer 2019 with firmware update.

*2 Not available in Indonesia

Bluetooth Audio



USB / CD Receiver KDC-BT630U 4.0V/3 Preouts wiPhone | iPod

KENWOOD Remote App Compatible

You can change audio sources or adjust audio settings like

2-Phone Hands Free Calling Ready

Automatically switch the paired 2 phones for incoming calls.

Time Alignment or 13-Band EQ from your smartphone.

Install the free app "KENWOOD Remote".

(KMM-BT205: Compatible to Android only)

DPX-M3100BT 2.5V/2 Preouts GiPhone | iPod 200mm Trim Plate included

App Store

SETITON
Google Play

USB / CD Receiver DPX-5100BT 4.0V/3Preouts 4.0V/3Preouts iPhone | iPod • Direct OEM Steering Remote Control • 200mm Trim Plate included **USB** Receiver

Music Mix — High Quality Audio Streaming x 5 devices

Up to 5 Bluetooth devices can be paired to the head unit at the same time. You can enjoy audio streaming just by switching the devices among your friends.

USB / CD Receiver KDC-BT530U 2.5V/1 Preouts Made for GiPhone | iPod

Vision Clarity & Direct Simplicity

Entry-class USB Audio





Audio Control Key (KDC-BT530U)

USB / CD Receiver KDC-130U

2.5V/2 Preouts

Playable USB Files

Playable up to 44.1kHz / 16bit 48kHz / 320kbps

Direct Control

BT / /USB/ANDRI

Audio Control Key:

Color Setting Key:



| | KDC-230UI | KDC-130U |
|--|-----------------------------|-----------------------|
| CD Player | Yes | Yes |
| Key Illumination / LCD - LED Backlight | 🍪 1 🌑 | 🍪 / 🍪 |
| USB Terminal | x 1 (shorter diphone iPod | x 1 |
| Audio Decoder | FLAC / WAV / MP3 / WMA | FLAC / WAV / MP3 / WN |
| EQ / Time Alignment / 3-Way X'Over | 3-Band / — / — | 3-Band / — / — |
| Audio Preout | 2.5V / 2 Preouts | 2.5V / 2 Preouts |
| Remote Control | Included | Included |

(KDC-230UI /130U)

Lineup Comparison

| | KDC-BT630U | KDC-BT530U | DPX-5100BT | DPX-M3100BT | KMM-BT305 |
|--|------------------------------|------------------------------|------------------------------|------------------------------|--------------------------------|
| CD Player | Yes | Yes | Yes | _ | _ |
| Key Illumination / LCD - LED Backlight | 📤 1 🌑 | | 1 | (a) / (b) | 🌑 / 🌑 |
| Built-in Bluetooth | | 2-Phone Hands Free / | Music Mix (x5 devices) / | KENWOOD Remote App* | |
| Spotify Control | Yes | Yes | Yes | Yes | Yes |
| USB Terminal 🛂 | x 1 (*iPhone iPod | x 1 | X 1 | X 1 (Medit by | x 1 (Mate for di iPhone iPod |
| Audio Decoder | FLAC / WAV / AAC / MP3 / WMA | FLAC / WAV / AAC / MP3 / WMA | FLAC / WAV / AAC / MP3 / WMA | FLAC / WAV / AAC / MP3 / WMA | FLAC / WAV / AAC / MP3 / WMA |
| EQ / Time Alignment / 3-Way X'Over | 13-Band / Yes / Yes |
| Audio Preout | 4.0V / 3 Preouts | 2.5V / 1 Preout | 4.0V / 3 Preouts | 2.5V / 2 Preouts | 4.0V / 3 Preouts |
| Direct OEM Steering Remote Control | _ | _ | Yes | _ | _ |
| Remote Control | Included | Ontional | Included | _ | Included |

10/5 Her sell 1 2 3 1 15



Hands Free Kev: Audio Streaming Key: Answering and making a call Entering Bluetooth Audio Source





Spotify Full Control

Works over Bluetooth for Android and Bluetooth or USB cable for iPhone.

Sound Adjustment Features To meet your high expectations.

13-Band EQ Time Alignment (7)

3-Way X'over Mode High Voltage 4.0 V 3 Preouts (KDC-BT630U / KMM-BT305 / DPX-5100BT)

Plavable USB Files

* KMM-BT205: Compatible to Android only

Flagship, Audiophile Grade.

X series ultra-high grade amplifiers and speakers that deliver high density realistic sound and a spatial sound impression. e 17cm component speaker KFC-XS1703

Presence,

High-Resolution Hi-Res



Audio Audio



Multi-use Bracket

High Quality, compact size, crossover Network

KFC-WPS1000F

• Rigid Carbon-Glass Fiber

• Silver-plated Push Terminal

Honeycomb Cone Aluminum Die-cast Basket

Peak 1000W

25cm Shallow Subwoofer



Stress-free Spider delivers smooth and strong bass sound with long-lasting reliability.

Large Magnet and Optimized Yoke reproduces deep low frequencies.

Max 1800W

хн901-5

Hi-Res Audio Certified, Compact D-Class 5ch Amplifier



- Wired Remote Control
- Speaker Level Input with Signal Sensing Turn-on for easy installation





High-density Construction with Cooling Fan to achieve the best sound and one of the smallest footprints

x802-5 Hi-Res Audio Certified, Compact D-Class 5ch Amplifier

Max 1600W

KCA-RC01A Optional Wired

Remote Control

- One-side Terminals for easy installation • Speaker Level Input with Signal Sensing Turn-on allows you to upgrade sound quality without modifying the factory-installed audio system.

Output Coil with Magnetic Shield for subwoofer prevents magnetic flux from radiating from the coil and reduces noise resulting in high quality sound.

Amplifier XH901-5 XH401-4 1800W Maximum Output Power 800W 1000W RMS Power at 4 $\,\Omega$ 60W x 4ch + 400W 75W x 4ch 50W x 4ch + 300W 50W x 4ch 300W 75W x 4ch + 600W 100W x 4ch 75W x 4ch + 500W 75W x 4ch 500W RMS Power at 2 Ω Bridged at 4 $\,\Omega$ 200W x 2ch 150W x 2ch + 300W 150W x 2ch Frequency Response 20Hz - 50kHz 20Hz - 50kHz 20Hz - 50kHz 20Hz - 50kHz 20Hz - 200Hz Signal to Noise Ratio 100dB 100dB 100dB 50Hz - 200Hz, -12dB/oct (Low Range) Low Pass Filter 50Hz - 200Hz. -24dB/oct 50Hz - 200Hz. -24dB/oct. 50Hz - 200Hz. -12dB/oct. 50Hz - 200Hz. -24dB/oct. 2.5kHz - 10kHz, -12dB/oct (High Range) 50Hz - 200Hz, -12dB/oct (Low Range) High Pass Filter 50Hz - 200Hz, -12dB/oct 50Hz - 200Hz, -12dB/oct 50Hz - 200Hz, -12dB/oct. 2.5kHz - 10kHz, -12dB/oct (High Range) Bass Boost 40Hz, 0-+18dB (SUB) 40Hz, 0-+18dB (SUB) 40Hz, 0-+18dB (Bch) 40Hz, 0-+18dB Speaker Level Input Cooling Fan 260 x 169 x 51mm 220 x 169 x 35mm 248 x 169 x 53mm 213 x 149 x 53mm 213 x 149 x 53mm

| Speaker | | XR-1800P | KFC-X174 | |
|------------------------|-----------|--------------|--------------|--|
| | | | | |
| | | Qr 🕖 | | |
| Size & System | | 18cm 2-Way | 17cm 2-Way | |
| Peak Input Power | | 330W | 240W | |
| RMS Input Power | | 110W | 80W | |
| mpedance | | 4Ω | 4Ω | |
| Sensitivity (dB at 1m) | | 86dB | 88dB | |
| Frequency Response | | 57Hz - 20kHz | 69Hz - 21kHz | |
| Voofer Magnet | | Ferrite | Ferrite | |
| Tweeter | Diaphragm | Soft Dome | Soft Dome | |
| | Magnet | Neodymium | Neodymium | |
| Mounting Depth | | 62mm | 56mm | |
| | | | | |

30mm dome tweeter

sound that reaches out and speaks to you

18cm advanced hybrid pulp cone

330W Peak

XR-1800P

Oversized 180mm, 2-Way

Component Speaker Set

Faithfully reproducing the finely carved details from a Hi-Res Audio source, down to every last grain of sound.

Portraying a rich sound that delivers a subtle ambience overflowing with presence and with no hint of muddiness,

we have realized a mellow treble, vocals that convey every inflection of the original, and a full and incisive bass.

| Subwoofer | | KFC-WPS1200F | KFC-WPS1000F | |
|------------------|-----------|--------------------------------------|--------------------------------------|--|
| | | | | |
| Size | | 30cm Shallow Type | 25cm Shallow Type | |
| Peak Input Power | | 1400W 1000W | | |
| RMS Input Pov | ver | 350W 250W | | |
| Impedance | | 4Ω | 4Ω | |
| Sensitivity (dB | at 1m) | 91dB | 90dB | |
| Frequency Res | ponse | 30Hz - 700Hz | 35Hz - 800Hz | |
| Woofer | Diaphragm | Carbon-Glass Fiber Honeycomb Cone | Carbon-Glass Fiber Honeycomb Cone | |
| | Magnet | Ferrite | Ferrite | |
| Mounting Depth | | 100mm | 85mm | |

Pure Performance. Series

PS series amplifiers and speakers integrate pure performance and excellence, continuing to uphold KENWOOD's philosophy of delivering super-live sound experience.



Max 1000W KAC-PS704EX

AB-Class 4ch Amplifier

→ • One-side Terminals

• Speaker Level Input with Signal Sensing Turn-on to upgrade sound quality without modifying the factory-installed head unit.

• Secondary Capacitor 9900uF

- 45mm Large Toroidal Transformer
- Primary Capacitor 6600uF reduces ripple voltage and electrical loss to ensure ultra-solid performance.



and increased weight of aluminum die cast ensure durability.



electrolytic capacitor are adopted to create powerful, clear mid-high sound.



Convex Shape PP Carbon Cap

enhances mid-range performance, and creates solider bass sound by avoiding deformation of diaphragm.



The unique shape of tweeter

createsstrong frontward sound enhances sound and as well as a wider sound field in 5kHz and upper frequencies,

• 17cm Wide Etched PP Woofer Cone



reduces distortion.

High Performance Sound, High Power RMS for Your Vehicle

Woofer Cone

smoother.

Peak 320W RMS 100W

KFC-PS1696

16cm 2-Way Speaker



Factory Location Fit

New Shape of Woofer Damper minimizes mechanical stress and makes the sound response



Black-painted Woofer Yoke Plate

efficiently releases heat inside the magnetic circuit and prevents the temperature of the voice coil from rising, resulting in improved durability.





| | | | 1 |
|-------------------------|--------------------------|--------------------------|-------------------------|
| Maximum Output Power | 1000W | 2000W | 1200W |
| RMS Power at 4 Ω | 70W x 4ch | 500W | 40W x 4ch + 300W |
| RMS Power at 2 Ω | 100W x 4ch | 1000W | 50W x 2ch + 500W |
| Bridged at 4 Ω | 200W x 2ch | _ | 100W x 4ch |
| Frequency Response | 20Hz - 50kHz | 20Hz - 200Hz | 5Hz - 200Hz |
| Signal to Noise Ratio | 100dB | 100dB | 100dB |
| Low Pass Filter | 50Hz - 200Hz, -24dB/oct. | 50Hz - 200Hz, -24dB/oct. | 50Hz - 200Hz, -24dB/oct |
| High Pass Filter | 80Hz, -12dB/oct. | _ | 50Hz - 200Hz, -12dB/oct |
| Bass Boost | _ | 40Hz, 0-+18dB | _ |
| Speaker Level Input | Yes | Yes | No |
| Cooling Fan | Yes | _ | _ |
| Dimensions (W x D x H) | 335 x 204 x 56mm | 335 x 192 x 56mm | 324 x 187 x 55 |

KAC-PS917D ClassD Mono Amplifier





| | 17cm Component | 16cm 2-Way |
|-----------|----------------|--|
| | 400W | 320W |
| | 80W 100W | |
| | 4Ω | 4Ω |
| | 86dB | 88dB |
| | 58Hz - 22kHz | 75Hz - 24kHz |
| | Ferrite | Ferrite |
| Diaphragm | Soft Dome | Balanced Dome |
| Magnet | Neodymium | Neodymium |
| | 56mm | 48mm |
| | | 400W 80W 4Ω 86dB 58Hz - 22kHz Ferrite Diaphragm Soft Dome Magnet Neodymium |

1300 Super Bass.



KFC-PS2516W

| Subwoofer | | KFC-PS2516W |
|------------------------|-----------|--------------|
| Size | | 25cm |
| Peak Input Power | | 1300W |
| RMS Input Power | | 300W |
| Impedance | | 4Ω |
| Sensitivity (dB at 1m) | | 81 dB |
| Frequency Response | | 32Hz - 300Hz |
| Woofer | Diaphragm | PP Cone |
| | Magnet | Ferrite |
| Mounting Depth | | 116.3mm |
| | | |

Stage Sound. Series

If you are looking for an easy solution to improve sound quality while you drive, S series speakers are ideal for ease of installation. They will provide high-quality "stage" sound and enhance your driving experience.

Life-like Sound with Sound Field Enhancer



Peak 330W

KFC-S1676EX

16cm 2-Way Speaker Magnet Size: ø85 x t12



Sound Field Enhancer The tweeter with a conical-frustum shape and

wave structure on the bottom open end creates strong frontward sound as well as a wider sound field in 5kHz and upper frequencies. It results in life-like "Stage" sound.




Larger Magnetic Circuit creates enough power to drive the woofer cone and reproduce high-density

KFC-S6976EX

6 x 9 inch 3-Way Speaker

Magnet Size: ø90 x t12



| I | 8mm | |
|-----|------------|--|
| | 46.7mm | |
| (KF | C-S1676EX) | |

| <u> </u> | | |
|----------|--|--|
| S1676EX) | | |
| | | |

Speaker KFC-S6976EX KFC-S1676EX / S1666 KFC- E715P KFC-E705P Size & System 6 x9 inch 3-Way 16cm, 2-Way 17cm Component 17cm Component 330W / 300W Peak Input Power RMS Input Power 80W 60W / 30W 30W 4Ω 4Ω 90dB Sensitivity (dB at 1m) 87dB 87dB / 90dB 92dB Frequency Response 44Hz - 18kHz 80Hz / 40Hz 30Hz - 22kHz 30Hz - 22kHz Woofer Magnet Ferrite ø90 x t12 Ferrite ø85 x t12 / ø80 x t10 Ferrite Ferrite Cone (Mid Range) Balanced Dome PEI Balanced Dome PEI Balanced Dome Ferrite Neodymium Neodymium Neodymium 79.3mm 46.7mm / 43.2mm

Powered Subwoofers

Deep Bass from Small Enclosure

By using a down-firing subwoofer and superior technologies,

the audio system generates high-quality sound and powerful bass while still being compact.




deep bass sound even with a small box.



Amazing Performance from Compact Box





Max 250W

20cm Compact Powered Subwoofer





| Powered Subwoofer | PA-W801B | KSC-PSW8 | | |
|------------------------|--------------------------|--------------------------|--|--|
| | 16 | | | |
| Woofer Size | 20cm with Box | 20cm | | |
| Maximum Output Power | 400W | 250W | | |
| RMS Power | 200W | 150W | | |
| Low Pass Filter | 50Hz - 200Hz, -18dB/oct. | 50Hz - 125Hz, -12dB/oct. | | |
| Gain Control | Yes | Yes (on Remote) | | |
| Phase Control | 0° / 180° | 0° / 180° (on Remote) | | |
| Speaker Level Input | Yes | Yes | | |
| RCA Input | Yes | Yes | | |
| Dimensions (W x D x H) | 450 x 150 x 300mm | 350 x 240 x 75mm | | |