

# KENWOOD

# TS-590S TS-590SG

PC CONTROL COMMAND  
Reference Guide

JVCKENWOOD Corporation

January/30/2019

# PC CONTROL COMMAND REFERENCE GUIDE

## ABOUT THIS REFERENCE GUIDE

All descriptions in this reference guide are for the user's convenience. **JVC KENWOOD Corporation** does not support nor warrant the applicability of this documentation in any way.

## CONNECTING TO A PC

You can connect the TS-590S/ TS-590SG transceiver to a PC COM port using a traditional RS-232C connector, or to a USB port using a USB 2.0 (AB type) cable.

If using the COM port or USB, through the transceiver menu, select a baud rate for communications between the PC and the transceiver.

### ■ Using a RS-232C Straight Cable

Directly connect the RS-232C straight cable between the COM port of the PC and the COM terminal of the transceiver.

### ■ Using a USB Cable

When using a USB cable, you must first pre-install a virtual COM port driver on the PC. Then, connect the USB cable A-connector to the USB port of the PC and the B-connector the USB terminal of the transceiver.

Download the driver from the following URL.

[https://www.kenwood.com/i/products/info/amateur/software\\_download.html](https://www.kenwood.com/i/products/info/amateur/software_download.html)

**Note:** No warranty for the operation is granted when connecting through a USB hub.

## COM/ USB-B (VIRTUAL COM) CONNECTOR

Entry	Specifications
Protocol	UART (RS-232C)
Baud Rate	Selectable from 4800*/ 9600/ 19200/ 38400/ 57600/ 115200 bps
Start Bit	1
Data Bit	8
Stop Bit	1 (2 is available only when using 4800 bps)
Parity Bit	None
Flow Control	Hardware flow control is possible

\*: 4800 bps cannot be used with the USB-B connector.

## AI (AUTO INFORMATION) FUNCTION

The AI (Auto Information) function automatically outputs contents of commands whenever various states of the transceiver changes.

For example, the frequency information of the main band is automatically output to the PC with the FA command when you change the operating frequency of the main band. It is not necessary to first send a read command from the PC. Besides the frequency of the main band, almost all changes of state of the transceiver are automatically output with each command.


Using this function, you can see the state of the transceiver on a PC in real time. This is useful when making an application using log management software.

Turn this function on using the AI command (the initial state is OFF).


## PC CONTROL COMMANDS

A PC control command is composed of a 2 letter alphabetical command name, a set of parameters, and the terminator that signals the end of the command.

Example: Command to set VFO A to 7 MHz



Commands can be classified as shown below:



For example, note the following in the case of the above FA command (Frequency of VFO A):

- To set the frequency to 7 MHz, the following command is sent from the PC to the transceiver:

“FA00007000000;” **(Set command)**

- To read the frequency of VFO A, the following command is sent from the PC to the transceiver:

“FA;” **(Read command)**

- When the Read command above has been sent, the following command is returned to the PC:

“FA00007000000;” **(Answer command)**

### ■ Command

A command consists of 2 or 3 characters. You may use either lower or upper case characters. The commands available for this transceiver are listed in the PC Control Command Tables, beginning on page 3.

### ■ Parameters

Parameters are used to specify information necessary to implement the desired command. The parameters to be used for each command are predetermined. The number of digits assigned to each parameter is also predetermined. Refer to the PC Control Command Tables {page 3} to configure the appropriate parameters.

■ **Terminator**

To signal the end of a command, it is necessary to use a semicolon (;). The digit where this special character must appear differs depending on the command used.

■ **Error Messages**

In addition to the Answer command, the transceiver can send the error messages listed below.

Error Message	Reason for Error
?;	<ul style="list-style-type: none"> <li>• Command syntax was incorrect.</li> <li>• Command was not executed due to the current status of the transceiver (even though the command syntax was correct).</li> </ul> <p><b>Note:</b> Occasionally, this message may not appear due to microprocessor transients in the transceiver.</p>
E;	A communication error occurred, such as an overrun or framing error during a serial data transmission.
O;	A receive buffer overrun error occurred.

PC CONTROL COMMAND TABLES

<b>AC</b>	Sets and reads the internal antenna tuner status.										<b>[TS-590S / TS-590SG common]</b> Parameters: P1 0: RX-AT THRU 1: RX-AT IN P2 0: TX-AT THRU 1: TX-AT IN P3 0: Stop Tuning (Set)/ Tuning is stopped (Answer) 1: Start Tuning (Set)/ Tuning is active (Answer) <ul style="list-style-type: none"> <li>The setting cannot be performed for RX IN/THRU</li> <li>AT Tuning will not begin when using the TX THRU status.</li> <li>To begin tuning, you must use command "AC111".</li> </ul>	
	Set	1	2	3	4	5	6	7	8	9		10
		A	C	P1	P2	P3	;					
	Read	1	2	3	4	5	6	7	8	9		10
A		C	;									
Answer	1	2	3	4	5	6	7	8	9	10		
	A	C	P1	P2	P3	;						

<b>AG</b>	Sets and reads the AF gain.										<b>[TS-590S / TS-590SG common]</b> Parameters: P1 0: Always 0 P2 000 (minimum) ~ 255 (maximum)	
	Set	1	2	3	4	5	6	7	8	9		10
		A	G	P1	P2	P2	P2	;				
	Read	1	2	3	4	5	6	7	8	9		10
A		G	P1	;								
Answer	1	2	3	4	5	6	7	8	9	10		
	A	G	P1	P2	P2	P2	;					

<b>AI</b>	Sets and reads the Auto Information (AI) function ON/ OFF.										<b>[TS-590S / TS-590SG common]</b> Parameters: P1 0: AI OFF 2: AI ON (without backup) 4: AI ON (with backup) <ul style="list-style-type: none"> <li>When AI is ON, the respective response command is output when the parameter is changed by the command with the response command.</li> <li>When AI is ON by setting P1 parameter to 2 and the power is turned to OFF, AI is also turned to OFF.</li> <li>P1 parameter 4 (with backup) is supported from the firmware version 2.00 in TS-590S</li> </ul>	
	Set	1	2	3	4	5	6	7	8	9		10
		A	I	P1	;							
	Read	1	2	3	4	5	6	7	8	9		10
A		I	;									
Answer	1	2	3	4	5	6	7	8	9	10		
	A	I	P1	;								

<b>AN</b>	Selects the antenna connector ANT1/ ANT2.										<b>[TS-590S / TS-590SG common]</b> Parameters: P1 1: ANT1 2: ANT2 9: No change P2 0: RX ANT is not used 1: RX ANT is used 9: No change P3 0: Drive Out OFF 1: Drive Out ON 9: No change In TS-590SG, when the drive output (DRV) terminal is used as the antenna output terminal (by menu setting), P3 parameter shows the ON/OFF selected status of the antenna output. 0: Antenna Out OFF 1: Antenna Out ON 9: No change <ul style="list-style-type: none"> <li>When setting the command, enter only the parameters you are changing. For parameters you are not changing, enter "9".</li> <li>For a response command, parameter P1, P2, and P3 cannot be "g".</li> </ul>	
	Set	1	2	3	4	5	6	7	8	9		10
		A	N	P1	P2	P3	;					
	Read	1	2	3	4	5	6	7	8	9		10
A		N	;									
Answer	1	2	3	4	5	6	7	8	9	10		
	A	N	P1	P2	P3	;						

## PC CONTROL COMMAND REFERENCE GUIDE

<b>AS</b>		Sets and reads the Auto Mode function parameters.									<b>[TS-590S / TS-590SG common]</b>	
Set		1	2	3	4	5	6	7	8	9	10	<b>Parameters:</b> P1 0: Always 0 P2 00 ~ 31: Channel number P3 11-digit Frequency in Hz (unused digits must be 0) P4 (Mode (refer to the MD command)) 1: LSB 2: USB 3: CW 4: FM 5: AM 6: FSK 7: CWR (CW Reverse) 9: FSKR (FSK Reverse) P5 (Data mode (refer to the DA command)) 0: No Data mode 1: Data mode (example: USB-DATA: P4=2 / P5=1)  Conditions when configuring: • You cannot set the channel to a frequency lower than the frequency of the previous channel. • When the channel is set to a frequency higher than the next channel, all subsequent channel frequencies that are lower than the set frequency are changed to the frequency you just set. • To reset all channels to their initial conditions, set them to 9.5 MHz, LSB mode (DATA-OFF).
	A	S	P1	P2	P2	P3	P3	P3	P3	P3	P3	
	11	12	13	14	15	16	17	18	19	20		
Read		1	2	3	4	5	6	7	8	9	10	
	A	S	P1	P2	P2	;						
	11	12	13	14	15	16	17	18	19	20		
Answer		1	2	3	4	5	6	7	8	9	10	
	A	S	P1	P2	P2	P3	P3	P3	P3	P3	P3	
	11	12	13	14	15	16	17	18	19	20		
		P3	P3	P3	P3	P3	P3	P4	P5	;		

<b>BC</b>		Sets and reads the Beat Cancel function status.									<b>[TS-590S / TS-590SG common]</b>	
Set		1	2	3	4	5	6	7	8	9	10	<b>Parameters:</b> P1 0: Beat Cancel OFF 1: Beat Cancel 1 ON 2: Beat Cancel 2 ON
	B	C	P1	;								
Read		1	2	3	4	5	6	7	8	9	10	
	B	C	;									
Answer		1	2	3	4	5	6	7	8	9	10	
	B	C	P1	;								

<b>BD / BU</b>		Sets a frequency band.									<b>[TS-590S / TS-590SG common]</b>	
Set		1	2	3	4	5	6	7	8	9	10	<b>Parameters:</b> P1 (Band number) 00: 1.8 MHz band 01: 3.5 MHz band 02: 7 MHz band 03: 10 MHz band 04: 14 MHz band 05: 18 MHz band 06: 21 MHz band 07: 24 MHz band 08: 28 MHz band 09: 50 MHz band 10: GENE  • To change the band memory of the same frequency band, specify the same band number. • Unlike previous models (TS-2000/TS-480 etc.), this command no longer functions as a conventional Band Down/ Band Up. • While the section setting Memory Channel is displayed, you can use BD; to send the start frequency and BU; to send the end frequency.
	B	D/U	P1	P1	;							

<b>BK</b>		Blanking of Received Signal									<b>[TS-590S / TS-590SG common]</b>	
Set		1	2	3	4	5	6	7	8	9	10	<b>Parameters:</b> P1 0: Blanking OFF 1: Blanking ON  • Blanking state is not backed up by this command. • Blanking by the BK command also operates on the received IF signal. • TS-590S supports from the firmware version 2.04, TS-590SG supports from the firmware version 1.05.
	B	K	P1	;								
Read		1	2	3	4	5	6	7	8	9	10	
	B	K	;									
Answer		1	2	3	4	5	6	7	8	9	10	
	B	K	P1	;								

## PC CONTROL COMMAND REFERENCE GUIDE

<b>BP</b>	Adjusts the Notch Frequency of the Manual Notch Filter.										<b>[TS-590S / TS-590SG common]</b> <b>Parameters:</b> P1 000 (minimum) ~ 127 (maximum) Entering a P1 parameter value higher than 128 results in 127 being entered.	
	Set	1	2	3	4	5	6	7	8	9		10
		B	P	P1	P1	P1	;					
	Read	1	2	3	4	5	6	7	8	9		10
B		P	;									
Answer	1	2	3	4	5	6	7	8	9	10		
	B	P	P1	P1	P1	;						

<b>BY</b>	Reads the busy signal status.										<b>[TS-590S / TS-590SG common]</b> <b>Parameters:</b> P1 0: Not busy 1: Busy P2 0: Always 0 • This command is used with Sky Command.	
	Read	1	2	3	4	5	6	7	8	9		10
		B	Y	;								
	Answer	1	2	3	4	5	6	7	8	9		10
B		Y	P1	P2	;							

<b>CA</b>	Sets and reads the CW TUNE function status.										<b>[TS-590S / TS-590SG common]</b> <b>Parameters:</b> P1 0: Cancels CW TUNE/ Inactive 1: Starts CW TUNE/ Active	
	Set	1	2	3	4	5	6	7	8	9		10
		C	A	P1	;							
	Read	1	2	3	4	5	6	7	8	9		10
C		A	;									
Answer	1	2	3	4	5	6	7	8	9	10		
	C	A	P1	;								

<b>CD0</b>	Sets and reads the Morse code decoder function status.										<b>[TS-590SG only]</b> <b>Parameters:</b> P1 0: Morse code decoder OFF 1: Morse code decoder ON	
	Set	1	2	3	4	5	6	7	8	9		10
		C	D	0	P1	;						
	Read	1	2	3	4	5	6	7	8	9		10
C		D	0	;								
Answer	1	2	3	4	5	6	7	8	9	10		
	C	G	0	P1	;							

<b>CD1</b>	Sets and reads the Morse code decoder threshold level.										<b>[TS-590SG only]</b> <b>Parameters:</b> P1 (threshold level) 001 ~ 030 • 001 or less value of P1 parameter is rectified by 001, and 030 or more value is rectified by 030.	
	Set	1	2	3	4	5	6	7	8	9		10
		C	D	1	P1	P1	P1	;				
	Read	1	2	3	4	5	6	7	8	9		10
C		D	1	;								
Answer	1	2	3	4	5	6	7	8	9	10		
	C	D	1	P1	P1	P1	;					

<b>CD2</b>	Outputs the Morse code decoder character.										<b>[TS-590SG only]</b> <b>Parameters:</b> P1 Decoded character (usually 1 digit, Abbreviation is 2 digits) • When AI is ON, the character decoded by the Morse code decoder is output as ASCII code.	
	Answer	1	2	3	4	5	6	7	8	9		10
		C	D	2	P1	P1	;					

<b>CG</b>	Sets and reads the Carrier Level.										<b>[TS-590S / TS-590SG common]</b> <b>Parameters:</b> P1 000 (minimum) ~ 100 (maximum) Entering a P1 parameter value higher than 101 results in 100 being entered.	
	Set	1	2	3	4	5	6	7	8	9		10
		C	G	P1	P1	P1	;					
	Read	1	2	3	4	5	6	7	8	9		10
C		G	;									
Answer	1	2	3	4	5	6	7	8	9	10		
	C	G	P1	P1	P1	;						

## PC CONTROL COMMAND REFERENCE GUIDE

<b>CH</b>	Operate the MULTI/CH encoder.										<b>[TS-590S / TS-590SG common]</b> <b>Parameters:</b> P1 0: Move the MULTI/CH encoder 1 step up 1: Move the MULTI/CH encoder 1 step down
	Set	1	2	3	4	5	6	7	8	9	
	C	H	P1	;							

<b>CN</b>	Sets and reads the CTCSS frequency.										<b>[TS-590S / TS-590SG common]</b> <b>Parameters:</b> P1 00 ~ 41																																																																																																
	Set	1	2	3	4	5	6	7	8	9		10																																																																																															
	C	N	P1	P1	;																																																																																																						
Read	1	2	3	4	5	6	7	8	9	10	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>No.</th> <th>Freq. (Hz)</th> <th>No.</th> <th>Freq. (Hz)</th> <th>No.</th> <th>Freq. (Hz)</th> <th>No.</th> <th>Freq. (Hz)</th> </tr> </thead> <tbody> <tr><td>00</td><td>67.0</td><td>11</td><td>97.4</td><td>22</td><td>141.3</td><td>33</td><td>206.5</td></tr> <tr><td>01</td><td>69.3</td><td>12</td><td>100.0</td><td>23</td><td>146.2</td><td>34</td><td>210.7</td></tr> <tr><td>02</td><td>71.9</td><td>13</td><td>103.5</td><td>24</td><td>151.4</td><td>35</td><td>218.1</td></tr> <tr><td>03</td><td>74.4</td><td>14</td><td>107.2</td><td>25</td><td>156.7</td><td>36</td><td>225.7</td></tr> <tr><td>04</td><td>77.0</td><td>15</td><td>110.9</td><td>26</td><td>162.2</td><td>37</td><td>229.1</td></tr> <tr><td>05</td><td>79.7</td><td>16</td><td>114.8</td><td>27</td><td>167.9</td><td>38</td><td>233.6</td></tr> <tr><td>06</td><td>82.5</td><td>17</td><td>118.8</td><td>28</td><td>173.8</td><td>39</td><td>241.8</td></tr> <tr><td>07</td><td>85.4</td><td>18</td><td>123.0</td><td>29</td><td>179.9</td><td>40</td><td>250.3</td></tr> <tr><td>08</td><td>88.5</td><td>19</td><td>127.3</td><td>30</td><td>186.2</td><td>41</td><td>254.1</td></tr> <tr><td>09</td><td>91.5</td><td>20</td><td>131.8</td><td>31</td><td>192.8</td><td>—</td><td>—</td></tr> <tr><td>10</td><td>94.8</td><td>21</td><td>136.5</td><td>32</td><td>203.5</td><td>—</td><td>—</td></tr> </tbody> </table>	No.	Freq. (Hz)	No.	Freq. (Hz)	No.	Freq. (Hz)	No.	Freq. (Hz)	00	67.0	11	97.4	22	141.3	33	206.5	01	69.3	12	100.0	23	146.2	34	210.7	02	71.9	13	103.5	24	151.4	35	218.1	03	74.4	14	107.2	25	156.7	36	225.7	04	77.0	15	110.9	26	162.2	37	229.1	05	79.7	16	114.8	27	167.9	38	233.6	06	82.5	17	118.8	28	173.8	39	241.8	07	85.4	18	123.0	29	179.9	40	250.3	08	88.5	19	127.3	30	186.2	41	254.1	09	91.5	20	131.8	31	192.8	—	—	10	94.8	21	136.5	32	203.5	—	—
	No.	Freq. (Hz)	No.	Freq. (Hz)	No.	Freq. (Hz)	No.	Freq. (Hz)																																																																																																			
00	67.0	11	97.4	22	141.3	33	206.5																																																																																																				
01	69.3	12	100.0	23	146.2	34	210.7																																																																																																				
02	71.9	13	103.5	24	151.4	35	218.1																																																																																																				
03	74.4	14	107.2	25	156.7	36	225.7																																																																																																				
04	77.0	15	110.9	26	162.2	37	229.1																																																																																																				
05	79.7	16	114.8	27	167.9	38	233.6																																																																																																				
06	82.5	17	118.8	28	173.8	39	241.8																																																																																																				
07	85.4	18	123.0	29	179.9	40	250.3																																																																																																				
08	88.5	19	127.3	30	186.2	41	254.1																																																																																																				
09	91.5	20	131.8	31	192.8	—	—																																																																																																				
10	94.8	21	136.5	32	203.5	—	—																																																																																																				
	C	N	;																																																																																																								
Answer	1	2	3	4	5	6	7	8	9	10																																																																																																	
	C	N	P1	P1	;																																																																																																						

<b>CT</b>	Sets and reads the CTCSS function status.										<b>[TS-590S / TS-590SG common]</b> <b>Parameters:</b> P1 0: CTCSS OFF 1: CTCSS ON 2: Cross Tone ON  • If Tone or CTCSS is ON when Cross Tone is turned ON, they will automatically turn OFF.
	Set	1	2	3	4	5	6	7	8	9	
	C	T	P1	;							
Read	1	2	3	4	5	6	7	8	9	10	
	C	T	;								
Answer	1	2	3	4	5	6	7	8	9	10	
	C	T	P1	;							

<b>DA</b>	Sets and reads the DATA mode.										<b>[TS-590S / TS-590SG common]</b> <b>Parameters:</b> P1 0: DATA mode OFF 1: DATA mode ON  • When used in any mode other than DATA mode, the P1 parameter response is always 0. • You can use this command in LSB, USB, FM, and AM mode. When used in CW, FSK, an error occurs. (AM-DATA mode of TS-590S is supported from the firmware version 2.00.)
	Set	2	3	4	5	6	7	8	9	10	
	D	A	P1	;							
Read	1	2	3	4	5	6	7	8	9	10	
	D	A	;								
Answer	1	2	3	4	5	6	7	8	9	10	
	D	A	P1	;							

<b>DN / UP</b>	Emulates the microphone DWN and UP keys.										<b>[TS-590S / TS-590SG common]</b> <b>Parameters:</b> P1 00 ~ 99  • If no P1 parameter is specified, the command is interpreted as 1 step down (DN;) or 1 step up (UP;). • When setting the parameter from 01 to 99, the frequency is adjusted by the specified step size. • In Memory mode and Quick Memory mode, the command with no P1 parameter specified is treated as a Memory channel down (DN;) or up (UP;) command. With parameters, it is treated as the frequency down or up command. • When setting the parameter to 00, the command is accepted, but no changes occur.
	Set	1	2	3	4	5	6	7	8	9	
	D/U	N/P	P1	P1	;						

<b>EM</b>	Sets the Emergency communication frequency mode.										<b>[TS-590S / TS-590SG common]</b> • There are no parameters for this command. • The transceiver switches to the Emergency frequency after sending this command. • This command is not available for E market versions (an error occurs).
	Set	1	2	3	4	5	6	7	8	9	
	E	M	;								

## PC CONTROL COMMAND REFERENCE GUIDE

<b>EQ</b>		Sets and reads the Equalizer.									[TS-590S / TS-590SG common] (TS-590S supports from the firmware version 2.00.)
Set		2	3	4	5	6	7	8	9	10	<b>Parameters:</b> P1 (Equalizer type) 0: TX EQ 1: RX EQ P2 (Mode) 0: SSB 1: SSB-DATA 2: CW/CW-R 3: FM 4: FM-DATA 5: AM 6: AM-DATA 7: FSK/FSK-R P3 (Equalizer curve) 0: OFF 1: HB1 2: HB2 3: FP 4: BB1 5: BB2 6: C TX EQ /FLAT RX EQ 7: U  • TX EQ setting in CW/CW-R mode and FSK/FSK-R mode cannot be changed from OFF. (An error occurs if the setting command is sent.)
	E	Q	P1	P2	P3	;					
Read	1	2	3	4	5	6	7	8	9	10	
	E	Q	P1	P2	;						
Answer	1	2	3	4	5	6	7	8	9	10	
	E	Q	P1	P2	P3	;					

<b>ES</b>		Sets and reads the Advanced startup option.									[TS-590S only] (supported from the firmware version 1.08)
Set		2	3	4	5	6	7	8	9	10	<b>Parameters:</b> P1 (Select the targeted function for Set and Read) 0: Shiftable RX Frequency during Split Transmission P2 0: Function OFF 1: Function ON
	E	S	P1	P2	;						
Read	1	2	3	4	5	6	7	8	9	10	
	E	S	P1	;							
Answer	1	2	3	4	5	6	7	8	9	10	
	E	S	P1	P2	;						

<b>EX</b>		Sets and reads the Menu.										[TS-590S / TS-590SG common]
Set		1	2	3	4	5	6	7	8	9	10	<b>Parameters:</b> P1 000 ~ 087: Menu number (TS-590S) 000 ~ 099: Menu number (TS-590SG) P2 00: Always 00 P3 0: Always 0 P4 0: Always 0 P5 String of alphanumeric characters for the Menu setting (variable length)  • Refer to the following table for the menus corresponding to parameter P1, and the available settings corresponding to parameter P5.
	E	X	P1	P1	P1	P2	P2	P3	P4	P5		
		11	12	13	14	15	16	17	18	19	20	
Read	P5	P5	P5	P5	P5	P5	P5	;				
	1	2	3	4	5	6	7	8	9	10		
Answer	E	X	P1	P1	P1	P2	P2	P3	P4	P5		
		11	12	13	14	15	16	17	18	19	20	
	P5	P5	P5	P5	P5	P5	P5	;				

### EX Command Parameter List (for TS-590S)

Menu (P1)	Function	Command Parameter (P5)										
		0	1	2	3	4	5	6	7	8	9	10 ~
000	Display brightness	OFF	1	2	3	4	5	6				
001	Back light color	1	2									
002	Panel key response for double function	1	2	3								
003	Beep volume	OFF	1	2	3	4	5	6	7	8	9	
004	Sidetone volume	OFF	1	2	3	4	5	6	7	8	9	
005	Message playback volume	OFF	1	2	3	4	5	6	7	8	9	
006	Voice guide volume	OFF	1	2	3	4	5	6	7			
007	Voice guide speed	0	1	2	3	4						
008	Voice guide language	EN	JP									
009	Auto announcement	OFF	ON									
010	MHz step (MHz)	0.1	0.5	1								



## PC CONTROL COMMAND REFERENCE GUIDE

Menu (P1)	Function	Command Parameter (P5)											
		0	1	2	3	4	5	6	7	8	9	10 ~	
011	Tuning control adjustment rate (Hz)	250	500	1000									
012	MULTI/CH control rounding off process	OFF	ON										
013	Dedicated step change inside the BC band (AM)	OFF	ON										
014	MULTI/CH control step change for SSB/CW/FSK (kHz)	0.5	1	2.5	5	10							
015	MULTI/CH control step change for AM (kHz)	5	6.25	10	12.5	15	20	25	30	50	100		
016	MULTI/CH control step change for FM (kHz)	5	6.25	10	12.5	15	20	25	30	50	100		
017	Maximum number of Quick Memory channels	3	5	10									
018	Temporary variable of the standard memory frequency	OFF	ON										
019	Program Scan slow down function	OFF	ON										
020	Program Scan slow down frequency range (Hz)	100	200	300	400	500							
021	Program Scan hold	OFF	ON										
022	Scan Resume method	TO	CO										
023	Auto mode change	OFF	ON										
024	Following speed setting of AUTO NOTCH	0	1	2	3	4							
025	SSB/AM Low Cut transmit filter (Hz)	10	100	200	300	400	500						
026	SSB/AM High Cut transmit filter (Hz)	2500	2600	2700	2800	2900	3000						
027	SSB-DATA Low Cut transmit filter (Hz)	10	100	200	300	400	500						
028	SSB-DATA High Cut transmit filter (Hz)	2500	2600	2700	2800	2900	3000						
029	Effective change of Speech Processor	SOFT	HARD										
030	Transmit equalizer	OFF	HB1	HB2	FP	BB1	BB2	C	U				
031	Receive equalizer	OFF	HB1	HB2	FP	BB1	BB2	FLAT	U				
032	Electronic keyer operation mode	A	B										
033	Insert keying ON/OFF	OFF	ON										
034	Side tone/ pitch frequency setting (Hz)	300	350	400	450	500	550	600	650	700	750	up to 1000 (steps of 50)	
035	CW clipping (ms)	1	2	4	6								
036	Keying weight ratio	AUTO	2.5	2.6	2.7	2.8	2.9	3.0	3.1	3.2	3.3	up to 4.0 (steps of 0.1)	
037	Reverse keying auto weight ratio	OFF	ON										
038	Bug key function	OFF	ON										
039	Paddle dot/dash replacement setting	OFF	ON										
040	Mic paddle function	PF	PA										
041	Auto CW TX in SSB mode	OFF	ON										
042	Frequency correction for changing SSB to CW mode	OFF	ON										
043	Break-in null configuration at time of keying speed configuration	OFF	ON										
044	FSK shift	170	200	425	850								
045	FSK keying polarity	OFF	ON										
046	FSK tone frequency (Hz)	1275	2125										
047	Mic gain for FM	1	2	3									
048	Power fine	OFF	ON										
049	Time-out Timer	OFF	3	5	10	20	30						
050	Configuring the Transverter function and power down	OFF	1	2									
051	TX hold when AT completes the tuning	OFF	ON										
052	AT operation when receiving	OFF	ON										
053	HF linear amplifier control	OFF	1	2	3								
054	50 MHz linear amplifier control	OFF	1	2	3								
055	Constant recording	OFF	ON										
056	Voice/ message playback repeat	OFF	ON										
057	Voice/ message playback repeat duration (seconds)	0	1	2	3	4	5	6	7	8	9	up to 60 (steps of 1)	
058	Split transfer function	OFF	ON										
059	Write split transfer data to the VFO	OFF	ON										

## PC CONTROL COMMAND REFERENCE GUIDE

Menu (P1)	Function	Command Parameter (P5)											
		0	1	2	3	4	5	6	7	8	9	10 ~	
060	Transmit inhibit	OFF	ON										
061	COM port communication speed	4800	9600	19200	38400	57600	115200						
062	USB port communication speed	4800	9600	19200	38400	57600	115200						
063	DATA modulation line	ACC2	USB										
064	USB audio input level	0	1	2	3	4	5	6	7	8	9		
065	USB audio output level	0	1	2	3	4	5	6	7	8	9		
066	ACC2 terminal AF input level	0	1	2	3	4	5	6	7	8	9		
067	ACC2 terminal AF output level	0	1	2	3	4	5	6	7	8	9		
068	External AF output beep mix	OFF	ON										
069	DATA VOX	OFF	ON										
070	DATA VOX delay	0	5	10	15	20	25	30	35	40	45	up to 100 (steps of 5)	
071	DATA VOX gain for USB audio input	0	1	2	3	4	5	6	7	8	9		
072	DATA VOX gain for ACC2 terminal input	0	1	2	3	4	5	6	7	8	9		
073	PKS polarity change	OFF	ON										
074	Busy transmit inhibit	OFF	ON										
075	CTCSS mute operation change	1	2										
076	PSQ control signal logic selection	LO	OPEN										
077	PSQ control signal output condition	OFF	BSY	SQL	SND	BSY-SND	SQL-SND						
078	APO function (minutes)	OFF	60	120	180								
079	Panel PF A function	000 ~ 255 (3-digit) Refer to the TS-590S instruction manual for the numbers and functions. (When the function is turned OFF, 255 is used.)											
080	Panel PF B function												
081	Mic PF 1 function												
082	Mic PF 2 function												
083	Mic PF 3 function												
084	Mic PF 4 function												
085	Mic PF (DWN) function												
086	Mic PF (UP) function												
087	Power on message	Power on Message (up to 8 ASCII characters)											

### EX Command Parameter List (for TS-590SG)

Menu (P1)	Function	Command Parameter (P5)											
		0	1	2	3	4	5	6	7	8	9	10 ~	
000	Firmware Version	Version information (4 ASCII characters) read only											
001	Power on message	Power on Message (up to 8 ASCII characters)											
002	Display brightness	OFF	1	2	3	4	5	6					
003	Back light color	1	2	3	4	5	6	7	8	9	10		
004	Panel key response for double function	1	2	3									
005	Beep volume	OFF	1	2	3	4	5	6	7	8	9	~ 20 (steps of 1)	
006	Sidetone volume	OFF	1	2	3	4	5	6	7	8	9	~ 20 (steps of 1)	
007	Message playback volume	OFF	1	2	3	4	5	6	7	8	9	~ 20 (steps of 1)	
008	Voice guide volume	OFF	1	2	3	4	5	6	7	8	9	~ 20 (steps of 1)	
009	Voice guide speed	0	1	2	3	4							
010	Voice guide language	EN	JP										
011	Auto announcement	OFF	1	2									
012	MHz step (MHz)	0.1	0.5	1									
013	Tuning control adjustment rate (Hz)	250	500	1000									
014	MULTI/CH control rounding off process	OFF	ON										
015	Dedicated step change inside the BC band (AM)	OFF	ON										
016	MULTI/CH control step change for SSB (kHz)	OFF	0.5	0.5	1	2.5	5	10					
017	MULTI/CH control step change for CW/ FSK (kHz)	OFF	0.5	0.5	1	2.5	5	10					
018	MULTI/CH control step change for AM (kHz)	OFF	5	6.25	10	12.5	15	20	25	30	50	P5=10: 100	
019	MULTI/CH control step change for FM (kHz)	OFF	5	6.25	10	12.5	15	20	25	30	50	P5=10: 100	
020	Shiftable RX frequency during split transmission	OFF	ON										
021	Maximum number of Quick Memory channels	3	5	10									

## PC CONTROL COMMAND REFERENCE GUIDE

Menu (P1)	Function	Command Parameter (P5)											
		0	1	2	3	4	5	6	7	8	9	10 ~	
022	Temporary variable of the standard/ Extension memory frequency	OFF	ON										
023	Program Scan slow down function	OFF	ON										
024	Program Scan slow down frequency range (Hz)	100	200	300	400	500							
025	Program Scan hold	OFF	ON										
026	Scan Resume method	TO	CO										
027	Auto mode change	OFF	ON										
028	Low Cut/ Low Cut and Width/ Shift change (SSB)	1 (HI/LO)	2 (WIDTH/ SHIFT)										
029	Low Cut/ Low Cut and Width/ Shift change (SSB-DATA)	1 (HI/LO)	2 (WIDTH/ SHIFT)										
030	Following speed setting of AUTO NOTCH	0	1	2	3	4							
031	SSB/AM Low Cut transmit filter (Hz)	10	100	200	300	400	500						
032	SSB/AM High Cut transmit filter (Hz)	2500	2600	2700	2800	2900	3000						
033	SSB-DATA Low Cut transmit filter (Hz)	10	100	200	300	400	500						
034	SSB-DATA High Cut transmit filter (Hz)	2500	2600	2700	2800	2900	3000						
035	Effective change of Speech Processor	SOFT	HARD										
036	Transmit equalizer	OFF	HB1	HB2	FP	BB1	BB2	C	U				
037	Receive equalizer	OFF	HB1	HB2	FP	BB1	BB2	FLAT	U				
038	Electronic keyer operation mode	A	B										
039	Insert keying ON/OFF	OFF	ON										
040	Side tone/ pitch frequency setting (Hz)	300	350	400	450	500	550	600	650	700	750	up to 1000 (steps of 50)	
041	CW clipping (ms)	1	2	4	6								
042	Keying weight ratio	AUTO	2.5	2.6	2.7	2.8	2.9	3.0	3.1	3.2	3.3	up to 4.0 (steps of 0.1)	
043	Reverse keying auto weight ratio	OFF	ON										
044	Bug key function	OFF	ON										
045	Paddle dot/dash replacement setting	OFF	ON										
046	Mic paddle function	PF	PA										
047	Auto CW TX in SSB mode	OFF	ON										
048	Frequency correction for changing SSB to CW mode	OFF	ON										
049	Break-in null configuration at time of keying speed configuration	OFF	ON										
050	FSK shift	170	200	425	850								
051	FSK keying polarity	OFF	ON										
052	FSK tone frequency (Hz)	1275	2125										
053	Mic gain for FM	1	2	3									
054	Power fine	OFF	ON										
055	Time-out Timer	OFF	3	5	10	20	30						
056	Configuring the Transverter function and power down	OFF	1	2									
057	TX hold when AT completes the tuning	OFF	ON										
058	AT operation when receiving	OFF	ON										
059	HF linear amplifier control	OFF	1	2	3	4	5						
060	50 MHz linear amplifier control	OFF	1	2	3	4	5						
061	Constant recording	OFF	ON										
062	Voice/ message playback repeat	OFF	ON										
063	Voice/ message playback repeat duration (seconds)	0	1	2	3	4	5	6	7	8	9	up to 60 (steps of 1)	
064	Split transfer function	OFF	A-T R	A-SUB R	B								
065	Write split transfer data to the VFO	OFF	ON										
066	Transmit inhibit	OFF	ON										
067	COM port communication speed	4800	9600	19200	38400	57600	115200						
068	USB port communication speed	4800	9600	19200	38400	57600	115200						
069	DATA modulation line	ACC2	USB										

## PC CONTROL COMMAND REFERENCE GUIDE

Menu (P1)	Function	Command Parameter (P5)											
		0	1	2	3	4	5	6	7	8	9	10 ~	
070	Audio source of SEND/PTT transmission for data mode	FRONT	REAR										
071	USB audio input level	0	1	2	3	4	5	6	7	8	9		
072	USB audio output level	0	1	2	3	4	5	6	7	8	9		
073	ACC2 terminal AF input level	0	1	2	3	4	5	6	7	8	9		
074	ACC2 terminal AF output level	0	1	2	3	4	5	6	7	8	9		
075	External AF output beep mix	OFF	ON										
076	DATA VOX	OFF	ON										
077	DATA VOX delay	0	5	10	15	20	25	30	35	40	45	up to 100 (steps of 5)	
078	DATA VOX gain for USB audio input	0	1	2	3	4	5	6	7	8	9		
079	DATA VOX gain for ACC2 terminal input	0	1	2	3	4	5	6	7	8	9		
080	PKS polarity change	OFF	ON										
081	Busy transmit inhibit	OFF	ON										
082	CTCSS mute operation change	1	2										
083	PSQ control signal logic selection	LO	OPEN										
084	PSQ control signal output condition	OFF	BSY	SQL	SND	BSY-SND	SQL-SND						
085	DRV connector output function	DRO	ANT										
086	APO function (minutes)	OFF	60	120	180								
087	Panel PF A function	000 ~ 255 (3-digit) Refer to the TS-590SG instruction manual for the numbers and functions. (When the function is turned OFF, 255 is used.)											
088	Panel PF B function												
089	RIT Key function												
090	XIT Key function												
091	CL Key function												
092	Front panel MULTI/CH key assignment (exclude CW mode)												
093	Front panel MULTI/CH key assignment (CW mode)												
094	Mic PF 1 function												
095	Mic PF 2 function												
096	Mic PF 3 function												
097	Mic PF 4 function												
098	Mic PF (DWN) function												
099	Mic PF (UP) function												

FA / FB	Sets and reads the VFO A/ VFO B frequency.										[TS-590S / TS-590SG common]
Set	1	2	3	4	5	6	7	8	9	10	Parameters: P1 Frequency (11 digits in Hz) • For example, enter 00014195000 for 14.195 MHz. Blank digits must be entered as 0.
	F	A/B	P1	P1	P1	P1	P1	P1	P1	P1	
	11	12	13	14	15	16	17	18	19	20	
P1	P1	P1	;								
Read	1	2	3	4	5	6	7	8	9	10	
	F	A/B	;								
Answer	1	2	3	4	5	6	7	8	9	10	
	F	A/B	P1	P1	P1	P1	P1	P1	P1	P1	
	11	12	13	14	15	16	17	18	19	20	
	P1	P1	P1	;							

FL	Sets and reads the IF filter.										[TS-590S / TS-590SG common]
Set	1	2	3	4	5	6	7	8	9	10	Parameters: P1 1: IF Filter A 2: IF Filter B
	F	L	P1	;							
Read	1	2	3	4	5	6	7	8	9	10	
	F	L	;								
Answer	1	2	3	4	5	6	7	8	9	10	
	F	L	P1	;							

## PC CONTROL COMMAND REFERENCE GUIDE

<b>FR / FT</b>		Selects or reads the VFO or Memory channel.									<b>[TS-590S / TS-590SG common]</b>
Set	1	2	3	4	5	6	7	8	9	10	<b>Parameters:</b> P1 0: VFO A 1: VFO B 2: Memory Channel  • When using the FR command to select VFO A or VFO B, the selected VFO changes to the simplex state. When using the FT command, the selected VFO changes to the split state. • You cannot use the FT command to select Memory Channel mode. Use only the FR command.
	F	R/T	P1	;							
Read	1	2	3	4	5	6	7	8	9	10	
	F	R/T	;								
Answer	1	2	3	4	5	6	7	8	9	10	
	F	R/T	P1	;							

<b>FS</b>		Sets and reads the Fine Tuning function status.									<b>[TS-590S / TS-590SG common]</b>
Set	1	2	3	4	5	6	7	8	9	10	<b>Parameters:</b> P1 0: Fine Tuning function OFF 1: Fine Tuning function ON
	F	S	P1	;							
Read	1	2	3	4	5	6	7	8	9	10	
	F	S	;								
Answer	1	2	3	4	5	6	7	8	9	10	
	F	S	P1	;							

<b>FV</b>		Verifies the Firmware version.									<b>[TS-590S / TS-590SG common]</b>
Read	1	2	3	4	5	6	7	8	9	10	<b>Parameters:</b> P1 Reads out the character string of the firmware version.  • For example, for firmware version 1.00, it reads "FV1.00;".
	F	V	;								
Answer	1	2	3	4	5	6	7	8	9	10	
	F	V	P1	P1	P1	P1	;				

<b>FW</b>		Sets and reads the DSP filtering bandwidth.									<b>[TS-590S / TS-590SG common]</b>
Set	1	2	3	4	5	6	7	8	9	10	<b>Parameters:</b> P1 0000 ~ 9999 (in Hz)  CW: • 0050, 0080, 0100, 0150, 0200, 0250, 0300, 0400, 0500, 0600, 1000, 1500, 2000, 2500 • An entered value of 0049 or lower results in 0050 being entered. An entered value of any other number not listed will result in the closest lower value being entered (for example, 1400 will revert to 1000). A value of 2501 or higher results in 2500 being entered.  FSK: • 0250, 0500, 1000, 1500 • An entered value of 0249 or lower results in 0250 being entered. An entered value of any other number not listed will result in the closest lower value being entered (for example, 1400 will revert to 1000). A value of 1501 or higher results in 1500 being entered.  FM: (Modulation degree setting) • 0000 (Normal), 0001 (Narrow)  • Use the SH and SL commands to change the HIGH cut/LOW cut for SSB/AM/FM. • The FW command cannot be used in SSB or AM mode. • When entering an unused number, the closest lower value will be automatically entered.
	F	W	P1	P1	P1	P1	;				
Read	1	2	3	4	5	6	7	8	9	10	
	F	W	;								
Answer	1	2	3	4	5	6	7	8	9	10	
	F	W	P1	P1	P1	P1	;				

## PC CONTROL COMMAND REFERENCE GUIDE

<b>GC</b>		Sets and reads the AGC.									[TS-590S / TS-590SG common]
Set	1	2	3	4	5	6	7	8	9	10	Parameters: P1 0: AGC Off 1: AGC Slow 2: AGC Fast 3: AGC Off → On (AGC returns to its Slow/Fast status before turning Off.)
	G	C	P1	;							
Read	1	2	3	4	5	6	7	8	9	10	<ul style="list-style-type: none"> <li>This command cannot be performed in FM mode (an error sounds).</li> <li>Entering a P1 parameter value of 4 or higher causes an error tone to sound.</li> <li>A P1 parameter value of 3 is used only for turning AGC On.</li> <li>While AGC is On, entering a P1 parameter value of 3 will not change the AGC status.</li> </ul>
	G	C	;								
Answer	1	2	3	4	5	6	7	8	9	10	
	G	C	P1	;							

<b>GT</b>		Sets and reads the AGC time constant.									[TS-590S / TS-590SG common]
Set	1	2	3	4	5	6	7	8	9	10	Parameters: P1 01 ~ 20 (in steps of 1) Entering a P1 parameter value of 00 results in 01 being entered and entering a P1 parameter value higher than 20 results in 20 being entered.
	G	T	P1	P1	;						
Read	1	2	3	4	5	6	7	8	9	10	<ul style="list-style-type: none"> <li>If AGC is OFF or while in FM mode, the GT command cannot be read (an error tone sounds).</li> </ul>
	G	T	;								
Answer	1	2	3	4	5	6	7	8	9	10	
	G	T	P1	P1	;						

<b>ID</b>		Reads the transceiver ID number.									[TS-590S / TS-590SG common]
Read	1	2	3	4	5	6	7	8	9	10	Parameters: P1 021: TS-590S 023: TS-590SG
	I	D	;								
Answer	1	2	3	4	5	6	7	8	9	10	
	I	D	P1	P1	P1	;					

## PC CONTROL COMMAND REFERENCE GUIDE

<b>IF</b>	Reads the transceiver status.										<b>[TS-590S / TS-590SG common]</b>
Read	1	2	3	4	5	6	7	8	9	10	Parameters: P1 11 digit displayed frequency (for example, 00014175000 is 14.175 MHz)
	I	F	;								
Answer	1	2	3	4	5	6	7	8	9	10	P2 Spaces (5) P3 RIT/XIT frequency "+9990" to "-9990" Hz P4 0: RIT OFF 1: RIT ON P5 0: XIT OFF 1: XIT ON P6, P7 Memory channel number (refer to the MC command) P8 0: RX 1: TX P9 Operating mode (refer to the MD command) P10 Function (refer to the FR/FT commands) P11 Scan status (refer to the SC command) P12 0: Simplex operation 1: Split operation P13 0: OFF 1: Tone ON 2: CTCSS ON 3: Cross Tone ON P14 00 ~ 42: Tone/ CTCSS frequency (refer to the TN/CN commands) When Tone is ON, this number is the Tone frequency. When CTCSS is ON, this number is the CTCSS frequency. When Cross Tone is ON, the transceiver transmits on the Tone frequency and receives on the CTCSS frequency. When OFF, it shows the Tone frequency. P15 0: Always 0  • While the Auto Information (AI) function is ON, a response is automatically sent when the RIT/XIT frequency is changed or the Memory channel frequency is changed. • The IF command cannot read the DATA mode ON/OFF status.
	I	F	P1	P1	P1	P1	P1	P1	P1	P1	
	11	12	13	14	15	16	17	18	19	20	
	P1	P1	P1	P2	P2	P2	P2	P2	P3	P3	
	21	22	23	24	25	26	27	28	29	30	
	P3	P3	P3	P4	P5	P6	P7	P7	P8	P9	
	31	32	33	34	35	36	37	38	39	40	
P10	P11	P12	P13	P14	P14	P15	;				

<b>IS</b>	Sets and reads the DSP Filter Shift.										<b>[TS-590S / TS-590SG common]</b>
Set	1	2	3	4	5	6	7	8	9	10	Parameters: P1 Always a space P2 0000 ~ 9999 (in Hz)  CW: 0300, 0350, 0400, 0450, 0500, 0550, 0600, 0650, 0700, 0750, 0800, 0850, 0900, 0950, 1000 An entered value of 0299 or lower results in 0300 being entered. A value of 1001 or higher results in 1000 being entered.
	I	S	P1	P2	P2	P2	P2	;			
Read	1	2	3	4	5	6	7	8	9	10	P1 Always a space P2 0000 ~ 9999 (in Hz)  CW: 0300, 0350, 0400, 0450, 0500, 0550, 0600, 0650, 0700, 0750, 0800, 0850, 0900, 0950, 1000 An entered value of 0299 or lower results in 0300 being entered. A value of 1001 or higher results in 1000 being entered.
	I	S	;								
Answer	1	2	3	4	5	6	7	8	9	10	P1 Always a space P2 0000 ~ 9999 (in Hz)  CW: 0300, 0350, 0400, 0450, 0500, 0550, 0600, 0650, 0700, 0750, 0800, 0850, 0900, 0950, 1000 An entered value of 0299 or lower results in 0300 being entered. A value of 1001 or higher results in 1000 being entered.
	I	S	P1	P2	P2	P2	P2	;			
											<ul style="list-style-type: none"> <li>• Use the SH and SL commands to change the slope tune for SSB/AM/FM/SSB DATA/FM DATA mode.</li> <li>• The IS command cannot be used in any mode other than CW/ CW-R.</li> <li>• An entered value of any other number not listed will result in the closest lower value being entered (for example, 0633 will revert to 0600).</li> </ul>

## PC CONTROL COMMAND REFERENCE GUIDE

<b>KS</b>	Sets and reads the Keying speed.										[TS-590S / TS-590SG common]
Set	1	2	3	4	5	6	7	8	9	10	<b>Parameters:</b> P1 004 ~ 060 (in steps of 1)  • An entered value of 003 or lower results in 004 being entered. A value of 061 or higher results in 060 being entered.
	K	S	P1	P1	P1	;					
Read	1	2	3	4	5	6	7	8	9	10	
	K	S	;								
Answer	1	2	3	4	5	6	7	8	9	10	
	K	S	P1	P1	P1	;					

<b>KY</b>	Converts the entered characters into morse code while keying.										[TS-590S / TS-590SG common]
Set 1	1	2	3	4	5	6	7	8	9	10	<b>Parameters:</b> P1 For Setting 1, always enter a space. For Setting 2, entering 0 will cause Setting 1 to stop. An error will occur if any value other than 0 is entered. 0: Character buffer space 1: No character buffer space P2 Enter a character string for keying. The characters listed in the following table can be entered.
	K	Y	P1	P2	P2	P2	P2	P2	P2	P2	
	11	12	13	14	15	16	17	18	19	20	
	P2	P2	P2	P2	P2	P2	P2	P2	P2	P2	
	21	22	23	24	25	26	27	28	29	30	
P2	P2	P2	P2	P2	P2	P2	;				
Set 2	1	2	3	4	5	6	7	8	9	10	
	K	Y	P1	;							
Read	1	2	3	4	5	6	7	8	9	10	
	K	Y	;								
Answer	1	2	3	4	5	6	7	8	9	10	
	K	Y	P1	;							

A	B	C	D	E	F	G	H	I	J
K	L	M	N	O	P	Q	R	S	T
U	V	W	X	Y	Z				
a	b	c	d	e	f	g	h	i	j
k	l	m	n	o	p	q	r	s	t
u	v	w	x	y	z				
0	1	2	3	4	5	6	7	8	9
(space)	'	"	(	)	*	+	,	-	
.	/	:	=	?	@				

Using abbreviations, you can enter the symbols listed in the following table.

Abbreviation	Symbol	Abbreviation	Symbol
BT	[	SK	>
AR	-	KN	]
AS	<	BK	\
HH	#	SN	%

- Parameter P2 has a fixed length of 24 bits. Characters that are left blank will be filled with spaces, but these spaces will not be converted to morse code.
- When sending a string of 25 characters or more, they are sent in split. (If there is no space in the buffer of the transceiver, the result is an error.)
- Although you can use lower-case letters as well as upper-case letters for the P2 parameter, there is no distinction made between them when sending the morse code.
- ";" (semicolon) cannot be used for the parameter P2.

<b>LK</b>	Sets and reads the Lock status.										[TS-590S / TS-590SG common]
Set	1	2	3	4	5	6	7	8	9	10	<b>Parameters:</b> P1 0: Lock OFF 1: Lock ON P2 0: Always 0
	L	K	P1	P2	;						
Read	1	2	3	4	5	6	7	8	9	10	
	L	K	;								
Answer	1	2	3	4	5	6	7	8	9	10	
	L	K	P1	P2	;						



## PC CONTROL COMMAND REFERENCE GUIDE

<b>LM</b>	Sets and reads the VGS-1 electric keyer recording status.										<b>[TS-590S / TS-590SG common]</b>
Set	1	2	3	4	5	6	7	8	9	10	<b>Parameters:</b> <b>P1</b> 0: Not recording (used only as response) 1: Channel 1 2: Channel 2 3: Channel 3 4: Channel 4 5: RX (constant recording) <b>P2</b> 0: Recording is inactive (recording stops by the setting command) 1: Recording is ready 2: Start recording (displays while recording by the response command) 3: Recording is ready* 4: Start recording* (displays while recording by the response) 5: Erase (Set command only) * This parameter is used in recording the input voice from the rear terminal (USB audio or ANI terminal of ACC2 connector). (Voice message recording only) <b>P3</b> 000 ~ 100  When a recording is saved to Channels 1 and 2: Shows the remaining recording time as 000 ~ 030 (seconds).  When a recording is saved to Channels 3 and 4: Shows the remaining recording time as 000 ~ 015 (seconds).  CW message: Shows the recording progress as 000 ~ 100 (%).  <ul style="list-style-type: none"> <li>• Entering a P1 parameter value other than those listed causes an error.</li> <li>• When parameter P1 is set to 5, parameter P2 must be set to 2.</li> <li>• 3, 4, and 9 of parameter P2 are supported from the firmware version 2.00 in TS-590S.</li> <li>• The recording starts after the recording standby status is set.</li> <li>• Voice message is erased after the recording start direction is set.</li> <li>• CW message is erased after the recording standby status is set.</li> </ul>
	L	M	P1	P2	;						
Read	1	2	3	4	5	6	7	8	9	10	
	L	M	;								
Answer	1	2	3	4	5	6	7	8	9	10	
	L	M	P1	P2	P3	P3	P3	;			

<b>MC</b>	Sets and reads the Memory Channel number.										<b>[TS-590S / TS-590SG common]</b>
Set	1	2	3	4	5	6	7	8	9	10	<b>Parameters:</b> <b>P1</b> Sets the 100's digit for the channel number When entering a setting command, enter 0 or a space for a channel number less than 100. For a response command, a space is entered for a channel number less than 100. <b>P2</b> 00 ~ 99: Two digit channel number When the channel number is less than 10, both for setting and response commands, the first digit is "0".  <ul style="list-style-type: none"> <li>• Channel numbers P00 ~ P09 are represented by 100 ~ 109.</li> <li>• TS-590SG extension channel numbers E00 ~ P09 are represented by 110 ~ 119.</li> </ul>
	M	C	P1	P2	P2	;					
Read	1	2	3	4	5	6	7	8	9	10	
	M	C	;								
Answer	1	2	3	4	5	6	7	8	9	10	
	M	C	P1	P2	P2	;					

<b>MD</b>	Sets and reads the operating mode status.										<b>[TS-590S / TS-590SG common]</b>
Set	1	2	3	4	5	6	7	8	9	10	<b>Parameters:</b> <b>P1</b> 0: None (setting failure) 1: LSB 2: USB 3: CW 4: FM 5: AM 6: FSK 7: CW-R 8: None (setting failure) 9: FSK-R
	M	D	P1	;							
Read	1	2	3	4	5	6	7	8	9	10	
	M	D	;								
Answer	1	2	3	4	5	6	7	8	9	10	
	M	D	P1	;							

## PC CONTROL COMMAND REFERENCE GUIDE

<b>MF</b>		Sets and reads Menu A or B.									[TS-590S / TS-590SG common]
Set	1	2	3	4	5	6	7	8	9	10	<b>Parameters:</b> P1 0: Menu A 1: Menu B
	M	F	P1	;							
Read	1	2	3	4	5	6	7	8	9	10	
	M	F	;								
Answer	1	2	3	4	5	6	7	8	9	10	
	M	F	P1	;							

<b>MG</b>		Sets and reads the microphone gain.									[TS-590S / TS-590SG common]
Set	1	2	3	4	5	6	7	8	9	10	<b>Parameters:</b> P1 000 ~ 100 (in steps of 1) An entered value of 101 or higher results in 100 being entered.  <ul style="list-style-type: none"> <li>• Sets and reads the microphone gain for SSB and AM mode.</li> <li>• Configure the FM mode microphone gain using the menu. (Refer to the EX command.)</li> </ul>
	M	G	P1	P1	P1	;					
Read	1	2	3	4	5	6	7	8	9	10	
	M	G	;								
Answer	1	2	3	4	5	6	7	8	9	10	
	M	G	P1	P1	P1	;					

<b>MK</b>		Mode key operation.									[TS-590S / TS-590SG common]
Set	1	2	3	4	5	6	7	8	9	10	<b>Parameters:</b> P1 0: LSB/USB key 1: CW/FSK key 2: FM/AM key 3: CW/-R key * 4: FSK/-R key * * These keys do not exist on the operation panel of the transceiver. These keys are virtual keys for the PC command control.  <ul style="list-style-type: none"> <li>• This is the command for the operation by the transceiver when each mode key is pressed.</li> <li>• When reading the current mode, MD command is used.</li> </ul>
	M	K	P1	;							

<b>ML</b>		Sets and reads the TX Monitor function output level.									[TS-590S / TS-590SG common]
Set	1	2	3	4	5	6	7	8	9	10	<b>Parameters:</b> P1 000: TX Monitor is OFF 001 ~ 009 (TS-590S) 001 ~ 020 (TS-590SG)  <ul style="list-style-type: none"> <li>• An entered maximum value or higher results in maximum value entered.</li> </ul>
	M	L	P1	P1	P1	;					
Read	1	2	3	4	5	6	7	8	9	10	
	M	L	;								
Answer	1	2	3	4	5	6	7	8	9	10	
	M	L	P1	P1	P1	;					

## PC CONTROL COMMAND REFERENCE GUIDE

<b>MR</b>	Reads the Memory channel data.										<b>[TS-590S / TS-590SG common]</b>
Read	1	2	3	4	5	6	7	8	9	10	<b>Parameters:</b> <b>P1</b> 0: Simplex 1: Split * When reading the simplex channel data or the receive frequency of the split channel in receive mode, enter 0 for parameter P1. When reading the transmit frequency of the split channel in transmit mode, enter 1. * When reading the start frequency of a section defined channel, enter 0 for parameter P1. When reading the end frequency, enter 1.
	M	R	P1	P2	P3	P3	:				
Answer	1	2	3	4	5	6	7	8	9	10	<b>P2, P3</b> Channel number (refer to the MC command) <b>P4</b> Frequency (depending on the P1 setting, unused high-end digits will become 0) <b>P5</b> Mode (depending on the P1 setting, refer to the MD command) <b>P6</b> Data mode (depending on the P1 setting, refer to the DA command) <b>P7</b> 0: TONE/CTCSS OFF 1: TONE ON 2: CTCSS ON 3: Cross Tone ON <b>P8</b> Tone frequency (refer to the TN command) <b>P9</b> CTCSS frequency (refer to the CN command) <b>P10</b> 000: Always 000 <b>P11</b> (Selected status of FILTER A/B (Status of FILTER A/B in the mode indicated by P5 and P6 parameters)) 0: FILTER A 1: FILTER B * In firmware version 1.xx of TS-590S, always "0". <b>P12</b> 0: Always 0 <b>P13</b> 000000000: Always 000000000 <b>P14</b> 00: FM Normal 01: FM Narrow <b>P15</b> 0: Channel Lockout OFF 1: Channel Lockout ON <b>P16</b> Memory name (up to 8 digits)  • If the selected channel is empty, P4 ~ P15 will be 0 and P16 will be blank.
	M	R	P1	P2	P3	P3	P4	P4	P4	P4	
	11	12	13	14	15	16	17	18	19	20	
	P4	P4	P4	P4	P4	P4	P4	P5	P6	P7	
	21	22	23	24	25	26	27	28	29	30	
	P8	P8	P9	P9	P10	P10	P10	P11	P12	P13	
	31	32	33	34	35	36	37	38	39	40	
	P13	P13	P13	P13	P13	P13	P13	P13	P14	P14	
	41	42	43	44	45	46	47	48	49	50	
P15	P16	P16	P16	P16	P16	P16	P16	P16	;		

<b>MU</b>	Mute										<b>[TS-590S / TS-590SG common]</b>
Set	1	2	3	4	5	6	7	8	9	10	<b>Parameters:</b> <b>P1</b> 0: Mute OFF 1: Mute ON
	M	U	P1	;							
Read	1	2	3	4	5	6	7	8	9	10	<ul style="list-style-type: none"> <li>• Mute state is not backed up by this command.</li> <li>• This command mutes for received voice only.</li> <li>• TS-590S supports from the firmware version 2.04, TS-590SG supports from the firmware version 1.05.</li> </ul>
	M	U	;								
Answer	1	2	3	4	5	6	7	8	9	10	
	M	U	P1	;							

## PC CONTROL COMMAND REFERENCE GUIDE

<b>MW</b>	Sets the Memory channel data.										<b>[TS-590S / TS-590SG common]</b>
Set	1	2	3	4	5	6	7	8	9	10	<b>Parameters:</b> <b>P1</b> 0: Simplex 1: Split * When registering a simplex channel, set parameter P1 to 0. After setting P1 to 0, the channel becomes a simplex channel, even if it was already a split channel. * When registering a split channel, set parameter P1 to 1 (set the transmission frequency and mode). The reception frequency and mode are not updated at this time. * When registering a section defined channel, set parameter P1 to 0 to enter the Start frequency, then set P1 to 1 to set the End frequency. * When you have a blank channel selected, and set parameter P1 to 1, the channel becomes a split channel. However, the transmit and receive frequencies are the same, and the transmit and receive modes are the same. * When registering a section defined channel and parameter P1 is set to 1, the Start and End frequencies are the same.  <b>P2, P3</b> Channel number (refer to the MC command) <b>P4</b> Frequency (depending on the P1 setting, unused high-end digits will become 0) <b>P5</b> Mode (depending on the P1 setting, refer to the MD command) <b>P6</b> Data mode (depending on the P1 setting, refer to the DA command) <b>P7</b> 0: TONE/CTCSS OFF 1: TONE ON 2: CTCSS ON 3: Cross Tone ON <b>P8</b> Tone frequency (refer to the TN command) <b>P9</b> CTCSS frequency (refer to the CN command) <b>P10</b> 000: Always 000 <b>P11</b> (Selected status of FILTER A/B (Status of FILTER A/B in the mode indicated by P5 and P6 parameters)) 0: FILTER A 1: FILTER B This is always set to "0" in the firmware version 1.xx of TS-590S. <b>P12</b> 0: Always 0 <b>P13</b> 000000000: Always 000000000 <b>P14</b> 00: FM Normal 01: FM Narrow <b>P15</b> 0: Channel Lockout OFF 1: Channel Lockout ON <b>P16</b> Memory name (up to 8 digits) * ";" (semicolon) cannot be used for the parameter P16.  • If you do not specify one digit in P16 and execute all the parameters from P4 to P15 set to 0, the channels specified by P2 and P3 will be erased.
	M	W	P1	P2	P3	P3	P4	P4	P4	P4	
	11	12	13	14	15	16	17	18	19	20	
	P4	P4	P4	P4	P4	P4	P4	P5	P6	P7	
	21	22	23	24	25	26	27	28	29	30	
	P8	P8	P9	P9	P10	P10	P10	P11	P12	P13	
	31	32	33	34	35	36	37	38	39	40	
	P13	P13	P13	P13	P13	P13	P13	P13	P14	P14	
	41	42	43	44	45	46	47	48	49	50	
P15	P16	P16	P16	P16	P16	P16	P16	P16	;		

<b>NB</b>	Sets and reads the Noise Blanker function status.										<b>[TS-590S / TS-590SG common]</b>
Set	1	2	3	4	5	6	7	8	9	10	<b>Parameters:</b> <b>P1</b> 0: NB OFF 1: NB1 ON 2: NB2 ON 3: NB1 and NB2 are both ON (TS-590S supports from the firmware version 2.01, TS-590SG supports from the firmware version 1.02)  • All modes except FM.
	N	B	P1	;							
Read	1	2	3	4	5	6	7	8	9	10	
	N	B	;								
Answer	1	2	3	4	5	6	7	8	9	10	
	N	B	P1	;							

## PC CONTROL COMMAND REFERENCE GUIDE

<b>NL</b>		Sets and reads the Noise Blanker level.									<b>[TS-590S / TS-590SG common]</b>	
Set	1	2	3	4	5	6	7	8	9	10	<b>Parameters:</b> P1 001 ~ 010 (in steps of 1)	
	N	L	P1	P1	P1	;						
Read	1	2	3	4	5	6	7	8	9	10		<ul style="list-style-type: none"> <li>When NB1 is ON, it sets and reads the NB1 level.</li> <li>When NB2 is ON, it sets and reads the NB2 level.</li> <li>Entering a P1 parameter value of 000 results in 001 being entered and entering a P1 parameter value higher than 010 results in 010 being entered.</li> <li>When NB is set to OFF, an error occurs.</li> <li>When NB1 and NB2 are both set to ON, an error occurs. (TS-590S supports from the firmware version 2.01, TS-590SG supports from the firmware version 1.02)</li> </ul>
	N	L	;									
Answer	1	2	3	4	5	6	7	8	9	10		
	N	L	P1	P1	P1	;						

<b>NR</b>		Sets and reads the Noise Reduction function status.									<b>[TS-590S / TS-590SG common]</b>	
Set	1	2	3	4	5	6	7	8	9	10	<b>Parameters:</b> P1 0: NR OFF 1: NR1 ON 2: NR2 ON	
	N	R	P1	;								
Read	1	2	3	4	5	6	7	8	9	10		<ul style="list-style-type: none"> <li>NR2, all modes except FM.</li> </ul>
	N	R	;									
Answer	1	2	3	4	5	6	7	8	9	10		
	N	R	P1	;								

<b>NT</b>		Sets and reads the Notch Filter status.									<b>[TS-590S / TS-590SG common]</b>	
Set	1	2	3	4	5	6	7	8	9	10	<b>Parameters:</b> P1 0: Notch OFF 1: Auto Notch 2: Manual Notch P2 (bandwidth of Manual Notch) 0: Normal 1: Wide	
	N	T	P1	P2	;							
Read	1	2	3	4	5	6	7	8	9	10		<ul style="list-style-type: none"> <li>When setting the command, parameter P2 is ignored unless parameter P1 is set to 2.</li> <li>When receiving a response, parameter P2 will always be 0 unless parameter P1 is 2.</li> </ul>
	N	T	;									
Answer	1	2	3	4	5	6	7	8	9	10		
	N	T	P1	P2	;							

<b>PA</b>		Sets and reads the Pre-amplifier function status.									<b>[TS-590S / TS-590SG common]</b>
Set	1	2	3	4	5	6	7	8	9	10	<b>Parameters:</b> P1 0: Pre-amp OFF 1: Pre-amp ON P2 0: Always 0
	P	A	P1	;							
Read	1	2	3	4	5	6	7	8	9	10	
	P	A	;								
Answer	1	2	3	4	5	6	7	8	9	10	
	P	A	P1	P2	;						

<b>PB</b>		Sets and reads the voice and CW message playback status.									<b>[TS-590S / TS-590SG common]</b>
Set	1	2	3	4	5	6	7	8	9	10	<b>Parameters:</b> P1 0: Stops playback 1: Playback Channel 1 2: Playback Channel 2 3: Playback Channel 3 4: Playback Channel 4 5: Playback constant recorded sound P2 Playback Channel P3 ~ P5 (Playback queueing buffer status) 0: None 1: Channel 1 2: Channel 2 3: Channel 3 4: Channel 4 5: Constant recorded sound
	P	B	P1	;							
Read	1	2	3	4	5	6	7	8	9	10	
	P	B	;								
Answer	1	2	3	4	5	6	7	8	9	10	
	P	B	P2	P3	P4	P5	;				

## PC CONTROL COMMAND REFERENCE GUIDE

PC	Sets and reads the output power.										[TS-590S / TS-590SG common] Parameters: P1 005 ~ 100: SSB/ CW/ FM/ FSK 005 ~ 025: AM									
	Set	1	2	3	4	5	6	7	8	9		10	P	C	P1	P1	P1	;		
Read	1	2	3	4	5	6	7	8	9	10	P	C	;							
Answer	1	2	3	4	5	6	7	8	9	10	P	C	P1	P1	P1	;				

- When the Power Fine function is On, the step size is 1 W.
- When the Power Fine function is Off, the step size is 5 W. In this case, if an inappropriate value is entered, the value is rounded down to the nearest 5's value. For example, when you enter a value of 093, it is rounded down to 090.
- Entering a value lower than the minimum value results in the minimum value being entered and entering a value higher than maximum value results in the maximum value being entered.

PL	Sets and reads the Speech Processor input/output level.										[TS-590S / TS-590SG common] Parameters: P1 (Input level) 000 (minimum) ~ 100 (maximum) P2 (Output level) 000 (minimum) ~ 100 (maximum)									
	Set	1	2	3	4	5	6	7	8	9		10	P	L	P1	P1	P1	P2	P2	P2
Read	1	2	3	4	5	6	7	8	9	10	P	L	;							
Answer	1	2	3	4	5	6	7	8	9	10	P	L	P1	P1	P1	P2	P2	P2	;	

- Entering a value of 101 or higher results in 100 being entered.

PR	Sets and reads the Speech Processor function ON/ OFF.										[TS-590S / TS-590SG common] Parameters: P1 0: Speech Processor OFF 1: Speech Processor ON									
	Set	1	2	3	4	5	6	7	8	9		10	P	R	P1	;				
Read	1	2	3	4	5	6	7	8	9	10	P	R	;							
Answer	1	2	3	4	5	6	7	8	9	10	P	R	P1	;						

PS	Sets and reads the Power ON/ OFF status.										[TS-590S / TS-590SG common] Parameters: P1 0: Power OFF 1: Power ON 9: Power OFF (low current mode)									
	Set	1	2	3	4	5	6	7	8	9		10	P	S	P1	;				
Read	1	2	3	4	5	6	7	8	9	10	P	S	;							
Answer	1	2	3	4	5	6	7	8	9	10	P	S	P1	;						

- When turning the power Off by setting the P1 parameter to 0, more current is consumed than if you turn the power Off by operating the transceiver panel power switch. However, you can switch the power back On without any special procedures, using the PS command.
- When turning the power Off by setting the P1 parameter to 9, the same amount of standby current is consumed as if you turned the power Off by operating the transceiver panel power switch. In this case, to turn the power back On using the PS command, you must perform the following procedure:
  - 1) When using hardware flow control, turn the flow control Off.
  - 2) Send dummy data (;).
  - 3) Wait for more than 200 ms.
  - 4) Send "PS1;" within 2 seconds of sending the dummy data.

QD	Deletes the Quick Memory.										[TS-590S / TS-590SG common] Parameters: No parameters are used with this command.									
	Set	1	2	3	4	5	6	7	8	9		10	Q	D	;					

- You cannot perform this command when Quick Memory mode is OFF (an error occurs).

QI	Stores the settings in the Quick Memory.										[TS-590S / TS-590SG common] Parameters: No parameters are used with this command.									
	Set	1	2	3	4	5	6	7	8	9		10	Q	I	;					

## PC CONTROL COMMAND REFERENCE GUIDE

<b>QR</b>		Sets and reads the Quick Memory channel data.									[TS-590S / TS-590SG common]	
Set		1	2	3	4	5	6	7	8	9	10	<b>Parameters:</b> <b>P1</b> 0: Quick Memory OFF 1: Quick Memory ON  <b>P2</b> 0 ~ 9: Quick Memory channel number * If parameter P1=0, set parameter P2 to 0.  • When configuring a value above the number of Quick Memory channels set by the menu, an error occurs. • When specifying a blank channel, an error occurs.
		Q	R	P1	P2	;						
Read		1	2	3	4	5	6	7	8	9	10	
		Q	R	;								
Answer		1	2	3	4	5	6	7	8	9	10	
		Q	R	P1	P2	;						

<b>RA</b>		Sets and reads the RF Attenuator status.									[TS-590S / TS-590SG common]	
Set		1	2	3	4	5	6	7	8	9	10	<b>Parameters:</b> <b>P1</b> 00: ATT OFF 01: ATT ON  <b>P2</b> 00: Always 00
		R	A	P1	P1	;						
Read		1	2	3	4	5	6	7	8	9	10	
		R	A	;								
Answer		1	2	3	4	5	6	7	8	9	10	
		R	A	P1	P1	P2	P2	;				

<b>RC</b>		Clears the RIT/XIT frequency.									[TS-590S / TS-590SG common]	
Set		1	2	3	4	5	6	7	8	9	10	<b>Parameters:</b> No parameters are used with this command.
		R	C	;								
<ul style="list-style-type: none"> <li>• When the RIT/XIT function is ON, this command will clear the RIT/XIT frequency.</li> <li>• When the RIT/XIT function is OFF, an error occurs.</li> </ul>												

<b>RD / RU</b>		Sets and reads the RIT/XIT frequency Up/ Down. Also sets and reads the scan speed in Scan mode.									[TS-590S / TS-590SG common]	
Set		1	2	3	4	5	6	7	8	9	10	<b>Parameters:</b> <b>P1</b> 00000 ~ 99999: Frequency (in Hz) <b>P2</b> 1 ~ 9: Scan speed  When Scan is OFF: <ul style="list-style-type: none"> <li>• This command is only used for the RIT/XIT frequency.</li> <li>• The RU command is used to increase the frequency and the RD command is used to decrease the frequency.</li> <li>• When no value for parameter P1 is entered, the frequency is adjusted by 1 step.</li> <li>• The RIT/XIT setting has a frequency range of +9.999 kHz ~ -9.999 kHz</li> </ul> When Scan is ON: <ul style="list-style-type: none"> <li>• This command is used to set or read the scan speed. When the scan speed changes, a response is returned.</li> <li>• When no value for parameter P1 is entered, the current scan speed is retrieved.</li> <li>• Enter "RDxxxxx;" to increase the scan speed (where "x" can be any character).</li> <li>• Enter "RUxxxxx;" to increase the scan speed (where "x" can be any character).</li> </ul>
		R	D/U	P1	P1	P1	P1	P1	;			
Read		1	2	3	4	5	6	7	8	9	10	
		R	D/U	;								
Answer		1	2	3	4	5	6	7	8	9	10	
		R	D/U	P2	;							

<b>RG</b>		Sets and reads the RF Gain status.									[TS-590S / TS-590SG common]	
Set		1	2	3	4	5	6	7	8	9	10	<b>Parameters:</b> <b>P1</b> 000 ~ 255 (in steps of 1)
		R	G	P1	P1	P1	;					
Read		1	2	3	4	5	6	7	8	9	10	
		R	G	;								
Answer		1	2	3	4	5	6	7	8	9	10	
		R	G	P1	P1	P1	;					
<ul style="list-style-type: none"> <li>• Entering a value of 256 or higher results in 255 being entered.</li> </ul>												

## PC CONTROL COMMAND REFERENCE GUIDE

<b>RI</b>		Reads the RX frequency and Mode									<b>[TS-590S / TS-590SG common] (TS-590S supported from the firmware version 1.08)</b> <b>Parameters:</b> P1 RX frequency P2 RX Mode (refer to the MD command) P3 ON/OFF status for DATA mode 00: DATA mode OFF 01: DATA mode ON P4 Always "00" • The AI function automatically send a response only when the receiving frequency changes during transmission by the split memory channel.
Read	1	2	3	4	5	6	7	8	9	10	
	R	I	;								
Answer	1	2	3	4	5	6	7	8	9	10	
	R	I	P1	P1	P1	P1	P1	P1	P1	P1	
	11	12	13	14	15	16	17	18	19	20	
	P1	P1	P1	P2	P3	P4	P4	;			

<b>RL</b>		Sets and reads the Noise Reduction Level.									<b>[TS-590S / TS-590SG common]</b> <b>Parameters:</b> P1 When NR1 is ON, reads the setting of the NR1 effective level. When NR2 is ON, reads the setting of the SPAC following speed.  When NR1 is ON: 01 ~ 10 Entering a value of 00 results in 01 being entered. Entering a value of 11 or higher results in 10 being entered.  When NR2 is ON: 00 (2ms) ~ 09 (20ms)  • When the Noise Reduction setting is OFF, an error occurs.
Set	1	2	3	4	5	6	7	8	9	10	
	R	L	P1	P1	;						
Read	1	2	3	4	5	6	7	8	9	10	
	R	L	;								
Answer	1	2	3	4	5	6	7	8	9	10	
	R	L	P1	P1	;						

<b>RM</b>		Sets and reads the Meter function.									<b>[TS-590S / TS-590SG common]</b> <b>Parameters:</b> P1 0: No selection (selection cannot be made) 1: SWR 2: COMP 3: ALC P2 0000 ~ 0030: Meter value in dots The output value is relative (the number of dots on the meter display).  • There are always three types of responses: SWR, COMP, and ALC. • The ALC meter value is output during VGS recording and standby.
Set	1	2	3	4	5	6	7	8	9	10	
	R	M	P1	;							
Read	1	2	3	4	5	6	7	8	9	10	
	R	M	;								
Answer	1	2	3	4	5	6	7	8	9	10	
	R	M	P1	P2	P2	P2	P2	;			

<b>RS</b>		Reads the Radio Status									<b>[TS-590S / TS-590SG common]</b> <b>Parameters:</b> P1 0: Normal status 1: Transceiver is in some setting status (mode)  • The parameter P1 is 1 (P1=1) when the transceiver is set to Memory Scroll mode, Menu mode, Entry mode, and various setting modes, etc.
Read	1	2	3	4	5	6	7	8	9	10	
	R	S	;								
Answer	1	2	3	4	5	6	7	8	9	10	
	R	S	P1	;							

<b>RT</b>		Sets and reads the RIT function status.									<b>[TS-590S / TS-590SG common]</b> <b>Parameters:</b> P1 0: RIT OFF 1: RIT ON
Set	1	2	3	4	5	6	7	8	9	10	
	R	T	P1	;							
Read	1	2	3	4	5	6	7	8	9	10	
	R	T	;								
Answer	1	2	3	4	5	6	7	8	9	10	
	R	T	P1	;							



## PC CONTROL COMMAND REFERENCE GUIDE

<b>RX</b>	Sets the receiver function status.										<b>[TS-590S / TS-590SG common]</b> <u>Parameters:</u> No parameters are used with this command.  • A response is output only when the AI function is working.
	Set	1	2	3	4	5	6	7	8	9	
R		X	;								
Answer	1	2	3	4	5	6	7	8	9	10	
	R	X	;								

<b>SC</b>	Sets and reads the Scan function status.										<b>[TS-590S / TS-590SG common]</b> <u>Parameters:</u> P1 0: Scan OFF 1: Scan ON (VFO Scan, Memory Scan, Quick Memory Scan) 4: Tone Scan ON 5: CTCSS Scan ON P2 0: Scan OFF 1: Scan ON (VFO Scan, Memory Scan, Quick Memory Scan) 4: Tone Scan ON 5: CTCSS Scan ON 7: Program Scan ON P3 0: Cancel the Slow Scan frequency point and outside the Slow Scan frequency range. 1: Set the Slow Scan frequency point and inside the Slow Scan frequency range.  • When parameter P1=1 is sent, the transceiver performs either Program Scan or VFO Scan depending on the VFO mode. In Quick Memory mode, it performs Quick Memory scan.
	Set	1	2	3	4	5	6	7	8	9	
S		C	P1	;							
Read	1	2	3	4	5	6	7	8	9	10	
	S	C	;								
Answer	1	2	3	4	5	6	7	8	9	10	
	S	C	P2	P3	;						

<b>SD</b>	Sets and reads the CW break-in time delay.										<b>[TS-590S / TS-590SG common]</b> <u>Parameters:</u> P1 0000 (ms): Full break-in 0050 ~ 1000 (ms) (in steps of 50)  • An entered value of 1001 or higher results in 1000 being entered. • An entered value that does not match the 50 ms step value will be rounded down to the nearest 50 ms step.
	Set	1	2	3	4	5	6	7	8	9	
S		D	P1	P1	P1	P1	;				
Read	1	2	3	4	5	6	7	8	9	10	
	S	D	;								
Answer	1	2	3	4	5	6	7	8	9	10	
	S	D	P1	P1	P1	P1	;				

## PC CONTROL COMMAND REFERENCE GUIDE

<b>SF</b>	Sets and reads the VFO (Frequency and Mode)										<b>[TS-590S / TS-590SG common]</b>																																		
Set	1	2	3	4	5	6	7	8	9	10	<b>Parameters:</b> P1 (Target VFO) 0: VFO A 1: VFO B P2 (Frequency) 11 digits in Hz ◆ Enter unused digits as "0". P3 (Operation mode)																																		
	S	F	P1	P2	P2	P2	P2	P2	P2	P2																																			
	11	12	13	14	15	16	17	18	19	20																																			
	P2	P2	P2	P2	P3	;																																							
Read	1	2	3	4	5	6	7	8	9	10	<table border="1" style="width: 100%; border-collapse: collapse; text-align: center;"> <thead> <tr> <th style="text-align: left;">P3</th> <th style="text-align: left;">Operation mode</th> </tr> </thead> <tbody> <tr><td>0</td><td>None</td></tr> <tr><td>1</td><td>LSB</td></tr> <tr><td>2</td><td>USB</td></tr> <tr><td>3</td><td>CW</td></tr> <tr><td>4</td><td>FM</td></tr> <tr><td>5</td><td>AM</td></tr> <tr><td>6</td><td>FSK</td></tr> <tr><td>7</td><td>CW-R</td></tr> <tr><td>8</td><td>None</td></tr> <tr><td>9</td><td>FSK-R</td></tr> <tr><td>A</td><td>None</td></tr> <tr><td>B</td><td>None</td></tr> <tr><td>C</td><td>LSB-D</td></tr> <tr><td>D</td><td>USB-D</td></tr> <tr><td>E</td><td>FM-D</td></tr> <tr><td>F</td><td>AM-D</td></tr> </tbody> </table> <ul style="list-style-type: none"> <li>The frequency handled by this command is the frequency before adding the RIT / XIT frequency.</li> <li>Transmission VFO cannot be set during transmission.</li> <li>Setting command is not accepted during TF-SET.</li> <li>While the AI function is ON, this command will not automatically respond.</li> <li>An error occurs if you enter a value of unsupported operation mode.</li> <li>TS-590S supports from the firmware version 2.04, TS-590SG supports from the firmware version 1.05.</li> </ul>	P3	Operation mode	0	None	1	LSB	2	USB	3	CW	4	FM	5	AM	6	FSK	7	CW-R	8	None	9	FSK-R	A	None	B	None	C	LSB-D	D	USB-D	E	FM-D	F	AM-D
	P3	Operation mode																																											
0	None																																												
1	LSB																																												
2	USB																																												
3	CW																																												
4	FM																																												
5	AM																																												
6	FSK																																												
7	CW-R																																												
8	None																																												
9	FSK-R																																												
A	None																																												
B	None																																												
C	LSB-D																																												
D	USB-D																																												
E	FM-D																																												
F	AM-D																																												
S	F	P1	;																																										
Answer	1	2	3	4	5	6	7	8	9	10																																			
	S	F	P1	P2	P2	P2	P2	P2	P2	P2																																			
	11	12	13	14	15	16	17	18	19	20																																			
	P2	P2	P2	P2	P3	;																																							

## PC CONTROL COMMAND REFERENCE GUIDE

<b>SH / SL</b>	Sets and reads the receive tune bandwidth settings.										<b>[TS-590S / TS-590SG common]</b>
Set	1	2	3	4	5	6	7	8	9	10	<b>Parameters:</b> P1 00 ~ 13 <ul style="list-style-type: none"> <li>• The SH command is for the high-cut frequency and the SL command is for the low-cut frequency.</li> <li>• In SSB Data mode, the SH command is used for Shift and the SL command is used for Width.</li> <li>• An entered value higher than the maximum value for each entry type results in the maximum value being entered.</li> <li>• In TS-590S, AM-DATA mode is supported from the firmware version 2.00.</li> </ul> SSB/SSB-DATA/FM/FM-DATA mode High-cut frequency (Hz) 00: 1000, 01: 1200, 02: 1400, 03: 1600, 04: 1800, 05: 2000, 06: 2200, 07: 2400, 08: 2600, 09: 2800, 10: 3000, 11: 3400, 12: 4000, 13: 5000  SSB/SSB-DATA/FM/FM-DATA mode Low-cut frequency (Hz) 00: 0, 01: 50, 02: 100, 03: 200, 04: 300, 05: 400, 06: 500, 07: 600, 08: 700, 09: 800, 10: 900, 11: 1000  AM/AM-DATA mode High-cut frequency (Hz) 00: 2500, 01: 3000, 02: 4000, 03: 5000  AM/AM-DATA mode Low-cut frequency (Hz) 00: 0, 01: 100, 02: 200, 03: 300  SSB/SSB-DATA mode band width (Hz) 00: 50, 01: 80, 02: 100, 03: 150, 04: 200, 05: 250, 06: 300, 07: 400, 08: 500, 09: 600, 10: 1000, 11: 1500, 12: 2000, 13: 2500  TS-590S SSB/SSB-DATA mode Shift frequency (Hz) 00: 1000, 01: 1100, 02: 1200, 03: 1300, 04: 1400, 05: 1500, 06: 1600, 07: 1700, 08: 1800, 09: 1900, 10: 2000, 11: 2100, 12: 2210 TS-590SG SSB/SSB-DATA mode Shift frequency (Hz) 00: 1000, 01: 1100, 02: 1200, 03: 1300, 04: 1400, 05: 1500, 06: 1600, 07: 1700, 08: 1750, 09: 1800, 10: 1900, 11: 2000, 12: 2100, 13: 2210
	S	H/L	P1	P1	;						
Read	1	2	3	4	5	6	7	8	9	10	
	S	H/L	;								
Answer	1	2	3	4	5	6	7	8	9	10	
	S	H/L	P1	P1	;						

<b>SM</b>	Reads the S-meter value.										<b>[TS-590S / TS-590SG common]</b>
Read	1	2	3	4	5	6	7	8	9	10	<b>Parameters:</b> P1 0: Always 0 P2 0000 ~ 0030: S-meter value The output value is relative (the number of dots on the meter display).  <ul style="list-style-type: none"> <li>• The P2 parameter value is the number of dots displayed on the meter.</li> <li>• The SM command reads the S-meter during reception and the RF (power) meter during transmission.</li> </ul>
	S	M	P1	;							
Answer	1	2	3	4	5	6	7	8	9	10	
	S	M	P1	P2	P2	P2	P2	;			

<b>SP</b>	Sets and reads the split operation frequency										<b>[TS-590S / TS-590SG common] (TS-590S supports from the firmware version 2.00.)</b>
Set 1	1	2	3	4	5	6	7	8	9	10	<b>Parameters:</b> P1 (Sets the split operation frequency) 0: No operation Setting complete 1: During the setting operation Setting start 2: Cancel (Setting command only) * In Set 2, enter "0". * SPLIT LED of the transceiver flashes during setting. P2 (Shift direction of the split operation frequency (1 digit)) 0: Plus direction 1: Minus direction P3 (Shift value of split operation frequency) 1 ~ 9 (Unit: kHz)  <ul style="list-style-type: none"> <li>• When Set 2 is executed, split operation frequency setting is automatically confirmed.</li> </ul>
	S	P	P1	;							
Set 2	1	2	3	4	5	6	7	8	9	10	
	S	P	P1	P2	P3	;					
Read	1	2	3	4	5	6	7	8	9	10	
	S	P	;								
Answer	1	2	3	4	5	6	7	8	9	10	
	S	P	P1	;							

## PC CONTROL COMMAND REFERENCE GUIDE

<b>SQ</b>	Sets and reads the squelch value.										[TS-590S / TS-590SG common] Parameters: P1 0: Always 0 P2 000 ~ 255 (in steps of 1): Squelch level An entered value of 256 or higher results in 255 being entered.
Set	1	2	3	4	5	6	7	8	9	10	
	S	Q	P1	P2	P2	P2	;				
Read	1	2	3	4	5	6	7	8	9	10	
	S	Q	P1	;							
Answer	1	2	3	4	5	6	7	8	9	10	
	S	Q	P1	P2	P2	P2	;				

<b>SR</b>	Resets the transceiver.										[TS-590S / TS-590SG common] Parameters: P1 1: VFO reset 2: Full reset
Set	1	2	3	4	5	6	7	8	9	10	
	S	R	P1	;							
• An entered value other than those listed results in an error.											

<b>SS</b>	Sets and reads the Program Slow Scan frequency.										[TS-590S / TS-590SG common] Parameters: P1 0 ~ 9: Memory channel number for Program Slow Scan P2 0 ~ 4: Slow down frequency spot P3 Slow down frequency (11 digits in Hz)																								
Set	1	2	3	4	5	6	7	8	9	10																									
	S	S	P1	P2	P3	P3	P3	P3	P3	P3																									
	11	12	13	14	15	16	17	18	19	20																									
Read	1	2	3	4	5	6	7	8	9	10																									
	S	S	P1	P2	;																														
Answer	1	2	3	4	5	6	7	8	9	10																									
	S	S	P1	P2	P3	P3	P3	P3	P3	P3																									
	11	12	13	14	15	16	17	18	19	20																									
<ul style="list-style-type: none"> <li>• If no point frequency has been set, parameter P3 is all 0's.</li> <li>• If parameter P3 is set to all 0's, the point frequency set for parameter P2 is deleted.</li> <li>• Other than when deleting parameter P3, you cannot set a frequency exceeding the section selected channel lower/upper frequency limits.</li> <li>• If a P2 parameter is skipped (not entered sequentially from 0 to 4), the parameter will not be accepted.</li> <li>• If the specified P1 parameter is an empty Memory channel, the SS command becomes invalid.</li> <li>• When the AI function is ON, all slow scan points of the current Memory channel are output.</li> <li>• When the AI function is ON and the status of the slow scan points changes (newly registered or deleted points), all slow scan points are output.</li> <li>• In each section selected channel, when multiple slow scan point frequencies are set up, if you delete a frequency from one of the slow scan point numbers, the remaining point frequencies are renumbered with slow scan point numbers, starting from 0.</li> </ul> <p>Example: The following table lists point numbers and their respective frequency settings, before deleting any frequencies.</p> <table border="1" style="width: 100%; border-collapse: collapse; margin-bottom: 10px;"> <thead> <tr> <th style="text-align: center;">Slow Scan Point Number (P2)</th> <th style="text-align: center;">Slow Scan Point Frequency (before deletion)</th> </tr> </thead> <tbody> <tr><td style="text-align: center;">0</td><td style="text-align: center;">14.0 (MHz)</td></tr> <tr><td style="text-align: center;">1</td><td style="text-align: center;">14.1 (MHz)</td></tr> <tr><td style="text-align: center;">2</td><td style="text-align: center;">14.2 (MHz)</td></tr> <tr><td style="text-align: center;">3</td><td style="text-align: center;">14.3 (MHz)</td></tr> <tr><td style="text-align: center;">4</td><td style="text-align: center;">14.35 (MHz)</td></tr> </tbody> </table> <p>If Slow Scan Point number 1 is deleted, numbers 2 ~ 4 step up one spot to fill in spots 1 ~ 3, leaving spot 4 empty.</p> <table border="1" style="width: 100%; border-collapse: collapse; margin-bottom: 10px;"> <thead> <tr> <th style="text-align: center;">Slow Scan Point Number (P2)</th> <th style="text-align: center;">Slow Scan Point Frequency (after deletion)</th> </tr> </thead> <tbody> <tr><td style="text-align: center;">0</td><td style="text-align: center;">14.0 (MHz)</td></tr> <tr><td style="text-align: center;">1</td><td style="text-align: center;">14.2 (MHz)</td></tr> <tr><td style="text-align: center;">2</td><td style="text-align: center;">14.3 (MHz)</td></tr> <tr><td style="text-align: center;">3</td><td style="text-align: center;">14.35 (MHz)</td></tr> <tr><td style="text-align: center;">4</td><td style="text-align: center;">Empty</td></tr> </tbody> </table> <p>The Slow Scan Point frequencies following the deleted point are read, and the empty point is written as a space (the frequency is not set).</p>												Slow Scan Point Number (P2)	Slow Scan Point Frequency (before deletion)	0	14.0 (MHz)	1	14.1 (MHz)	2	14.2 (MHz)	3	14.3 (MHz)	4	14.35 (MHz)	Slow Scan Point Number (P2)	Slow Scan Point Frequency (after deletion)	0	14.0 (MHz)	1	14.2 (MHz)	2	14.3 (MHz)	3	14.35 (MHz)	4	Empty
Slow Scan Point Number (P2)	Slow Scan Point Frequency (before deletion)																																		
0	14.0 (MHz)																																		
1	14.1 (MHz)																																		
2	14.2 (MHz)																																		
3	14.3 (MHz)																																		
4	14.35 (MHz)																																		
Slow Scan Point Number (P2)	Slow Scan Point Frequency (after deletion)																																		
0	14.0 (MHz)																																		
1	14.2 (MHz)																																		
2	14.3 (MHz)																																		
3	14.35 (MHz)																																		
4	Empty																																		

## PC CONTROL COMMAND REFERENCE GUIDE

<b>SU</b>		Sets and reads the Scan group.										<b>[TS-590S / TS-590SG common]</b>																																						
Set	1	2	3	4	5	6	7	8	9	10	<b>Parameters:</b> P1 0: Program Scan section defined memory setting 1: Memory Scan group setting  P2 ~ P13 (P13: TS-590SG only)																																							
	S	U	P1	P2	P3	P4	P5	P6	P7	P8																																								
	11	12	13	14	15	16	17	18	19	20																																								
P9	P10	P11	P12	P13	;																																													
Read	1	2	3	4	5	6	7	8	9	10																																								
	S	U	P1	;																																														
	11	12	13	14	15	16	17	18	19	20																																								
Answer	1	2	3	4	5	6	7	8	9	10																																								
	S	U	P1	P2	P3	P4	P5	P6	P7	P8																																								
	11	12	13	14	15	16	17	18	19	20																																								
	P9	P10	P11	P12	P13	;																																												
											<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: center;">Parameter</th> <th style="text-align: center;">When Selecting the Program Scan Section</th> <th style="text-align: center;">When Setting the Memory Scan Group</th> </tr> </thead> <tbody> <tr><td style="text-align: center;">P2</td><td>The section set in Channel P0</td><td style="text-align: center;">Group 0</td></tr> <tr><td style="text-align: center;">P3</td><td>The section set in Channel P1</td><td style="text-align: center;">Group 1</td></tr> <tr><td style="text-align: center;">P4</td><td>The section set in Channel P2</td><td style="text-align: center;">Group 2</td></tr> <tr><td style="text-align: center;">P5</td><td>The section set in Channel P3</td><td style="text-align: center;">Group 3</td></tr> <tr><td style="text-align: center;">P6</td><td>The section set in Channel P4</td><td style="text-align: center;">Group 4</td></tr> <tr><td style="text-align: center;">P7</td><td>The section set in Channel P5</td><td style="text-align: center;">Group 5</td></tr> <tr><td style="text-align: center;">P8</td><td>The section set in Channel P6</td><td style="text-align: center;">Group 6</td></tr> <tr><td style="text-align: center;">P9</td><td>The section set in Channel P7</td><td style="text-align: center;">Group 7</td></tr> <tr><td style="text-align: center;">P10</td><td>The section set in Channel P8</td><td style="text-align: center;">Group 8</td></tr> <tr><td style="text-align: center;">P11</td><td>The section set in Channel P9</td><td style="text-align: center;">Group 9</td></tr> <tr><td style="text-align: center;">P12</td><td>Always 0</td><td style="text-align: center;">Group P</td></tr> <tr><td style="text-align: center;">P13</td><td>Always 0</td><td style="text-align: center;">Group E</td></tr> </tbody> </table> <p>0: Unselected 1: Selected</p> <ul style="list-style-type: none"> <li>• P13 is only required for TS-590SG. P13 does not exist in TS-590S, and the next parameter of P12 is the terminator.</li> <li>• When parameters P2 ~ P12 are selected in the Memory Scan group, unselecting them will configure All Channel Scan.</li> </ul>	Parameter	When Selecting the Program Scan Section	When Setting the Memory Scan Group	P2	The section set in Channel P0	Group 0	P3	The section set in Channel P1	Group 1	P4	The section set in Channel P2	Group 2	P5	The section set in Channel P3	Group 3	P6	The section set in Channel P4	Group 4	P7	The section set in Channel P5	Group 5	P8	The section set in Channel P6	Group 6	P9	The section set in Channel P7	Group 7	P10	The section set in Channel P8	Group 8	P11	The section set in Channel P9	Group 9	P12	Always 0	Group P	P13	Always 0	Group E
Parameter	When Selecting the Program Scan Section	When Setting the Memory Scan Group																																																
P2	The section set in Channel P0	Group 0																																																
P3	The section set in Channel P1	Group 1																																																
P4	The section set in Channel P2	Group 2																																																
P5	The section set in Channel P3	Group 3																																																
P6	The section set in Channel P4	Group 4																																																
P7	The section set in Channel P5	Group 5																																																
P8	The section set in Channel P6	Group 6																																																
P9	The section set in Channel P7	Group 7																																																
P10	The section set in Channel P8	Group 8																																																
P11	The section set in Channel P9	Group 9																																																
P12	Always 0	Group P																																																
P13	Always 0	Group E																																																

<b>SV</b>		Performs the Memory Transfer function.										<b>[TS-590S / TS-590SG common]</b>
Set	1	2	3	4	5	6	7	8	9	10	<b>Parameters:</b> No parameters are used with this command.	
	S	V	;									

<b>TN</b>		Sets and reads the Tone frequency.										<b>[TS-590S / TS-590SG common]</b>																																																																																																
Set	1	2	3	4	5	6	7	8	9	10	<b>Parameters:</b> P1 00 ~ 42 (refer to the table below)																																																																																																	
	T	N	P1	P1	;																																																																																																							
Read	1	2	3	4	5	6	7	8	9	10																																																																																																		
	T	N	;																																																																																																									
Answer	1	2	3	4	5	6	7	8	9	10																																																																																																		
	T	N	P1	P1	;																																																																																																							
												<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: center;">No.</th> <th style="text-align: center;">Freq. (Hz)</th> <th style="text-align: center;">No.</th> <th style="text-align: center;">Freq. (Hz)</th> <th style="text-align: center;">No.</th> <th style="text-align: center;">Freq. (Hz)</th> <th style="text-align: center;">No.</th> <th style="text-align: center;">Freq. (Hz)</th> </tr> </thead> <tbody> <tr><td style="text-align: center;">00</td><td style="text-align: center;">67.0</td><td style="text-align: center;">11</td><td style="text-align: center;">97.4</td><td style="text-align: center;">22</td><td style="text-align: center;">141.3</td><td style="text-align: center;">33</td><td style="text-align: center;">206.5</td></tr> <tr><td style="text-align: center;">01</td><td style="text-align: center;">69.3</td><td style="text-align: center;">12</td><td style="text-align: center;">100.0</td><td style="text-align: center;">23</td><td style="text-align: center;">146.2</td><td style="text-align: center;">34</td><td style="text-align: center;">210.7</td></tr> <tr><td style="text-align: center;">02</td><td style="text-align: center;">71.9</td><td style="text-align: center;">13</td><td style="text-align: center;">103.5</td><td style="text-align: center;">24</td><td style="text-align: center;">151.4</td><td style="text-align: center;">35</td><td style="text-align: center;">218.1</td></tr> <tr><td style="text-align: center;">03</td><td style="text-align: center;">74.4</td><td style="text-align: center;">14</td><td style="text-align: center;">107.2</td><td style="text-align: center;">25</td><td style="text-align: center;">156.7</td><td style="text-align: center;">36</td><td style="text-align: center;">225.7</td></tr> <tr><td style="text-align: center;">04</td><td style="text-align: center;">77.0</td><td style="text-align: center;">15</td><td style="text-align: center;">110.9</td><td style="text-align: center;">26</td><td style="text-align: center;">162.2</td><td style="text-align: center;">37</td><td style="text-align: center;">229.1</td></tr> <tr><td style="text-align: center;">05</td><td style="text-align: center;">79.7</td><td style="text-align: center;">16</td><td style="text-align: center;">114.8</td><td style="text-align: center;">27</td><td style="text-align: center;">167.9</td><td style="text-align: center;">38</td><td style="text-align: center;">233.6</td></tr> <tr><td style="text-align: center;">06</td><td style="text-align: center;">82.5</td><td style="text-align: center;">17</td><td style="text-align: center;">118.8</td><td style="text-align: center;">28</td><td style="text-align: center;">173.8</td><td style="text-align: center;">39</td><td style="text-align: center;">241.8</td></tr> <tr><td style="text-align: center;">07</td><td style="text-align: center;">85.4</td><td style="text-align: center;">18</td><td style="text-align: center;">123.0</td><td style="text-align: center;">29</td><td style="text-align: center;">179.9</td><td style="text-align: center;">40</td><td style="text-align: center;">250.3</td></tr> <tr><td style="text-align: center;">08</td><td style="text-align: center;">88.5</td><td style="text-align: center;">19</td><td style="text-align: center;">127.3</td><td style="text-align: center;">30</td><td style="text-align: center;">186.2</td><td style="text-align: center;">41</td><td style="text-align: center;">254.1</td></tr> <tr><td style="text-align: center;">09</td><td style="text-align: center;">91.5</td><td style="text-align: center;">20</td><td style="text-align: center;">131.8</td><td style="text-align: center;">31</td><td style="text-align: center;">192.8</td><td style="text-align: center;">42</td><td style="text-align: center;">1750</td></tr> <tr><td style="text-align: center;">10</td><td style="text-align: center;">94.8</td><td style="text-align: center;">21</td><td style="text-align: center;">136.5</td><td style="text-align: center;">32</td><td style="text-align: center;">203.5</td><td style="text-align: center;">—</td><td style="text-align: center;">—</td></tr> </tbody> </table> <p>• An entered value of 43 or higher results in an error.</p>	No.	Freq. (Hz)	No.	Freq. (Hz)	No.	Freq. (Hz)	No.	Freq. (Hz)	00	67.0	11	97.4	22	141.3	33	206.5	01	69.3	12	100.0	23	146.2	34	210.7	02	71.9	13	103.5	24	151.4	35	218.1	03	74.4	14	107.2	25	156.7	36	225.7	04	77.0	15	110.9	26	162.2	37	229.1	05	79.7	16	114.8	27	167.9	38	233.6	06	82.5	17	118.8	28	173.8	39	241.8	07	85.4	18	123.0	29	179.9	40	250.3	08	88.5	19	127.3	30	186.2	41	254.1	09	91.5	20	131.8	31	192.8	42	1750	10	94.8	21	136.5	32	203.5	—	—
No.	Freq. (Hz)	No.	Freq. (Hz)	No.	Freq. (Hz)	No.	Freq. (Hz)																																																																																																					
00	67.0	11	97.4	22	141.3	33	206.5																																																																																																					
01	69.3	12	100.0	23	146.2	34	210.7																																																																																																					
02	71.9	13	103.5	24	151.4	35	218.1																																																																																																					
03	74.4	14	107.2	25	156.7	36	225.7																																																																																																					
04	77.0	15	110.9	26	162.2	37	229.1																																																																																																					
05	79.7	16	114.8	27	167.9	38	233.6																																																																																																					
06	82.5	17	118.8	28	173.8	39	241.8																																																																																																					
07	85.4	18	123.0	29	179.9	40	250.3																																																																																																					
08	88.5	19	127.3	30	186.2	41	254.1																																																																																																					
09	91.5	20	131.8	31	192.8	42	1750																																																																																																					
10	94.8	21	136.5	32	203.5	—	—																																																																																																					

<b>TO</b>		Sets and reads the Tone status.										<b>[TS-590S / TS-590SG common]</b>
Set	1	2	3	4	5	6	7	8	9	10	<b>Parameters:</b> P1 0: Tone OFF 1: Tone ON	
	T	O	P1	;								
Read	1	2	3	4	5	6	7	8	9	10		
	T	O	;									
Answer	1	2	3	4	5	6	7	8	9	10		
	T	O	P1	;								

## PC CONTROL COMMAND REFERENCE GUIDE

<b>TP</b>	Sets and reads the output power for TX Tune.										<b>[TS-590SG only]</b>
Set	1	2	3	4	5	6	7	8	9	10	<b>Parameters:</b> P1 005 ~ 100  • When the Power Fine function is On, the step size is 1 W. • When the Power Fine function is Off, the step size is 5 W. In this case, if an inappropriate value is entered, the value is rounded down to the nearest 5's value. For example, when you enter a value of 093, it is rounded down to 090. • Entering a value lower than the minimum value results in the minimum value being entered and entering a value higher than maximum value results in the maximum value being entered.
	T	P	P1	P1	P1	;					
Read	1	2	3	4	5	6	7	8	9	10	
	T	P	;								
Answer	1	2	3	4	5	6	7	8	9	10	
	T	P	P1	P1	P1	;					

<b>TS</b>	Sets and reads the TF-Set status.										<b>[TS-590S / TS-590SG common]</b>
Set	1	2	3	4	5	6	7	8	9	10	<b>Parameters:</b> P1 0: TF-Set OFF 1: TF-Set ON
	T	S	P1	;							
Read	1	2	3	4	5	6	7	8	9	10	
	T	S	;								
Answer	1	2	3	4	5	6	7	8	9	10	
	T	S	P1	;							

<b>TX</b>	Sets the transmission mode.										<b>[TS-590S / TS-590SG common]</b>
Set	1	2	3	4	5	6	7	8	9	10	<b>Parameters:</b> P1 0: SEND (normal transmission using the MIC input) 1: DATA SEND (ACC2/ USB input) 2: TX Tune  • If no P1 parameter is specified, it is set to 0 (SEND). • A response is output only when using the AI function.
	T	X	P1	;							
Answer	1	2	3	4	5	6	7	8	9	10	
	T	X	P1	;							

<b>UD</b>	VFO Frequency UP/DOWN										<b>Parameters:</b>
Set 1	1	2	3	4	5	6	7	8	9	10	P1 (Target VFO) 0: VFO A 1: VFO B P2 (Frequency change direction) 0: Direction Up 1: Direction Down P3 (Change the step number (Set 1 command only)) 00~99  • The frequency change amount per step is same as the change step by the Tuning control. • In simplex mode, it is also valid for the VFO on the unused side. • If you send a command in the format of setting 2 omitting specification of the number of changing steps of parameter P3, it will be changed in 1 step. • You cannot be set in memory channel mode. • You cannot be set during TF-SET
	U	D	P1	P2	P3	P3	;				
Set 2	1	2	3	4	5	6	7	8	9	10	
	U	D	P1	P2	;						

## PC CONTROL COMMAND REFERENCE GUIDE

<b>UR / UT</b>		Sets and reads the RX / TX equalizer.										<b>[TS-590S / TS-590SG common]</b>
Set		1	2	3	4	5	6	7	8	9	10	<b>Parameters:</b> P1: 0 Hz level P2: 300 Hz level P3: 600 Hz level P4: 900 Hz level P5: 1200 Hz level P6: 1500 Hz level P7: 1800 Hz level P8: 2100 Hz level P9: 2400 Hz level P10: 2700 Hz level P11: 3000 Hz level P12: 3300 Hz level P13: 3600 Hz level P14: 3900 Hz level P15: 4200 Hz level P16: 4500 Hz level P17: 4800 Hz level P18: 5100 Hz level  Each parameter has a range from 00-30 (where 00 is + 6 dB, 06 is 0 dB, and 30 is -24 dB; each increase in value increases the step by 1 dB).  • When the equalizer is set to OFF through the Menu, you cannot adjust the level using this command (an error occurs). • When the equalizer is set to anything other than OFF, through the Menu, you can use this command to adjust the level. • When the equalizer is set to "USER" through the Menu, the level you select will be stored in the transceiver memory. • When the AI function is ON, if any changes are made to the equalizer settings, a response command is output.
		U	R/T	P1	P1	P2	P2	P3	P3	P4	P4	
		11	12	13	14	15	16	17	18	19	20	
		P5	P5	P6	P6	P7	P7	P8	P8	P9	P9	
		21	22	23	24	25	26	27	28	29	30	
		P10	P10	P11	P11	P12	P12	P13	P13	P14	P14	
		31	32	33	34	35	36	37	38	39	40	
	P15	P15	P16	P16	P17	P17	P18	P18	;			
Read		1	2	3	4	5	6	7	8	9	10	
		U	R/T	;								
Answer		1	2	3	4	5	6	7	8	9	10	
		U	R/T	P1	P1	P2	P2	P3	P3	P4	P4	
		11	12	13	14	15	16	17	18	19	20	
		P5	P5	P6	P6	P7	P7	P8	P8	P9	P9	
		21	22	23	24	25	26	27	28	29	30	
		P10	P10	P11	P11	P12	P12	P13	P13	P14	P14	
		31	32	33	34	35	36	37	38	39	40	
	P15	P15	P16	P16	P17	P17	P18	P18	;			

<b>VD</b>		Sets and reads the VOX Delay time.										<b>[TS-590S / TS-590SG common]</b>
Set		1	2	3	4	5	6	7	8	9	10	<b>Parameters:</b> P1 0000 ~ 3000 ms (in steps of 150) An entered value of 3001 or higher results in 3000 being entered. An entered value that does not match the 150 ms step value will be rounded down to the nearest 150 ms step.
		V	D	P1	P1	P1	P1	;				
Read		1	2	3	4	5	6	7	8	9	10	
		V	D	;								
Answer		1	2	3	4	5	6	7	8	9	10	
		V	D	P1	P1	P1	P1	;				

<b>VG</b>		Sets and reads the VOX Gain.										<b>[TS-590S / TS-590SG common]</b>
Set		1	2	3	4	5	6	7	8	9	10	<b>Parameters:</b> P1 000 ~ 009 (in steps of 1) An entered value of 010 or higher results in 09 being entered.
		V	G	P1	P1	P1	;					
Read		1	2	3	4	5	6	7	8	9	10	
		V	G	;								
Answer		1	2	3	4	5	6	7	8	9	10	
		V	G	P1	P1	P1	;					

<b>VR</b>		Sets and reads the voice synthesis function										<b>[TS-590S / TS-590SG common]</b>
Set		1	2	3	4	5	6	7	8	9	10	<b>Parameters:</b> P1 0: Auto (set P1 to 4 to cancel) 1: VOICE 1 2: VOICE 2 3: VOICE 3 4: Cancel P2 0: VGS-1 is not installed 1: VGS-1 is installed  • The cancel status is not retained when the transceiver power is turned OFF. • In TS-590S, Read and Answer are supported from the firmware version 2.00.
		V	R	P1	;							
Read		1	2	3	4	5	6	7	8	9	10	
		V	R	;								
Answer		1	2	3	4	5	6	7	8	9	10	
		V	R	P2	;							

## PC CONTROL COMMAND REFERENCE GUIDE

<b>VS0</b>	Sets and reads the Visual Scan start/ stop/ pause status.										<b>[TS-590S / TS-590SG common]</b>
Set	1	2	3	4	5	6	7	8	9	10	<b>Parameters:</b> P1 0: Visual Scan OFF 1: Visual Scan ON (while scanning) 2: Visual Scan pause 3: Visual Scan restart (when paused) (set command only)
Read	1	2	3	4	5	6	7	8	9	10	<ul style="list-style-type: none"> <li>• Visual Scan will not start when the AI function is OFF.</li> <li>• Visual Scan can only be used in VFO mode.</li> <li>• You cannot start Visual Scan while transmitting.</li> <li>• During Visual Scan, reception is muted and the S meter will not display signal strength. (While paused, reception and the S meter function normally.)</li> <li>• During Visual Scan, you cannot change the band, the VFO A/B, the Memory Channel mode, or the Quick Memory Channel mode. Additionally, you cannot transmit.</li> <li>• When the transceiver power is turned OFF, Visual Scan will also turn OFF.</li> </ul>
Answer	1	2	3	4	5	6	7	8	9	10	
	V	S	0	P1	;						

<b>VS1</b>	Sets the Visual Scan center frequency.											<b>[TS-590S / TS-590SG common]</b>																								
Set	1	2	3	4	5	6	7	8	9	10	<b>Parameters:</b> P1 Center frequency (11 digits in Hz, unused high level digits are set to 0)																									
	V	S	1	P1	P1	P1	P1	P1	P1	P1	<ul style="list-style-type: none"> <li>• To read the center frequency, use the "VS3;" command.</li> <li>• The center frequency is stored in each band, and can be changed using the Band Direct key.</li> </ul>																									
	11	12	13	14	15	16	17	18	19	20																										
	P1	P1	P1	P1	;																															
												<table border="1" style="width: 100%; border-collapse: collapse; text-align: center;"> <thead> <tr> <th style="padding: 2px;">Band Direct Key</th> <th style="padding: 2px;">Default Value</th> </tr> </thead> <tbody> <tr><td style="padding: 2px;">[1.8]</td><td style="padding: 2px;">1.85 MHz</td></tr> <tr><td style="padding: 2px;">[3.5]</td><td style="padding: 2px;">3.55 MHz</td></tr> <tr><td style="padding: 2px;">[7]</td><td style="padding: 2px;">7.05 MHz</td></tr> <tr><td style="padding: 2px;">[10]</td><td style="padding: 2px;">10.15 MHz</td></tr> <tr><td style="padding: 2px;">[14]</td><td style="padding: 2px;">14.05 MHz</td></tr> <tr><td style="padding: 2px;">[18]</td><td style="padding: 2px;">18.118 MHz</td></tr> <tr><td style="padding: 2px;">[21]</td><td style="padding: 2px;">21.05 MHz</td></tr> <tr><td style="padding: 2px;">[24]</td><td style="padding: 2px;">24.94 MHz</td></tr> <tr><td style="padding: 2px;">[28]</td><td style="padding: 2px;">28.05 MHz</td></tr> <tr><td style="padding: 2px;">[50]</td><td style="padding: 2px;">50.05 MHz</td></tr> <tr><td style="padding: 2px;">[GENE]</td><td style="padding: 2px;">5.05 MHz</td></tr> </tbody> </table>	Band Direct Key	Default Value	[1.8]	1.85 MHz	[3.5]	3.55 MHz	[7]	7.05 MHz	[10]	10.15 MHz	[14]	14.05 MHz	[18]	18.118 MHz	[21]	21.05 MHz	[24]	24.94 MHz	[28]	28.05 MHz	[50]	50.05 MHz	[GENE]	5.05 MHz
Band Direct Key	Default Value																																			
[1.8]	1.85 MHz																																			
[3.5]	3.55 MHz																																			
[7]	7.05 MHz																																			
[10]	10.15 MHz																																			
[14]	14.05 MHz																																			
[18]	18.118 MHz																																			
[21]	21.05 MHz																																			
[24]	24.94 MHz																																			
[28]	28.05 MHz																																			
[50]	50.05 MHz																																			
[GENE]	5.05 MHz																																			
												<ul style="list-style-type: none"> <li>• Do not enter a frequency outside the reception frequency range. An error will occur.</li> </ul>																								

<b>VS2</b>	Sets the Visual Scan span.										<b>[TS-590S / TS-590SG common]</b>																								
Set	1	2	3	4	5	6	7	8	9	10	<b>Parameters:</b> P1 0: 20 kHz ±10 kHz (in steps of 100 Hz) 1: 50 kHz ±25 kHz (in steps of 250 Hz) 2: 100 kHz ±50 kHz (in steps of 500 Hz) 3: 200 kHz ±100 kHz (in steps of 1 kHz) 4: 500 kHz ±250 kHz (in steps of 2.5 kHz) 5: 1 MHz ±500 kHz (in steps of 5 kHz) 6: 2 MHz ±1 MHz (in steps of 10 kHz)																								
	V	S	2	P1	;						<ul style="list-style-type: none"> <li>• To read the span, use the "VS3;" command.</li> <li>• The span is stored in each band, and can be changed using the Band Direct key.</li> </ul>																								
											<table border="1" style="width: 100%; border-collapse: collapse; text-align: center;"> <thead> <tr> <th style="padding: 2px;">Band Direct Key</th> <th style="padding: 2px;">Default Value</th> </tr> </thead> <tbody> <tr><td style="padding: 2px;">[1.8]</td><td style="padding: 2px;">100 Hz</td></tr> <tr><td style="padding: 2px;">[3.5]</td><td style="padding: 2px;">100 Hz</td></tr> <tr><td style="padding: 2px;">[7]</td><td style="padding: 2px;">100 Hz</td></tr> <tr><td style="padding: 2px;">[10]</td><td style="padding: 2px;">100 Hz</td></tr> <tr><td style="padding: 2px;">[14]</td><td style="padding: 2px;">100 Hz</td></tr> <tr><td style="padding: 2px;">[18]</td><td style="padding: 2px;">100 Hz</td></tr> <tr><td style="padding: 2px;">[21]</td><td style="padding: 2px;">100 Hz</td></tr> <tr><td style="padding: 2px;">[24]</td><td style="padding: 2px;">100 Hz</td></tr> <tr><td style="padding: 2px;">[28]</td><td style="padding: 2px;">100 Hz</td></tr> <tr><td style="padding: 2px;">[50]</td><td style="padding: 2px;">5100 Hz</td></tr> <tr><td style="padding: 2px;">[GENE]</td><td style="padding: 2px;">100 Hz</td></tr> </tbody> </table>	Band Direct Key	Default Value	[1.8]	100 Hz	[3.5]	100 Hz	[7]	100 Hz	[10]	100 Hz	[14]	100 Hz	[18]	100 Hz	[21]	100 Hz	[24]	100 Hz	[28]	100 Hz	[50]	5100 Hz	[GENE]	100 Hz
Band Direct Key	Default Value																																		
[1.8]	100 Hz																																		
[3.5]	100 Hz																																		
[7]	100 Hz																																		
[10]	100 Hz																																		
[14]	100 Hz																																		
[18]	100 Hz																																		
[21]	100 Hz																																		
[24]	100 Hz																																		
[28]	100 Hz																																		
[50]	5100 Hz																																		
[GENE]	100 Hz																																		



## PC CONTROL COMMAND REFERENCE GUIDE

<b>VS3</b>	Reads the Visual Scan upper/ lower/ center frequency, and span.										<b>[TS-590S / TS-590SG common]</b> <b>Parameters:</b> P1 Lower frequency (11 digits in Hz) P2 Center frequency (11 digits in Hz) P3 Upper frequency (11 digits in Hz) P4 (span) 0: 20 kHz ±10 kHz (in steps of 100 Hz) 1: 50 kHz ±25 kHz (in steps of 250 Hz) 2: 100 kHz ±50 kHz (in steps of 500 Hz) 3: 200 kHz ±100 kHz (in steps of 1 kHz) 4: 500 kHz ±250 kHz (in steps of 2.5 kHz) 5: 1 MHz ±500 kHz (in steps of 5 kHz) 6: 2 MHz ±1 MHz (in steps of 10 kHz)
	Read	1	2	3	4	5	6	7	8	9	
Answer	V	S	3	;							
	1	2	3	4	5	6	7	8	9	10	
	V	S	3	P1	P1	P1	P1	P1	P1	P1	
	11	12	13	14	15	16	17	18	19	20	
	P1	P1	P1	P1	P2	P2	P2	P2	P2	P2	
	21	22	23	24	25	26	27	28	29	30	
	P2	P2	P2	P2	P2	P3	P3	P3	P3	P3	
31	32	33	34	35	36	37	38	39	40		
P3	P3	P3	P3	P3	P3	P4	;				

<b>VS4</b>	Reads the Visual Scan sweep frequency and signal level.										<b>[TS-590S / TS-590SG common]</b> <b>Parameters:</b> P1 Sweep frequency (11 digits in Hz) P2 (signal level) 0000 ~ 0060
	Read	1	2	3	4	5	6	7	8	9	
Answer	V	S	4	;							
	1	2	3	4	5	6	7	8	9	10	
	V	S	4	P1	P1	P1	P1	P1	P1	P1	
	11	12	13	14	15	16	17	18	19	20	
P1	P1	P1	P1	P2	P2	P2	P2	;			

<b>VV</b>	Performs the VFO copy (A=B) function.										<b>[TS-590S / TS-590SG common]</b> <b>Parameters:</b> No parameters are used with this command.
	Set	1	2	3	4	5	6	7	8	9	
V	V	;									

<b>VX</b>	Sets and reads the VOX and Break-in function status.										<b>[TS-590S / TS-590SG common]</b> <b>Parameters:</b> P1 0: VOX OFF 1: VOX ON  • When transmitting the VX command in CW mode, the Break-in function is set and read, rather than the VOX function.
	Set	1	2	3	4	5	6	7	8	9	
Read	V	X	P1	;							
	1	2	3	4	5	6	7	8	9	10	
Answer	V	X	;								
	1	2	3	4	5	6	7	8	9	10	
V	X	P1	;								

<b>XI</b>	Reads the transmit frequency and mode.										<b>[TS-590S / TS-590SG common]</b> <b>Parameters:</b> P1 Frequency (11 digits in Hz) P2 Transmission mode (refer to the MD command) P3 0: Data mode OFF 1: Data mode ON P4 00: Always 00  • The AI function will not perform an auto response.
	Read	1	2	3	4	5	6	7	8	9	
Answer	X	I	;								
	1	2	3	4	5	6	7	8	9	10	
	X	I	P1	P1	P1	P1	P1	P1	P1	P1	
	11	12	13	14	15	16	17	18	19	20	
P1	P1	P1	P2	P3	P4	P4	;				

## PC CONTROL COMMAND REFERENCE GUIDE

<b>XO</b>	Sets and reads the offset direction and frequency for the transverter mode.										<b>[TS-590S / TS-590SG common]</b> Parameters: P1 (For the transceiver frequency, the transverter frequency can be set in either direction) 0: Plus direction 1: Minus direction P2 Offset frequency in Hz (11 digits in Hz)
	1	2	3	4	5	6	7	8	9	10	
Set	X	O	P1	P2	P2	P2	P2	P2	P2	P2	
	11	12	13	14	15	16	17	18	19	20	
Read	P2	P2	P2	P2	;						
	1	2	3	4	5	6	7	8	9	10	
Answer	X	O	;								
	1	2	3	4	5	6	7	8	9	10	
	X	O	P1	P2	P2	P2	P2	P2	P2	P2	
	11	12	13	14	15	16	17	18	19	20	
	P2	P2	P2	P2	;						

<b>XT</b>	Sets and reads the XIT function status.										<b>[TS-590S / TS-590SG common]</b> Parameters: P1 0: XIT OFF 1: XIT ON
	1	2	3	4	5	6	7	8	9	10	
Set	X	T	P1	;							
	1	2	3	4	5	6	7	8	9	10	
Read	X	T	;								
	1	2	3	4	5	6	7	8	9	10	
Answer	X	T	;								
	1	2	3	4	5	6	7	8	9	10	
	X	T	P1	;							

---

# KENWOOD