

KENWOOD

GLOSSARY



Capacitive Touch Panel

Clear glass display with swipe functionality that provides superior picture and touch panel control.



Clear Resistive Touch Panel

A clear screen designed to reduce glare that includes a resistive touch sensor for accurate control during operation.



Wireless Mirroring for Android

Solution for seamlessly displaying and controlling your smartphone apps on a screen without cables on select Android devices.



USB Mirroring

USB Mirroring via USB for iPhone & Android, 2-way Touch Control for Android.



Android USB Mirroring Ready

Solution for seamlessly displaying and controlling your smartphone apps on a screen via a USB connection on select Android devices.



Customizable Multi-Widget

Customize your Home Screen by selecting four shortcut/information widgets. Widget options can include album art, clock, compass, photo frame, visualizer, weather, turn-by-turn, Garmin navigation, and more.



Music Mix

Up to 5 Bluetooth® devices can be paired to the head unit at the same time, you can enjoy audio streaming just by switching the devices with your friends or family.



Dual Phone Connection

While you are connected through Bluetooth, with a touch of a button you can switch between two phones.



Remote App

A smartphone application can control most basic functions of the receiver over the Bluetooth connection of the paired phone (iPhone or Android).



Wireless Music Browsing (AVRCP 1.5 / 1.6)

Search and select songs from your music collection through a Bluetooth connection.



Graphic EQ / Digital Time Alignment

13-Band equalizer and DTA gives optimal tuning enhancements for listener.



Drive EQ

Boosts specific frequencies in the audio signal to overcome the negative impact of road noise.



FLAC Supported

Compatible with various audio file formats from FLAC and WAV, to MP3, WMA and AAC.



Dash Cam Link

Dash Camera (DRV-N520) can be controlled and viewed from the touch screen.



4 Camera Inputs

Optional camera connection method for up to 4 cameras in various configurations.



3 Camera Inputs

Optional camera connection method for up to 3 cameras in various configurations.



Parking Guide Lines

Parking guide lines (requires installation of compatible backup camera) that enhance the effectiveness of a backup camera.



3 Years Map Care

KENWOOD offers 3 years map updates enabling you to keep up to date. Download the latest maps online to an SD card and insert to your navigation system.



Lane Assist

Lane Assist guides you to the correct lane for an approaching turn or exit, making unfamiliar intersections and exits easy to navigate.



DUAL USB

Multiple USB ports provide additional inputs for music sources or smartphone battery charging.



Detachable USB

The USB cable can be disconnected from the back of the receiver for easier installation and service.



Short Chassis

With receivers shorter in depth than any of our previous models, installation is made easier in a wider range of cars than ever before.



FRONT USB & AUX

Easy front panel connection for your compatible USB-enabled devices. These include iPhone, iPod devices as well as compatible Mass Storage Class devices like smartphones, USB thumb drives and portable hard drives.



Conformal Coating

Improved moisture resistance of the circuit boards to prevent corrosion.



JVC KENWOOD USA Corporation
2201 E. Dominguez St. Long Beach, CA 90810-1009
P.O. Box 22745 Long Beach, CA 90801-5745
www.kenwood.com/usa



facebook.com/kenwoodusa

@KENWOODUSA

youtube.com/KenwoodUSA

instagram.com/kenwoodusa_official/

©2020 JVC KENWOOD. All Rights Reserved.

For Support and Technical Information please visit www.kenwood.com/cs/ce

JVC KENWOOD Corporation follows a policy of continuous advancement in technical development. For this reason information contained in this catalog and specifications may be changed without notice.

All screen pictures in the catalog are simulated. • iPods, iPhones, Android smartphones or any other accessories shown in this catalog are not supplied, and must be purchased separately. • Use of the Apple CarPlay logo means that a vehicle user interface meets Apple performance standards. Apple is not responsible for the operation of this vehicle or its compliance with safety and regulatory standards. Please note that the use of this product with iPhone, iPod, or iPad may affect wireless performance. • Google, Android, Google Play, Android Auto and other related marks and logos are trademarks of Google LLC. • iQatalk and Maestro are trademarks or registered trademarks of Automotive Data Solutions Inc. • Amazon, Alexa and all related logos are trademarks of Amazon.com, Inc. or its affiliates. • The Garmin logo is a trademark of Garmin Ltd. or its subsidiaries and is registered in one or more countries, including the U.S. ecoRoute™, trafficTrends™ and myTrends™ are trademarks of Garmin Ltd. or its subsidiaries. • INRIX® and the INRIX logo are registered trademarks and the INRIX TRAFFIC logo is a trademark of INRIX, Inc. • © HERE. All rights reserved. • The terms HDMI and HDMI High-Definition Multimedia Interface, and the HDMI Logo are trademarks or registered trademarks of HDMI Licensing LLC in the United States and other countries. • MHL, Mobile High-Definition Link and the MHL Logo are trademarks or registered trademarks of the MHL, LLC. • "Made for iPod" and "Made for iPhone" mean that an electronic accessory has been designed to connect specifically to iPod, or iPhone, respectively, and has been certified by the developer to meet Apple performance standards. Apple is not responsible for the operation of this device or its compliance with safety and regulatory standards. Please note that the use of this accessory with iPod, or iPhone may affect wireless performance. • Apple, iPhone, iPod, iPod touch, and Lightning are trademarks of Apple Inc., registered in the U.S. and other countries. • Apple, Siri, Apple CarPlay and Apple CarPlay logo are trademarks of Apple Inc., registered in the U.S. and other countries. • Apple Store is a service mark of Apple Inc., registered in the U.S. and other countries. • Wi-Fi is a registered trademark of Wi-Fi Alliance. • The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by JVC KENWOOD Corporation is under license. • Qualcomm aptX is a product of Qualcomm Technologies International, Ltd. Qualcomm is a trademark of Qualcomm Incorporated, registered in the United States and other countries, used with permission. aptX is a trademark of Qualcomm Technologies International, Ltd., registered in the United States and other countries, used with permission. • The "AAC" logo is a trademark of Dolby Laboratories. • PANDORA, the PANDORA logo, and the Pandora trade dress are trademarks or registered trademarks of Pandora Media, LLC. Used with permission. • iHeartRadio® and iHeartRadio™ are trademarks owned by iHeartMedia, Inc. All uses are authorized under license. • Sirius, XM and all related marks and logos are trademarks of Sirius XM Radio Inc. All rights reserved. • HD Radio Technology manufactured under license from iBiquity Digital Corporation. U.S. and Foreign Patents. HD Radio™ and the HD, HD Radio, and "Arc" logos are proprietary trademarks of iBiquity Digital Corp. • The N Mark is a trademark or registered trademark of NFC Forum, Inc. in the United States and in other countries. • "Hi-Res Audio" logo is a registered trademark of Japan Audio Society. • SPOTIFY and the Spotify logo are among the registered trademarks of Spotify AB. • microSDHC and microSDXC are trademark of SD-3C LLC. • YouTube and the YouTube logo are registered trademarks of Google LLC. • KENWOOD is a trademark or registered trademark of JVC KENWOOD Corporation in the U.S. and/or other countries. • All other brands, product names, logos, or trademarks are the property of their respective holders.

MOBILE ENTERTAINMENT

LIVE CONNECTED. DRIVE CONNECTED.

2020

AV NAVIGATION

DIGITAL MULTIMEDIA RECEIVERS / DVD RECEIVERS

DNR876S

Works with Apple CarPlay

android auto

WiFi CERTIFIED

6.95" Navigation Digital Multimedia Receiver

HD Radio

3 PRE-OUTS 4V

CLEAR RESISTIVE TOUCH PANEL

WIRELESS MIRRORING

MULTI WIDGET

REMOTE APP

MUSIC MIX x5

DUAL PHONE CONNECTION

WIRELESS MUSIC Browsing

13Band EQ

DTA

FLAC SUPPORTED

DASH CAM LINK

THREE CAMERA INPUTS

PARKING GuideLines

LANE ASSIST

DUAL USB

Detachable COLOR ILLUMINATION

GARMIN

ECOROUTE

here

INRIX

5 YEAR

maestro

Made for iPhone | iPod

Bluetooth

SiriusXM READY

pandora

Spotify

HiRes AUDIO



*These features found on all navigation receivers shown above.

DDX9707S

Works with Apple CarPlay

android auto

WiFi CERTIFIED

6.95" DVD Receiver

3 PRE-OUTS 4V

CLEAR RESISTIVE TOUCH PANEL

WIRELESS MIRRORING

USB MIRRORING

MULTI WIDGET

REMOTE APP

MUSIC MIX x5

DUAL PHONE CONNECTION

WIRELESS MUSIC Browsing

13Band EQ

DTA

Drive EQ

FLAC SUPPORTED

DASH CAM LINK

4x CAMERA INPUTS

PARKING GuideLines

DUAL USB

Detachable COLOR ILLUMINATION

maestro

Made for iPhone | iPod

Bluetooth

SiriusXM READY

HiRes AUDIO

DDX6706S

Works with Apple CarPlay

android auto

6.8" DVD Receiver

3 PRE-OUTS 4V

CLEAR RESISTIVE TOUCH PANEL

REMOTE APP

MUSIC MIX x5

DUAL PHONE CONNECTION

WIRELESS MUSIC Browsing

13Band EQ

DTA

Drive EQ

FLAC SUPPORTED

DUAL CAMERA INPUT

PARKING GuideLines

VARIABLE COLOR ILLUMINATION

maestro

Made for iPhone | iPod

Bluetooth

SiriusXM READY

pandora

Spotify

HiRes AUDIO

Works with Apple CarPlay

Apple CarPlay™ is a safer way to use your iPhone in the car. Simply talk to Siri or touch the receiver's display to get directions from Apple Maps, make phone calls, listen to voicemail, send and receive texts, and listen to music from Apple Music or your favorite 3rd party streaming services like Pandora and Spotify, all in a way that allows you to stay focused on the road. With the latest iOS version (iOS 12.0 and higher), 3rd party navigation apps like Google Maps™ and Waze™ are also supported. New KENWOOD Wi-Fi receivers now support Apple CarPlay wirelessly (compatible phone required).

iDatalink Maestro RR

maestro

When an Automotive Data Solutions iDatalink Maestro RR is connected to a compatible KENWOOD receiver, it provides a seamless interface with factory infotainment features such as Satellite Radio, USB Media Player, Bluetooth handsfree and music streaming. Vehicle information such as HVAC, performance information, and TPMS can also be displayed.

DNX577S

Works with Apple CarPlay

android auto

6.8" Navigation DVD Receiver

3 PRE-OUTS 4V

CLEAR RESISTIVE TOUCH PANEL

USB MIRRORING

MULTI WIDGET

REMOTE APP

MUSIC MIX x5

DUAL PHONE CONNECTION

WIRELESS MUSIC Browsing

13Band EQ

DTA

Drive EQ

FLAC SUPPORTED

DASH CAM LINK

4x CAMERA INPUTS

3 YEARS MAP CARE

PARKING GuideLines

LANE ASSIST

Detachable USB

GARMIN

ECOROUTE

here

INRIX

5 YEAR

maestro

Made for iPhone | iPod

Bluetooth

SiriusXM READY

HiRes AUDIO



DMX7706S

Works with Apple CarPlay

android auto

WiFi CERTIFIED

6.95" Digital Multimedia Receiver

3 PRE-OUTS 4V

CLEAR RESISTIVE TOUCH PANEL

WIRELESS MIRRORING

MULTI WIDGET

REMOTE APP

MUSIC MIX x5

DUAL PHONE CONNECTION

WIRELESS MUSIC Browsing

13Band EQ

DTA

Drive EQ

FLAC SUPPORTED

DUAL CAMERA INPUT

PARKING GuideLines

VARIABLE COLOR ILLUMINATION

maestro

Made for iPhone | iPod

Bluetooth

SiriusXM READY

pandora

Spotify

HiRes AUDIO

DMX4707S/47S

Works with Apple CarPlay

android auto

6.8" Digital Multimedia Receiver

2 PRE-OUTS + SW 2V

CAPACITIVE TOUCH PANEL

Android USB

WIRELESS MUSIC Browsing

13Band EQ

DTA

FLAC SUPPORTED

PARKING GuideLines

SHORT CHASSIS

Made for iPhone


Bluetooth

SiriusXM READY

android auto

Android Auto™ was designed with safety in mind, helping you to minimize distractions and stay focused on the road. KENWOOD's multimedia receivers combine an intuitive voice controlled interface with a large touch screen and superior sound quality, making it the perfect complement for your in-car life. You can even listen to and control music from your favorite streaming services like Pandora and Spotify. Navigate to where you need to with Google Maps or Waze. New KENWOOD Wi-Fi receivers also support Android Auto wirelessly (compatible phone required).

- To use Android Auto on your car display, you'll need an Android Auto compatible vehicle or aftermarket stereo, an Android phone running Android 5.0 or higher, and the Android Auto app.



DDX376BT

6.2" DVD Receiver

3 PRE-OUTS 4V

CLEAR RESISTIVE TOUCH PANEL

REMOTE APP

MUSIC MIX x5

DUAL PHONE CONNECTION

WIRELESS MUSIC Browsing

13Band EQ

DTA

Drive EQ

FLAC SUPPORTED

PARKING GuideLines

VARIABLE COLOR ILLUMINATION

maestro

Made for iPhone | iPod

Bluetooth

SiriusXM READY

pandora

Spotify

iHeartRADIO

KENWOOD Dash Cams provide enhanced security for you and your vehicle, capturing every event in full HD or higher video quality. The DRV-N520 is controlled by a KENWOOD Dash Cam Ready receiver, allowing video captured by the camera and safety prompts to be displayed on the multimedia receiver screen.

DRV-A700WDP

Front & Rear Camera with Wireless Link

Parking Cable Included

micro X2

Wide Dynamic Range

2560 x 1440

DRV-A601WDP

Front & Rear Camera with Wireless Link

micro X2

4K

Wireless Smartphone Link*

The KENWOOD DASH CAM MANAGER app allows you to easily change the menu settings of your dash cam and browse through recorded videos as well as real time live view from your smartphone in an intuitive way. By downloading the video / photo files into your smartphone, you can even review them while routing on Google Maps™ with the GPS information such as speed, G-sensor and distance, and edit the videos to share them on social media. Download the app from App Store (iOS) or Google Play (Android™) on your smartphone.

Parking Mode Recording*

When the vehicle is parked and turned off, parking mode becomes active. If the vehicle is subject to a collision or other physical impact, the camera powers on and automatically records 30 seconds of video.

CA-DR1030

Optional Parking Cable for DRV-A series

*Parking Mode Recording requires optional hardware kit: CA-DR1030

4 Camera Inputs*

To enable a smarter driving experience, receivers featuring 4 camera inputs allow for the utmost in convenience, flexibility, and safety. With 4 camera inputs, you can connect a front camera, a KENWOOD dashboard camera (DRV-N520 sold separately), rear and side (blind spot) cameras. Alternatively, 4 camera inputs can support several other configurations, including the connection of 2 side cameras, a front camera, and a reverse camera. Camera switching is available using on screen controls, or automatically for side cameras when an optional iDatalink Maestro RR is connected (supported vehicles only)

Customizable Multi-Widget

You can customize your Home Screen by selecting four widgets. Depending on model, Widget options can include album art of current song, clock, compass, photo frame, visualizer, weather, turn-by-turn, Garmin navigation, and more.

Wireless Mirroring for Android

Solution for seamlessly displaying and controlling your smartphone apps on a screen without cables on select Android devices.

DMX125BT

6.8" Digital Multimedia Receiver

2 PRE-OUTS + SW 2V

CAPACITIVE TOUCH PANEL

Android USB

WIRELESS MUSIC Browsing

13Band EQ

DTA

PARKING GuideLines

SHORT CHASSIS

Made for iPhone | iPod

Bluetooth

SiriusXM READY

DRV-A501WDP

Front & Rear Camera with Wireless Link

micro X2

Full HD

1920 x 1080

2560 x 1440

DRV-A301W

Dashboard Camera with Wireless Link

micro X2

Full HD

1920 x 1080

Full HD Recording

Quick Release Magnetic Mount*

The patent-designed magnetic mount, unlike the traditional mounts which use a latching mechanism, allows you to place and remove the device simply and instantly. No cable to connect or disconnect from the dash cam.

*DRV-A series only

G-Sensor & built-in GPS

The camera is equipped with a G-Sensor designed to detect a collision, and GPS that records speed and latitude and longitude.

CMOS-320

Multi-View Camera

Can be used as a Front or Rear

CMOS-230/130

Rear View Camera

*CMOS-230 includes 24.5' Power Cable

CA-C3AV

Mini-Jack to RCA Cable Adaptor

DRV-N520

Multimedia Capable Dashboard Camera

micro X2

Full HD

1920 x 1080

Full HD Recording

DASH CAM LINK

CAX-HL100Qi

Qi Wireless Charging Car Mount

Front / Rear + 2 Blind Spot Cameras

DashBoard Camera + Rear + 2 Blind Spot Cameras

*The KENWOOD CA-C3AV cable (sold separately) is required to use the 4th camera input



KDC-BT778HD

CD Receiver with Bluetooth & HD Radio

3 PRE-OUTS
4V

KDC-BT378U/BT34

CD Receiver with Bluetooth

3 PRE-OUTS
2.5V

KDC-BT278U

CD Receiver with Bluetooth

1 PRE-OUT
2.5V

DPX504BT

2-DIN CD Receiver with Bluetooth

3 PRE-OUTS
2.5V

DPX304MBT

2-DIN Digital Media Receiver with Bluetooth

3 PRE-OUTS
2.5V

Amazon Alexa Compatible

You can talk to Amazon Alexa on your KENWOOD Receivers. With Alexa Built-in, you can ask to play music, place calls, listen to audiobooks, hear the news, check the weather, control smart home devices, get directions, find parking, and more - all while you keep your hands on the wheel and eyes on the road.

Using Alexa is simple - just install the Amazon Alexa companion app (free) on your iPhone or smartphone (AndroidTM) and press the Amazon Alexa key on the KENWOOD receiver, you can easily activate Alexa and get voice control.

* For setup instructions and more information, visit <http://www2.jvckenwood.com/cs/ce/>



Amazon Alexa Key

Available Functions

- Play Music
- Check Weather
- Check Local News
- Question about general things
- Timer / Alarm
- Check Wikipedia




* Some functions and services are not available in all areas.

Amazon, Alexa and all related logos are trademarks of Amazon.com, Inc. or its affiliates.



KMM-BT328U

Digital Media Receiver with Bluetooth

3 PRE-OUTS
2.5V

KMR-D772BT

Marine CD Receiver with Bluetooth

3 PRE-OUTS
4V

PKG-MR378BT

Receiver Package + 6-1/2" Marine Speaker (KMR-D378BT + KFC-1633MRW)

- Water-Resistant PP Cone
- 2-way Speaker



- KFC-1673MRWL
 - KFC-1673MRBL
- | PEAK POWER | RMS POWER |
|------------|-----------|
| 260W | 75W |

KFC-1673MRWL/BL

6-3/4" 2-way 2 Speaker with Illumination

- Water-Resistant PP Cone
- Variable Color/Pattern Illumination

RMS POWER	MAX POWER
50W x 4 + 300W 4Q 75W x 4 + 500W 2Q 150W x 2 Bridged 4Q	1600W

KAC-M8005

Class D 5 Channel Marine Power Amplifier

- Conformal Coating*
- Variable High & Low-Pass Filter
- Bass Boost

- Speaker Level Input
- Signal Sensing Turn-on
- (W)9" x (H)2-3/16" x (D)7-3/8"

RMS POWER	MAX POWER
45W x 4 4Q 45W x 4 2Q 90W x 2 Bridged 4Q	400W

KAC-M1814

Compact 4 Channel Digital Amplifier

- Conformal Coating*
- Speaker Level Input
- Signal Sensing Turn-on
- Bridgeable

- Independent A/B Level Adjustment
- (W)5-11/16" x (H)1-3/4" x (D)3-7/8"

RMS POWER	MAX POWER
50W x 4 4Q 75W x 4 2Q 150W x 2 Bridged 4Q	600W

KAC-M3004

Compact 4 Channel Digital Amplifier

- Conformal Coating*
- Variable High & Low-Pass Filter
- Speaker Level Input

- Signal Sensing Turn-on
- (W)6-1/2" x (H)1-3/4" x (D)3-7/8"

* Conformal Coating: Do not install the unit in a spot exposed to direct sunlight or excessive heat or humidity. Also avoid places with too much dust or the possibility of water splashing.

KMM-BT728HD

Digital Media Receiver with Bluetooth & HD Radio

3 PRE-OUTS
4V


KMM-BT228U

Digital Media Receiver with Bluetooth

1 PRE-OUT
2.5V


KMR-D378BT

Marine CD Receiver with Bluetooth

3 PRE-OUTS
4V

KMR-M328BT

Marine Digital Media Receiver with Bluetooth

3 PRE-OUTS
4V

- KFC-1653MRW
 - KFC-1653MRB
- | PEAK POWER | RMS POWER |
|------------|-----------|
| 150W | 50W |



KCA-RC55MR

Wired Marine Remote Control with Display

CA-Y107MR



KCA-HX7C

Motorcycle Bluetooth Camera & Communication System



- KFC-2053MRW
 - KFC-2053MRB
- | PEAK POWER | RMS POWER |
|------------|-----------|
| 300W | 100W |



KCA-RC35MR

Wired Marine Remote Control



CA-EX7MR/3MR

Marine Remote Controller Extension Cable 7m / 3m



KCA-HX5M

Motorcycle Bluetooth Communication System with Mesh Intercom



KAC-M1824BT

Compact Bluetooth 4 Channel Digital Amplifier

- Conformal Coating*
- Speaker Level Input
- Signal Sensing Turn-on

- (W)5-11/16" x (H)1-3/4" x (D)3-7/8"



RMS POWER	MAX POWER
45W x 4 4Q 45W x 4 2Q 90W x 2 Bridged 4Q	400W

KAC-M3001

Compact Mono Digital Amplifier

- Conformal Coating*
- Variable Low-Pass Filter
- Speaker Level Input

- Variable Low-pass Filter
- Signal Sensing Turn-on
- (W)5-11/16" x (H)1-3/4" x (D)3-7/8"





KAC-9106D

RMS POWER	MAX POWER
500W 4Ω 1000W 2Ω	2000W

Class D Mono Power Amplifier

- Variable Low-Pass Filter
- Infrasonic Filter 20Hz-50Hz, -24dB/oct
- Bass Boost : 0dB to +18dB (40Hz)
- Speaker Level Input
- Signal Sensing Turn-on
- (W)13-3/16" x (H)2-3/16" x (D)7-9/16"

KAC-5207

RMS POWER	MAX POWER
70W x 2 4Ω 85W x 2 2Ω 170W Bridged 4Ω	500W

Stereo / Bridgeable Power Amplifier

- Low-Pass Filter
- Speaker Level Input
- Signal Sensing Turn-on
- (W)9-1/16" x (H)2-3/16" x (D)6-9/16"

KAC-D8105

RMS POWER	MAX POWER
50W x 4 + 300W 4Ω 75W x 4 + 500W 2Ω 150W x 2 Bridged 4Ω	1600W

Class D 5 Channel Power Amplifier

- Variable High & Low-Pass Filter
- Bass Boost : 0dB to +18dB (40Hz)
- Speaker Level Input
- Signal Sensing Turn-on
- (W)9" x (H)2-3/16" x (D)7-3/8"

KAC-D5101

RMS POWER	MAX POWER
300W 4Ω 500W 2Ω	1000W

Class D Mono Power Amplifier

- Variable Low-Pass Filter
- Bass Boost : 0dB to +18dB (40Hz)
- Speaker Level Input
- Signal Sensing Turn-on
- (W)6-11/16" x (H)2-3/16" x (D)7-3/8"

KAC-D3104

RMS POWER	MAX POWER
50W x 4 4Ω 75W x 4 2Ω 150W x 2 Bridged 4Ω	600W

Class D 4 Channel Power Amplifier

- Variable High & Low-Pass Filter
- Bass Boost : 0dB to +18dB (40Hz) Bch
- Speaker Level Input
- Signal Sensing Turn-on
- (W)6-11/16" x (H)2-3/16" x (D)7-3/8"

SUBWOOFERS



KSC-PSW8

MAX POWER	RMS POWER
250W	150W

8" Compact Powered Subwoofer

- Wired remote controller
- (W)13-3/4" x (H)2-15/16" x (D)9-7/16"



PA-W801B

MAX POWER	RMS POWER
400W	200W

8" Powered Subwoofer in Ported Enclosure

- Down-Firing Enclosure
- Strong Magnetic Circuit
- Wired Level Control Included
- (W)17-11/16" x (H)11-13/16" x (D) 5-7/8"



P-W804B

PEAK POWER	RMS POWER
900W	300W

8" Oversized Subwoofer in Ported Enclosure

- Down-Firing Enclosure
- Strong Magnetic Circuit
- (W)17-11/16" x (H)11-13/16" x (D) 5-7/8"



CA-121G/CA-101G

Steel Mesh Grille

- CA-121G for KFC-W3041
- CA-101G for KFC-W2541



P-W121B

PEAK POWER
1200W

Sealed Enclosure Box Subwoofer + KAC-5207 Package

- Injection PP Cone

P-W1021

PEAK POWER
700W

10" Bass Party Pack (KAC-5207 & KFC-W110S x 2)

- Injection PP Cone
- Frequency Response 35Hz - 1kHz
- Mounting Depth 4-7/8"



X-motif Cone

Controls resonance frequency and cuts unnecessary frequency, delivering powerful and solid bass response.

Thermal Management

A multi-layered voice coil and aluminum bobbin provide efficient heat transfer, while a closed yoke enhances heat radiation and airflow.

KFC-W3041

PEAK POWER	RMS POWER
2000W	300W

12" Subwoofer

- PP X-motif Cone with Diamond Array Pattern
- Impedance 4Ω
- Frequency Response 29Hz - 300Hz
- Mounting Depth 5-3/8"

KFC-W2541

PEAK POWER	RMS POWER
1300W	300W

10" Subwoofer

- PP X-motif Cone with Diamond Array Pattern
- Impedance 4Ω
- Frequency Response 33Hz - 300Hz
- Mounting Depth 4-7/8"

P-W1221

PEAK POWER
800W

12" Bass Party Pack (KAC-5207 & KFC-W112S x 2)

- Injection PP Cone
- Frequency Response 28Hz - 800Hz
- Mounting Depth 5-9/16"



KFC-P710PS

6-1/2" Component Speaker

- Frequency Response 63Hz - 24kHz
- Mounting Depth 2-3/16"

PEAK POWER	RMS POWER
280W	80W

KFC-P510PS

5-1/4" Component Speaker

- Frequency Response 63Hz - 24kHz
- Mounting Depth 2-3/8"

PEAK POWER	RMS POWER
240W	45W

Performance series speakers with higher power handling, better sound quality, ideal replacement / upgrade for factory speakers.



- KFC-6986PS

- KFC-D691

KFC-1796PS

6-3/4" Round 2-way 2 Speaker

- Sound Field Enhancer
- Acoustic Sound Harmonizer
- Frequency Response 72Hz-24kHz
- Mounting Depth 1-7/8"

PEAK POWER	RMS POWER
330W	100W

KFC-1396PS/D131

5-1/4" Round 2-way 2 Speaker

- Sound Field Enhancer
- Acoustic Sound Harmonizer
- Frequency Response 80Hz -25kHz
- Mounting Depth 1-13/16"

PEAK POWER	RMS POWER
320W	75W



KFC-1666S

6-1/2" Round 2-way 2 Speaker

- Sound Field Enhancer
- Frequency Response 40Hz - 22kHz
- Mounting Depth 1-11/16"

PEAK POWER	RMS POWER
300W	30W

KFC-1366S

5-1/4" Round 2-way 2 Speaker

- Sound Field Enhancer
- Frequency Response 45Hz - 22kHz
- Mounting Depth 1-3/4"

PEAK POWER	RMS POWER
260W	30W

KFC-1066S

4" Round 2-way 2 Speaker

- Sound Field Enhancer
- Frequency Response 50Hz - 22kHz
- Mounting Depth 1-11/16"

PEAK POWER	RMS POWER
220W	21W



KFC-835C

3-1/2" Custom Fit Speaker

- Frequency Response 96Hz - 20kHz
- Mounting Depth 1-1/2"

PEAK POWER	RMS POWER
40W	10W



KFC-4675C

4x6" Custom Fit Speaker

- Frequency Response 50Hz - 25kHz
- Mounting Depth 1-5/8"

PEAK POWER	RMS POWER
60W	20W



KFC-415C

4x10" Custom Fit Speaker

- Frequency Response 50Hz - 25kHz
- Mounting Depth 2-7/16"

PEAK POWER	RMS POWER
160W	40W



KFC-ST01

13/16" Component Tweeter

- Frequency Response 5kHz - 25kHz

PEAK POWER	RMS POWER
160W	40W



KFC-6996PS

6x9" Oval 5-way 5 Speaker

- Sound Field Enhancer
- Acoustic Sound Harmonizer
- Frequency Response 58Hz -22kHz
- Mounting Depth 3-3/16"

PEAK POWER	RMS POWER
650W	150W

KFC-6986PS/D691

6x9" Oval 4-way 4 Speaker

- Sound Field Enhancer
- Acoustic Sound Harmonizer
- Frequency Response 60Hz -22kHz
- Mounting Depth 3-3/16"

PEAK POWER	RMS POWER
600W	140W

KFC-C5796PS

5x7" Oval Custom Fit 2-way 2 Speaker

- Sound Field Enhancer
- Acoustic Sound Harmonizer
- Frequency Response 64Hz - 24kHz
- Mounting Depth 2-1/16"

PEAK POWER	RMS POWER
320W	80W

KFC-C6896PS /D681C

6x8" Oval Custom Fit 2-way 2 Speaker

- Sound Field Enhancer
- Acoustic Sound Harmonizer
- Frequency Response 58Hz - 24kHz
- Mounting Depth 2-3/8"

PEAK POWER	RMS POWER
360W	81W

KFC-1696PS/D161

6-1/2" Round 2-way 2 Speaker

- Sound Field Enhancer
- Acoustic Sound Harmonizer
- Frequency Response 75Hz -24kHz
- Mounting Depth 1-7/8"

PEAK POWER	RMS POWER
320W	100W

KFC-1096PS/D101

4" Round 2-way 2 Speaker

- Sound Field Enhancer
- Acoustic Sound Harmonizer
- Frequency Response 114Hz -25kHz
- Mounting Depth 1-11/16"

PEAK POWER	RMS POWER
220W	50W



KFC-C1656S

6-1/2" Round Dual Cone Speaker

- Frequency Response 40Hz - 18kHz
- Mounting Depth 1-11/16"

PEAK POWER	RMS POWER
300W	30W

KFC-6966S

6x9" Oval Custom Fit 3-Way 3 Speaker

- Sound Field Enhancer
- Frequency Response 35Hz - 20kHz
- Mounting Depth 3"

PEAK POWER	RMS POWER
400W	45W

KFC-C6866S

6x8" Oval Custom Fit 2-Way 2 Speaker

- Frequency Response 40Hz - 22kHz
- Mounting Depth 2-3/8"

PEAK POWER	RMS POWER
250W	30W

Custom fit speakers and tweeters are designed for specific and unique vehicle applications